

14.BIOMOLECULES

Single Correct Answer Type

| 1. | Identify the correct states | ment regarding enzymes | | |
|-----|--|---|-------------------------------|---------------------------|
| | a) Enzymes are specific by $(T \sim 1000 \text{ K})$ | iological catalysts that can | normally function at very h | nigh temperatures |
| | b) Enzymes are normally | heterogeneous catalysts th | at are very specific in their | action |
| | | iological catalysts that can | = = = | |
| | | iological catalysts that poss | • | es |
| 2. | Which statement is not co | | | |
| | a) It acts as a biocatalyst | , | | |
| | b) Its aqueous solution is | colloidal | | |
| | c) It can catalyse any che | | | |
| | | is temperature dependent | | |
| 3. | The vector for genetic co | - | | |
| | a) Messenger RNA | b) Transfer RNA | c) Ribosomal RNA | d) Viral DNA |
| 4. | Vitamin A is also known a | | , | , |
| | a) Xerophythol | b) Thiamine | c) Riboflavin | d) Pyridoxine |
| 5. | = = = | mercially bya polysaccha | • | • |
| | arthichokes. | i i y i y i p i p i y i i i | | , |
| | a) Inulin | b) Cellulose | c) Lactose | d) None of these |
| 6. | | by the preparation of osazo | | , |
| | a) Glucose and lactose | | o . | |
| | b) Glucose and fructose | | | |
| | c) Glucose and arabinose | | | |
| | d) Glucose and maltose | | | |
| 7. | | ng is an example of a non-re | educing sugar? | |
| | a) Sucrose | b) Lactose | c) Maltose | d) Cellobiose |
| 8. | | ereoisomeric aldoses which | , | • |
| | a) C ₅ | b) C ₂ | c) C ₄ | d) C ₃ |
| 9. | | ng compounds is not a vitan | | , 3 |
| | a) Ascorbic acid | b) Thiamine | c) Testosterone | d) Riboflavin |
| 10. | | of hydroxyl group on which | | erentiates RNA and DNA? |
| | a) 1 st | b) 2 nd | c) 3 rd | d) 4 th |
| 11. | Turpentine oil is obtained | , | , | , |
| | a) Oak tree | b) Pine tree | c) Birch tree | d) Lemon tree |
| 12. | Protein gives blue colour | with | | |
| | a) Benedict reagent | 137 11 1 | c) Ninhydrin | d) Biurete |
| 13. | | of blood which transport o | xygen contains an element | in a system of rings. The |
| | element is: | • | | |
| | a) Iron | b) Magnesium | c) Cobalt | d) Calcium |
| 14. | Proteins are | | | |
| | a) Polypeptides with low | molecular weights | b) Polypeptides with high | molecular weights |
| | c) Polymers of amides | | d) Polymers of secondary | amines |
| 15. | A substance forms Zwitte | r ion. It can functional grou | ips | |
| | | b) —NH ₂ ,—SO ₃ H | c) Both (a) and (b) | d) None of these |
| 16. | A chemical substance act | s as the currency of energy | metabolism in a cell. It is: | |
| | a) Adenosine triphospha | te | | |

b) Adenosine diphosphate

| | c) Adenosine mono d) Glucose | phosphate | | | | |
|-----|---|---------------------------------|---|-----------------------------------|--|--|
| 17 | • | used in soft drinks is: | | | | |
| 1/. | | | a) Callulana | d) Assaultanes | | |
| 10 | a) Glucose | b) Fructose | c) Cellulose | d) Asparatame | | |
| 10. | DNA multiplication | | ·) The same of all and | D. D. altanta | | |
| 10 | a) Translation | b) Transduction | c) Transcription | d) Replication | | |
| 19. | | ing is the first member of mo | | 2110 | | |
| | 0 | | b) CH ₂ OH—CHOH —(| СНО | | |
| | a) | | | | | |
| | CH ₂ OH —C— CH | | | | | |
| | c) CH ₂ OH —CHOH- | – СНОН— СНО | | 0 | | |
| | | | | | | |
| | | | CH ₂ OH —CHOH — | C —CH ₂ OH | | |
| 20. | Which is not a redu | | | | | |
| | a) Glucose | b) Fructose | c) Mannose | d) Sucrose | | |
| 21. | Fats and oils are for | | | | | |
| | | g chain unsaturated acids only | / | | | |
| | b) Glycerol and long | g chain saturated acids only | | | | |
| | c) Glycerol and long | g chain saturated and unsatur | ated acids | | | |
| | d) Ethylene glycol a | nd long chain saturated and ι | ınsaturated acids | | | |
| 22. | A solution of D-gluc | ose in water rotates the plane | e of polarized light | | | |
| | a) To the left | b) To the right | c) To either side | d) None of these | | |
| 23. | Ordinary soaps are | defined as: | | | | |
| | a) Al salts of higher fatty acids | | | | | |
| | b) Na salts of lower | fatty acids | | | | |
| | c) Na salts of higher | fatty acids | | | | |
| | d) Mg salts of lower | fatty acids | | | | |
| 24. | Cellulose is a linear | polymer of: | | | | |
| | a) α-glucose | b) β-glucose | c) α-fructose | d) None of these | | |
| 25. | Cofactors (non-prot | teinic prosthetic groups) used | l to bond conjugated prote | ins are: | | |
| | a) Carbohydrates | b) Phosphoric acid | c) Iron pigments | d) All are correct | | |
| 26. | Genetic code detern | nines | | | | |
| | a) Sequence of amin | no acids in a peptide chain | b) Sequence of variab chain | le amino acids in a protein | | |
| | c) Structure of hum | an cells | d) Morphology of trai | ts | | |
| 27. | Acetone may be obt | ained from starch by the action | on of : | | | |
| | a) Acid | b) Bacteria | c) Oxidizing agent | d) None of these | | |
| 28. | Fat on hydrolysis gi | ves which alcohol? | | | | |
| | a) Glycerol | b) Propanol | c) Butanol | d) Ethanol | | |
| 29. | Which one of the following sets of monosaccharides forms sucrose? | | | | | |
| | a) β-D-Glucopyranose and α-D-fructofuranose | | | | | |
| | b) α-D-Glucopyranose and β-D-fructopyranose | | | | | |
| | c) α-D-Galactopyra | nose and α-D-Glucopyranose | | | | |
| | d) α-D-Glucopyrano | se and β-D-fructofuranose | | | | |
| 30. | Simple proteins bor | nded with a non-proteinic pro | sthetic group (acting as co | factor) are called: | | |
| | a) Simple proteins | b) Conjugated protein | s c) Proteonic proteins | d) None of these | | |
| 31. | Glucose is hydrolys | | • | | | |
| | a) Amino acids | b) Alcohol | c) Aromatic acids | d) Dicarboxylic acid | | |
| 32. | | • | | vill be formed at the junction of | | |
| | two liquids? | - | | · | | |
| | a) Blood-red | b) Violet | c) Brown | d) Orange | | |

| 33. | Which of the following tes | st is not used for testing of | proteins? | |
|-----|---|-------------------------------|-------------------------------|-----------------------------|
| | a) Millon's test | b) Molish's test | c) Biuret test | d) Ninhydrin test |
| 34. | In biological systems, the | RNA molecules direct the s | ynthesis of specific protein | s which are characteristics |
| | of each kinds of organism | . This process is known as | | |
| | a) Transcription | b) Mutation | c) Replication | d) Translation |
| 35. | Galactose is converted int | to glucose in | | |
| | a) Mouth | b) Stomach | c) Liver | d) Intenstine |
| 36. | | nucleotides in messenger F | | mino acid? |
| | a) Three | b) Four | c) One | d) Two |
| 37. | - | th acts as the instrumental | <u> </u> | - |
| | a) Nucleoside | b) Nucleotide | c) Ribose | d) Gene |
| 38. | Which vitamin contains N | | | 15.77 |
| 20 | a) Vitamin A | b) Vitamin C | c) Vitamin B | d) Vitamin D |
| 39. | All protein are | 13.75 |) II () | 1) D 1 |
| 40 | a) Simple | b) Biocatalysts | c) Useful | d) Polymers |
| 40. | Iodine test is shown by | 13.6 |) (1 | D D 11 |
| 11 | a) Glucose | b) Starch | c) Glycogen | d) Polypeptide |
| 41. | Glucose reacts with acetic | = | a) Danta anatata | J) II |
| 12 | a) Monoacetate | b) Tetra acetate | c) Penta acetate | d) Hexa acetate |
| 42. | Fats and oils belong to the a) Alcohols | b) Acids | a) Eators | d) Uvdracarbanc |
| 1.2 | The function of DNA is: | D) Acius | c) Esters | d) Hydrocarbons |
| 43. | a) To synthesize RNA | | | |
| | b) To synthesize the nece | ssary nroteins | | |
| | | characteristics from gener | ration to generation | |
| | d) All are correct | enaracteristics irom gener | auton to generation | |
| 44. | The enzyme present in sa | liva is: | | |
| | a) Pepsin | b) Peptidase | c) Lipase | d) Ptyalin |
| 45. | On heating with conc. H ₂ S | , . | <i>y</i> 1 | |
| | a) CO and CO ₂ | b) CO and SO ₂ | c) CO_1 , CO_2 and SO_2 | d) None of these |
| 46. | DNA has deoxyribose, bas | se and the third compound | is: | |
| | a) Phosphoric acid | b) Ribose | c) Adenine | d) Thymine |
| 47. | To which of the following | classes of organic compoun | nds soap belongs? | |
| | a) Esters | b) Amines | c) Salts of organic acids | d) Aldehydes |
| 48. | An organic compound cor | nsumes 4 moles of periodic | acid to form following com | pounds, per mole of the |
| | starting compounds HCH | O, 3HCOOH and CHOCOOH. | The organic compound is | |
| | a) Glucose | b) Fructose | c) Gluconic acid | d) Sorbitol |
| 49. | Which does not contain ca | - | | |
| | a) Cellulose | b) Wax | c) Starch | d) Wheat flour |
| 50. | Waxes are esters of | | | |
| | a) Glycerol | | b) Long chain alcohols | |
| | c) Glycerol and fatty acid | | d) Long chain alcohols and | d long chain acids |
| 51. | Nucleic acids are: | | | |
| | a) Polymers of nucleotide | | | |
| | b) Polymers of nucleoside | | 1 1 | |
| | = = | ses through phosphate este | r bonds | |
| EO | d) Phosphate ester bonds | | | |
| 52. | Lactose has the same mol | | a) Cuaroca | d) Lactors |
| 53. | a) Glucose Which is an amino acid? | b) Maltose | c) Sucrose | d) Lactose |
| JJ. | a) Glycine | b) Valine | c) Lysine | d) All of these |
| | a, ary critic | o, , amin | o, by onic | a, im or diese |

| 54. | Glycogen on hydrolysis gives: | | |
|-----|---|--|---|
| | a) Starch b) Amylopectin | c) Amylose | d) Glucose |
| 55. | An enzyme is formed by chemically bonding to | gether | |
| | a) Lipases | b) Amino acids | |
| | c) Carbohydrates | d) Vitamins of B complex | group |
| 56. | Glucose with excess of phenyl hydrazine forms: | : | |
| | a) Fructosazone | | |
| | b) Glucose phenyl hydrazone | | |
| | c) Glucosazone | | |
| | d) Phenyl hydrazone of glucosazone | | |
| 57. | Animal starch is the name given for: | | |
| | a) Glycogens b) Lactogens | c) Cellulose | d) None of these |
| 58. | Fructose or ketohexose contains: | | |
| | a) 5 —OH groups | | |
| | b) 3 secondary alcoholic groups | | |
| | c) 2 primary alcoholic gps. And one keto gp. | | |
| | d) All of the above | | |
| 59. | A mixture of amylose and amylopectin is called | l | |
| | a) Lactose b) Starch | c) Cellulose | d) Sucrose |
| 60. | Protein can be most easily removed by: | | |
| | a) Alkanes b) Alkenes | c) Alkynes | d) Benzene |
| 61. | Dextrins $(C_6H_{10}O_5)_n$ are used in: | | |
| | a) Making adhesive b) Confectionary | c) Sizing paper | d) All of these |
| 62. | Aqueous solution of carbohydrate with 2 drops | s of alcoholic solution of α -napht | hol and H ₂ SO ₄ gives a ring |
| | at the junction. The colour of the ring is: | | |
| | a) Yellow b) Green | c) Violet | d) Red |
| 63. | The catalyst used in the hydrogenation of oils in | nto fats is: | |
| | a) V ₂ O ₅ b) Fe | c) Ni | d) Pt |
| 64. | Which one is absent in protein? | | |
| | a) C b) N | c) S | d) P |
| 65. | The energy change produced by the combustion | n of foods is called the 'calorific | value'. The best calorific |
| | value is given by: | | |
| | a) Proteins b) Fats | c) Carbohydrates | d) Vitamins |
| 66. | Which of the following is not a classification of | • | |
| | a) Enzymes b) Antibiotics | c) Antigens | d) Hormones |
| 67. | Commercial detergents contain mainly: | | |
| | a) RONa b) RCOONa | c) ROSO ₃ Na | d) ROCH ₂ CHORCH ₂ OR |
| 68. | Monosaccharides usually contain: | | |
| | a) 3 to 8 carbon atoms b) 5 to 8 carbon atom | ms c) 2 to 10 carbon atoms | d) 6 to 10 carbon atoms |
| 69. | In aqueous solution glucose remains as | | |
| | a) Only in open chain form | b) Only in pyranose form | |
| | c) Only in furanose forms | d) In all three forms in eq | |
| 70. | Glucose forms many derivatives. The derivative | | |
| | a) Osazone b) Benzoyl | c) Acetyl | d) Isopropylidene |
| 71. | An example of a sulphur containing amino acid | | |
| | a) Lysine b) Serine | c) Cysteine | d) Tyrosine |
| 72. | What happens when drying oils are exposed to | _ | |
| | a) Polymerization b) Fermentation | c) Hardening | d) Isomerization |
| 73. | Which one is not a protein? | | |
| | a) Actin b) Collagen | c) Albumin | d) Haematin |
| 74. | Which of the following hormones helps in the c | conversion of glucose into glycog | en in the body? |

| | a) Insulin | b) Cortisone | c) Thyroxin | d) Oxytocin |
|-----|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 75. | Formation of amylene oxi | ide ring in glucose is an ind | ication that ring in glucose | is at: |
| | a) C ₁ and C ₅ | b) C ₂ and C ₅ | c) C ₃ and C ₆ | d) C ₂ and C ₄ |
| 76. | Oils are: | | | |
| | a) Phospholipids | b) Liquid fats | c) Steroids | d) All of these |
| 77. | Glucose contains in additi | ion to aldehyde group | | |
| | a) One secondary OH and | four primary OH group | | |
| | b) One primary OH and fo | our secondary OH group | | |
| | c) Two primary OH and t | hree secondary OH group | | |
| | d) Three primary OH and | l two secondary OH group | | |
| 78. | | oms in β-D fructofuranose a | re: | |
| | a) 6 | b) 5 | c) 4 | d) 7 |
| 79. | Bleeding gums are caused | d by deficiency of: | | |
| | a) Thiamine | b) Ascorbic acid | c) Folic acid | d) Vitamin E |
| 80. | Which is false | | | |
| | a) Glucose is a disacchari | de | b) Starch is a polysacchar | ide |
| | c) Glucose and fructose a | re not anomers | d) Invert sugar consists of | f glucose and fructose |
| 81. | Vitamin B ₆ is known as | | , | |
| | a) Pyridoxin | b) Thiamine | c) Tocopherol | d) Riboflavin |
| 82. | Which is insoluble in water | er? | | |
| | a) Glucose | b) Cellulose | c) Fructose | d) Sucrose |
| 83. | The antibodies necessary | to protect new born babie | s from infection are derived | d from: |
| | a) Cow's milk | b) Pasteurised milk | c) Mother's milk | d) Honey |
| 84. | The element present in tr | aces in insulin is: | | |
| | a) Iron | b) Cobalt | c) Zinc | d) Magnesium |
| 85. | Adenosine is an example | of: | | |
| | a) Nucleotide | b) Nucleoside | c) Purine base | d) Pyrimidine base |
| 86. | Which of the following sta | atements is incorrect? | | |
| | a) Two polynucleotide ch | ains pointing in opposite d | irections are coiled to form | a double helix |
| | b) Both helixes are right h | nanded | | |
| | c) The helixes have ten no | | | |
| | | complementary to each ot | | |
| 87. | _ | produced in ductless gland | | |
| | a) Vitamins | b) lipids | c) Antibiotics | d) Hormones |
| 88. | | present in most living cells | | |
| | a) Glutathione | b) Glutamine | c) Oxytocin | d) Ptyalin |
| 89. | • | NA molecule that could lea | d to synthesis of protein wi | ith an altered amino acid |
| | sequence is called | | | |
| | a) Replication | b) Lipid formation | c) Cellular membrane | d) Mutation |
| 90. | Calciferol is | | | |
| | a) Vitamin | b) Antibiotic | c) Hormone | d) Antipyretic |
| 91. | Keratin, a structural prote | = | | |
| | a) Hair | b) Skin | c) Wool | d) All of these |
| 92. | The letter 'D' in carbohyo | - | | |
| 0.0 | a) Its direct synthesis | b) Its dextrorotation | c) Its mutarotation | d) Its configuration |
| 93. | | lical structure of DNA is op | | |
| | a) Van der Waals' forces | | b) Dipole –dipole interact | |
| 0.4 | c) Hydrogen bonding | | d) Electrostatic attraction | S |
| 94. | | present in a typical carboh | | 1) 011 - 1 0110 |
| 05 | • | b) —CHO and —COOH | | • |
| 95. | i ne compound, which giv | re a positive ninhydrin test | and a negative Benedict's s | oiution test, is |

a) A monosaccharide b) A disaccharide c) A lipid d) A protein 96. The change in the optical rotation of freshly prepared solution of glucose is known as a) Tautomerism b) Racemization c) Specific rotation d) Mutarotation 97. Which one of the following structure represents the peptide chain? d) c) 98. Water insoluble component of starch is a) Amylopectin c) Cellulose d) None of these b) Amylose 99. Which one of the given proteins transports oxygen in the blood stream? a) Myoglobin b) Insulin c) Albumin d) Haemoglobin 100. Oxygen, necessary for life on earth was formed in atmosphere as a result of: a) Eradication of ozone b) Photosynthesis c) Electric discharge on water d) None of the above 101. Which of the following is ketohexose? a) Glucose b) Sucrose c) Fructose d) Ribose 102. Which of the following enzymes hydrolysis starch to glucose? a) Amylase b) Invertase d) Maltase c) Lactase 103. Which one is a phospholipid? a) Lecithin b) Cephalin c) Kephalin d) All of these 104. Hydrolysis of fats and oils yield: a) Dihydride alcohol b) Trihydric alcohol d) Unsaturated acids c) Esters 105. RNA contains a) Ribose sugar and thymine b) Ribose sugar and uracil c) Deoxyribose sugar and uracil d) Deoxyribose sugar and thymine 106. Starch is changed into disaccharides in presence of: a) Diastase b) Maltase c) Lactase d) zymase 107. Cane sugar on hydrolysis yields: a) Glucose and maltose b) Glucose and lactose c) Glucose and fructose d) Only glucose 108. The colour of the precipitate formed when a reducing sugar is heated with Fehling's solution is: a) Brown b) Red c) Blue d) Green 109. Invert sugar is: a) Chemically inactive form of sugar b) Equimolecular mixture of glucose and fructose c) Mixture of glucose and sucrose d) A variety of cane sugar 110. Consider the following reagents I. Br₂ water II. Tollen's reagesnt III. Fehling's solution Which can be used to make distinction between an aldose and a ketose? a) I, II and III b) II and III c) I only d) II only

| 111. | Which one of the following | g vitamins contains a metal | ato | om? | |
|------|---|-------------------------------|-------|------------------------------|-------------------------------------|
| | a) Riboflavin | b) Vitamin B ₁₂ | c) | Vitamin A | d) Vitamin B ₆ |
| 112. | Carbohydrate contains: | | | | |
| | a) —OH gp. | b) —CHO gp | c) | \supset CO $=$ Ogp. | d) All of these |
| 113. | Which is used for making | rayon (artificial silk)? | | | |
| | a) Starch | b) Cellulose | c) | Terephthalic acid | d) Adipic acid |
| 114. | Which carbohydrates is as | s important as steel and is e | emp | loyed in manufacture of | many articles in daily use |
| | as well as most abundant | in nature? | | | |
| | a) Cellulose | b) Glucose | c) | Starch | d) Sucrose |
| 115. | Glucose gives silver mirro | r with ammoniacal silver n | itra | te because it has | |
| | a) Aldehyde group | | b) | Ester group | |
| | c) Ketone group | | d) | Alcoholic silver nitrate | |
| 116. | Aleurone grains are | | | | |
| | a) Starch | b) Glycogen | - | Lipid | d) Protein |
| 117. | The number of disulphide | linkage present in insulin a | are | | |
| | a) 1 | b) 2 | c) | 3 | d) 4 |
| 118. | Which are not the essentia | al constituents of balanced | diet | t? | |
| | a) Carbohydrates | b) Fats | c) | Proteins | d) Hormones |
| 119. | Starch can be used as an in | ndicator for the detection o | f th | e traces of: | |
| | a) Glucose in aqueous solu | ıtion | | | |
| | b) Proteins in blood | | | | |
| | c) Iodine in aqueous solut | ion | | | |
| | d) Urea in blood | | | | |
| 120. | - | of KOH required to neutrali | ise l | g of the oil or fat is calle | ed: |
| | , · | b) Iodine value | _ | - | d) Acid value |
| 121. | | logical nature and activity o | of p | | |
| | a) Dehydration | b) Denaturation | c) | Denitrogenation | d) Deamination |
| 122. | Glucose and mannose are | | | | |
| | a) Epimers | b) Anomers | c) | Ketohexoses | d) Disaccharides |
| 123. | The hormone thyroxine: | | | | |
| | a) Is secreted by pancreas | 1 | | | |
| | b) Is secreted by thyroid | | | | |
| | c) Decreases blood sugar | | | | |
| | d) Does not stimulate met | | | | |
| 124. | | tes plane-polarised light, it | S OX | kidation product, galacta | ric acid, due to HNO ₃ , |
| | does not. It is due to | | | | |
| | a) Galactaric acid is racen | nic mixture of D- and L- | b) | Galactaric acid is a meso | compound |
| | isomer | | - | | _ |
| | c) Both are correct | | - | None of the above is cor | rect |
| 125. | = | amins is present in cod-live | | | |
| | a) A | b) B ₁₂ | c) | - | d) C |
| 126. | | vith 'X' number of molecule | s of | phenyl hydrazine to yie | eld osazone. The value of |
| | 'X' is | | | _ | |
| | a) Four | b) One | - | Two | d) Three |
| 127. | | g for testing urine of | _ | | 15.75 |
| 400 | a) Fehling 's solution | b) Tollen's regent | c) | Benedict's solution | d) Baeyer's reagent |
| 128. | A nanopeptide contains | | ~ | 0 | 1) 40 |
| 400 | a) 10 | b) 8 | c) | | d) 18 |
| 129. | The pH value of a solution field is called: | in which a polar amino aci | d d | oes not migrate under tl | ne influence of electric |

| a) Isoelectronic point b) Isoelectric point | c) Neutralization point | d) None of these |
|--|---------------------------|-----------------------|
| 130. Cellophane is made from: | | |
| a) Cellulose b) Phenol | c) Gum | d) Petroleum |
| 131. The letter 'D' in D-glucose signifies | | |
| a) Configuration at all chiral carbons | b) Dextrorotatory | |
| c) That it is a monosaccharide | d) Configuration at a par | ticular chiral carbon |
| 132. The number of asymmetric carbon atoms in fructor | se are: | |
| a) 2 b) 3 | c) 4 | d) 5 |
| 133. Which of the following compounds can be detected | l by Molisch's test? | |
| a) Sugars b) Amines | c) Primary alcohols | d) Nitro compounds |
| 134. Vitamin which is believed to cure common cold is: | | |
| a) A b) C | c) K | d) E |
| 135. The store house for all biological information is: | | |
| a) RNA b) <i>m</i> -RNA | c) DNA | d) None of these |
| 136. Which of the following compounds is known as the | e antisterility factor? | |
| a) α —tocopherol b) Retinol | c) Calciferol | d) Pyridoxine |
| 137. Which amino acid has imidazole ring? | , | , , |
| a) Alanine b) Leucine | c) Tyrosine | d) Histidine |
| 138. DNA molecule consists of units of: | | , |
| a) Base-sugar | | |
| b) Base-sugar-phosphate | | |
| c) Base-phosphate | | |
| d) None of these | | |
| 139. On fermentation, glucose yields | | |
| a) Ethanol b) Ethanal | c) Acetic acid | d) Fructose |
| 140. In DNA, the complementary bases are, | c) nectic acid | u) i i uctosc |
| a) Adenine and thymine; guanine and cytocine | | |
| b) Uracil and adenine; cytocine and guanine | | |
| c) Adenine and guanine; thymine and cytocine | | |
| d) Adenine and thymine; guanine and uracil | | |
| | | |
| 141. Iodised salt prevents | a) Caitan | d) Dowi howi |
| a) TB b) Anaemia | c) Goiter | d) Beri-beri |
| 142. Nucleotide pairs present in one turn of DNA helix | 3.0 | 1) 0 |
| a) 4 b) 10 | c) 8 | d) 9 |
| 143. Which of the following is not an amino acid? |) III I | יוי מו |
| a) Glycine b) Alanine | c) Histidine | d) Benzidine |
| 144. Proteins mainly contain: | | |
| a) C, H, O and N b) Only C and H | c) C, H and O | d) N and H |
| 145. The two forms of D-glucopyranose obtained from t | | |
| a) Isomer b) Anomer | c) Epimer | d) Enantiomer |
| 146. Raffinose is | | |
| a) Trisaccharide b) Disaccharide | c) Monosaccharide | d) Polysaccharide |
| 147. A saturated fatty acid found in oils and fats is: | | |
| a) Palmitic acid b) Linolenic acid | c) Oleic acid | d) Linoleic acid |
| 148. The enzyme that hydrolyses casein of milk into part | casein is: | |
| a) Renoline b) Rennin | c) Replication | d) Renil |
| 149. Which of the following is a fat soluble vitamin? | | |
| a) Vitamin A b) Riboflavin | c) Pyridoxine | d) Thiamine |
| 150. The enzyme pepsin hydrolyses | | |
| a) Proteins to amino acids | b) Fats to fatty acids | |
| c) Glucose to ethyl alcohol | d) Polovsaccharides to m | onosaccharides |

| 151. | Hydrolysis of fats and oils | in the body produces: | | |
|------|-----------------------------|-----------------------------------|--|-----------------------|
| | a) A fatty acid | b) Carbon dioxide | c) A lipase | d) An ester |
| 152. | Deoxyribonucleic acid (D | NA) is a polymer of units c | alled: | |
| | a) Sugars | b) Ribose | c) Amino acids | d) Nucleotides |
| 153. | Scurvy is caused due to de | eficiency of : | | |
| | a) Vitamin B ₁ | b) Vitamin B ₂ | c) Ascorbic acid | d) Glutamic acid |
| 154. | Glycogen and amylopecting | n have: | | |
| | a) Same structure | | | |
| | b) Similar structure but di | iffer in branching of glucos | e chain | |
| | _ | iffer in their solubility in w | | |
| | d) Same structure but the | y are stored in different pa | rts of the body | |
| 155. | Lactose on hydrolysis yiel | | | |
| | a) Two glucose molecules | | | |
| | b) Two galactose molecule | | | |
| | c) A galactose and fructos | | | |
| | d) A galactose and a gluco | se molecule | | |
| 156. | Glycogen is: | | | |
| | a) Monosaccharide | b) Disaccharide | c) Trisaccharide | d) Polysaccharide |
| 157. | Ribose sugar is a compone | | | |
| | a) DNA | b) RNA | c) Glucose | d) Wax |
| 158. | | g is a non-steroidal hormo | | 15 = |
| | a) Estradiol | b) Prostaglandin | c) Progesterone | d) Estrone |
| 159. | | | l or acid medium not in alk | aline medium. This is |
| | | m sugar undergoes one of | | 1) D |
| 1.00 | a) Decomposition | b) Inversion | c) Rearrangement | d) Racemization |
| 160. | Which is not characteristi | - | | |
| | a) They are colourless wh | = | | |
| | b) They are lighter than w | | | |
| | c) They are immiscible wi | · · | | |
| 161 | d) They form emulsions w | | n;+7 | |
| 101. | a) A | amins contains isoprene u b) C | | d) D |
| 162 | , | , | c) B ₂ aphoteric ion of an amino a | |
| 102. | a) 5.5 to 6.3 | b) 2.5 to 5.0 | c) 7.7 to 8.5 | d) 9.0 to 10.7 |
| 163 | Wool-wax contains: | 0) 2.3 to 3.0 | c) 7.7 to 0.3 | u) 5.0 to 10.7 |
| 105. | a) Fatty acid ester | b) Paraffin wax | c) Cholesterol ester | d) None of these |
| 164 | • | , | one strand to that in the oth | |
| 101. | a) Cytosine | b) Guanine | c) Uracil | d) Thymine |
| 165. | The helical structure of pr | - | ej orden | a) mymme |
| 100. | a) Dipeptide bonds | b) Hydrogen bonds | c) Ether bonds | d) Peptide bonds |
| 166. | The sweetest carbohydrat | , , | of Editor Bollas | a) reperae sonas |
| 100. | a) Sucrose | b) Glucose | c) Fructose | d) Lactose |
| 167. | Cane sugar is made of: | s) diaeose | 0) 11400000 | u) 200000 |
| | • | ng and 5 membered fructo | se ring | |
| | = | ng and 6 membered fructo | = | |
| | | ng and 5 membered fructo | - | |
| | = | ng and 6 membered fructo | = | |
| 168. | Blood protein is: | <u> </u> | S | |
| | a) Albumin | b) Haemoglobin | c) Both (a) and (b) | d) None of these |
| 169. | Casein contained in milk a | , . | | |
| | a) Carbohydrate | b) Lipid | c) Protein | d) Important molecule |

| 170. Which of the following sta | 170. Which of the following statement (s) is/are true? | | | |
|----------------------------------|--|-----------------------------|-----------------------|--|
| (i) All amino acids contain | one chiral centre | | | |
| (ii) Some amino acids con | tain one, while some conta | in more chiral centre or ev | en no chiral centre | |
| (iii) All amino acids in pro | tein have L-configuration | | | |
| | in proteins have 1° amino | group | | |
| a) (ii), (iii)and (iv) | b) (ii) and (iii) | c) (i), (iii) and (iv) | d) (i) and (iv) | |
| 171. Which is not a member of | vitamin B complex group? | | | |
| a) Retinol | b) Thiamine | c) Riboflavin | d) Pyridoxine | |
| 172. How many hydrogen bond | ls are present between pai | r of thymine and adenine in | n DNA? | |
| a) 1-hydrogen bond | b) 2- hydrogen bond | c) 3-hydrogen bond | d) No bonds occur | |
| 173. The term LABS abbreviate | es as: | , , | | |
| a) Laboratory | | | | |
| b) Lauryl acidic benzene s | ulphate | | | |
| c) Linear alkyl benzene su | lphonate | | | |
| d) None of the above | • | | | |
| 174. Glucose cannot be classifie | ed as: | | | |
| a) A hexose | b) A carbohydrate | c) An oligosaccharide | d) An aldose | |
| 175. The organic compounds of | = = | = | | |
| being of all human beings | | | | |
| a) Proteins | b) Vitamins | c) Mineral salts | d) Enzymes | |
| 176. Protein is an important co | • | | , , | |
| | b) Construction material | = | d) Reserve food | |
| 177. Which statement about rik | _ | , | , | |
| a) A polyhydroxy compou | | | | |
| b) An aldehyde sugar | | | | |
| c) Has six carbon atoms | | | | |
| d) Exhibits optical activity | • | | | |
| 178. During hydrogenation of c | | egetable ghee' is formed be | ecause: | |
| a) Hydrogen is dissolved i | = | | | |
| b) Hydrogen combines wi | | | | |
| | atty acids are reduced to th | ose of saturated acids | | |
| d) Hydrogen drives off the | • | | | |
| 179. Phospholipids are esters of | = | | | |
| | idue and two phosphate gr | oups | | |
| b) Three phosphate group | | T - | | |
| c) Three carboxylic acid re | | | | |
| - | sidues and one phosphate g | groups | | |
| 180. The structure of RNA mole | | 5. o apo | | |
| a) Double helix | b) Single helix | c) Single strand | d) Branched chain | |
| 181. One mole of glucose on res | | of single service | a) 21 an 01 a 01 a 11 | |
| a) 36 mole of ATP | b) 34 mole of ATP | c) 40 mole of ATP | d) 38 mole of ATP | |
| 182. Number of possible isome | | of 10 more of 1111 | a) so more or mr | |
| a) 10 | b) 14 | c) 16 | d) 20 | |
| 183. When glucose reacts with | • | | u) 20 | |
| a) Gluconic acid | b) Saccharic acid | c) Sorbitol | d) Galactose | |
| 184. Starch is made up of: | b) Saccinal ic acia | c) Solbitol | a) dalactose | |
| a) Glucose and fructose | | | | |
| b) Amylose and amyloped | tin | | | |
| c) Amylose and glycogen | ····· | | | |
| d) Amylopectin and glycog | oen . | | | |
| 185. Glucose gives many reaction | | | | |
| 200. Gracobe graco many reacti | one or arabity at because. | | | |

| | a) It is hydrolysed to aceta | aldehyde | | |
|------|-------------------------------|--------------------------------|------------------------------|--------------------|
| | b) It is a polyhydroxy keto | | | |
| | c) It is a cyclic aldehyde | | | |
| | d) It is a hemiacetal in equ | illibrium with its aldehyde | form in solution | |
| 186 | Which of the following is r | | | |
| 100. | a) Tyrosine | b) Leucine | c) Lysine | d) Valine |
| 187 | Which is not essential oil? | | c) hysinc | uj vanne |
| 107. | | b) Clove oil | c) Paraffin oil | d) Khus oil |
| 100 | | | c) raraiiii oii | u) Kiius oii |
| 100. | Which of the following is l | - | a) C., ava a a | d) None of these |
| 100 | a) Glucose | b) Fructose | c) Sucrose | d) None of these |
| 189. | The number of asymmetri | = | | 1) (|
| 400 | a) 1 | b) 2 | c) 4 | d) 6 |
| 190. | Which of the following exi | sts as Zwitter ion? | 13.6.1. 1 | |
| | a) <i>p</i> -aminophenol | | b) Salicylic acid | |
| | c) Sulphanilic acid | | d) Ethanolamine | |
| 191. | Glucose is hydrolysed by | - - | | |
| | a) Dicarboxylic acid | b) Alcohol | c) Amino acids | d) Aromatic acids |
| 192. | Which statement about pr | - | | |
| | a) Proteins occur in all livi | ing cells | | |
| | b) Proteins invariably con | tain N, O, C and H | | |
| | c) Proteins are synthesize | d by plant kingdom only | | |
| | d) Proteins are also synthe | esized in laboratory | | |
| 193. | Which of the following cor | npound shows aromatic p | roperties? | |
| | a) Valine | b) Leucine | c) Serine | d) Tyrosine |
| 194. | Bees wax is: | | | |
| | a) Tripalmitin | b) Cetyl palmitate | c) Myricyl palmitate | d) Myricyl ceorate |
| 195. | Which of the following is a | | , , , , | |
| | a) Pepsin | b) Adrenaline | c) ATP | d) Glutamine |
| 196. | , . | | f collagen-a protein present | |
| | bones? | | or of the property | |
| | a) Riboflavin | b) Ascorbic acid | c) Niacin | d) Cyanocobalamine |
| 197 | Raffinose on hydrolysis fo | = | c) macin | a) dyanocobanamine |
| 177. | a) Glucose | b) Fructose | c) Galactose | d) All of these |
| 198 | Nucleic acid is a polymer of | | c) dalactose | a) Thi of these |
| 170. | a) Nucleotides | b) α –amino acids | c) Nucleosides | d) Glucose |
| 100 | Linseed oil is: | b) a —ammo acius | c) Nucleosides | u) diucose |
| 177. | | | | |
| | a) Used in soap formation | | | |
| | b) Drying oil | | | |
| | c) Acts as carrier for paint | TS . | | |
| | d) All of the above | 1 10 00 11 11 | | |
| 200. | Glucose and cane sugar ca | = - | | |
| | a) Fehling's solution | b) Baeyer's reagent | c) Molisch test | d) Iodine solution |
| 201. | Spermaceti is commonly u | | | |
| | a) Fermentation of cane su | = | | |
| | b) Preparation of acetic ac | rid | | |
| | c) Birth control | | | |
| | d) Cosmetics and soaps | | | |
| 202. | Metal lauryl sulphate acts | as: | | |
| | a) Soap | b) Disinfectant | c) Antiseptic | d) Detergent |
| 203. | The process used in conve | ersion of triolein to tristear | rin is | |
| | a) Hrdrolysis | b) Hydration | c) Hydrogenation | d) Dehydrogenation |

204. When glucose reacts with bromine water the main product is

a) Gluconic acid

b) Glyceraldehyde

c) Sorbitol

d) Saccharic acid

205. Which of the following carbohydrates is synthesized by nature on the largest scale?

- a) Glucose
- b) Fructose
- c) Lactose
- d) Cellulose


206. The main structural feature of protein is


- a) Ester linkage
- b) Ether linkage
- c) Peptide linkage
- d) All of these


207. Which of the following hormones contains iodine?


- a) Thyroxine
- b) Insulin
- c) Testosterone
- d) Adrenaline

208. Which of the following is the structure of D-xylose?










СНО

209. The following carbohydrate is



- a) A ketohexose
- b) An aldohexose
- c) An α –furanose
- d) An α –pyranose

210. Which molecule possess the general formula of carbohydrates, but is not a carbohydrate?

- a) Glyceraldehyde
- b) Arabinose
- c) Acetic acid
- d) All of these

211. Deficiency of vitamin E causes:

- a) Sterility
- b) Rickets
- c) Beri-beri
- d) Scurvy

212. Which is polysaccharide?

- a) Nylon
- b) Polyethene
- c) Glucose

213. Sanger's method is used to identify

- d) Cellulose

- a) C-terminal amino acid
- b) N-terminal amino acid

c) Side chain

d) Molecular weight of protein

214. The carbon chain in fructose is identified by converting it into:

- a) α-methyl hexane
- b) cyclohexane
- c) *n*-hexane
- d) α-methyl caproic acid

215. Progesterone is secreted by

- a) Thyroid
- b) Ovaries
- c) Adrenal
- d) Testes

216. Which of the following is a heterocyclic amino acid?

- a) Glycine
- b) Alanine
- c) Phenylalanine
- d) Tryptophan

217. Which one is not a constituent of nucleic acid?

- a) Uracil
- b) Guanidine
- c) Phosphoric acid
- d) Ribose sugar

218. Which is used to identify glucose?

- a) Neutral ferric chloride
- b) $CHCl_3 + KOH(alc.)$
- c) Ammoniacal AgNO₃

| | d) C ₂ H ₅ ONa | | | |
|-------|---------------------------------------|------------------------------|---|---|
| 219. | Which of the following is r | non-reducing sugar? | | |
| | a) Ribose | b) Lactose | c) Sucrose | d) Maltose |
| 220. | Hexoses and pentoses are | | • | |
| | a) Disaccharides | b) Monosaccharides | c) Polysaccharides | d) Oligosaccharides |
| 221. | The sugar present in hone | = | , , | , 0 |
| | a) Sucrose | b) Glucose | c) Fructose | d) Maltose |
| 222. | Which one of the following | | ., | ., |
| | a) Wool | b) Nail | c) Hair | d) DNA |
| 223. | The deficiency of vitamin | • | •, | , |
| | a) Beri-bei | b) dermatitis | c) Scurvy | d) rickets |
| 224 | The following carbohydra | = | of sourcy | w) 11011000 |
| | H | | | |
| | → OH | | | |
| | НО | -0 | | |
| | H H | | | |
| | \ | OH | | |
| | НО | | | |
| | H H | O I H | | |
| | a) A ketohexose | b) An aldohexose | c) An α-furanose | d) An α-pyranose |
| 225. | - | - | gen and carbon in food-stuf | |
| | a) H ₂ O alone | b) CO ₂ alone | c) H ₂ O and CO ₂ | d) None of these |
| 226. | The sources of fats and oil | | , , , | , |
| | a) Milk | b) Butter | c) Cheese | d) All of these |
| 227. | The lye is: | , | , | , |
| | a) 10% solution of NaOH | | | |
| | b) 10% solution of KOH | | | |
| | c) 10% solution of NaCl | | | |
| | d) 10% solution of Na ₂ CO | 2 | | |
| 228. | | | e solution of D-glucose are | called |
| | a) Isomer | b) Anomer | c) Epimer | d) Enantiomer |
| 229 | Glucose and fructose are: | <i>5)</i> 1001 | o) 2po. | w) ==================================== |
| | a) Chain isomers | b) Position isomers | c) Functional isomers | d) Optical isomers |
| 230. | Initiation of polypeptide c | | 0) 1 4.1.00.01.41.1001.101.0 | a, opereur roomers |
| | a) Lysine | b) Glycine | c) Lencine | d) Methionine |
| 231. | Nucleic acids contain: | | 0) 201101110 | , 1 100111011110 |
| | a) 4 purine bases | | | |
| | b) 4 pyrimidine bases | | | |
| | c) 2 purine bases and 3 py | rimidine bases | | |
| | d) 4 pyrimidine bases and | | | |
| 232. | Antibiotic inhibiting trans | = | | |
| | a) Tetracyclin | b) Penicillin | c) Puromycin | d) Chloromycetin |
| 233. | The term anomers of gluc | | o, 1 a. o, o | u., c c, ccc |
| | _ | | carbons one and four (C-1 | and C-4) |
| | b) A mixture of (D)-glucos | - | (| |
| | c) Enantiomers of glucose | , , = | | |
| | = | differ in configuration at c | arbon one (C-1) | |
| 234 | Sucrose is made up of: | | (0 1) | |
| _0 1. | a) Glucopyranose and fru | ctonyranose | | |
| | b) A glucopyranose and a | = = | | |
| | c) A glycofuranose and a f | | | |

| 205 | d) A glucofuranose and fru | = - | | | |
|--|---|-------------------------------|----------------------------------|---------------------------|--|
| 235. | Fats, on alkaline hydrolysi | = | | N 61 1 11 | |
| | a) Oils | b) Soaps | c) Detergents | d) Glycol+ acid | |
| 236. | Lipids are | | | | |
| | a) Nucleic acids occurring | - | b) Proteins occurring in a | nimals | |
| | c) Carbohydrates occurrin | • • | d) Fats of natural origin | | |
| 237. | Which one of the following | _ | | | |
| | a) All amino acids are opti | | | | |
| | b) All amino acids except g | | | | |
| | c) All amino acids except g | - | active. | | |
| | d) All amino acids except l | | | | |
| 238. | Vitamin D is also known as | S: | | | |
| | a) Growth vitamin | b) Ascorbic acid | c) Reproductive vitamin | d) Sunshine vitamin | |
| 239. | Which one of the following | | garding (+) Lactose? | | |
| a) (+) Lactose, C ₁₂ H ₂₂ O ₁₁ contains 8-OH groups | | | | | |
| | b) On hydrolysis (+) Lacto | ose gives equal amount of I | D(+) glucose and $D(+)$ gala | ictose | |
| | c) (+) Lactose is a β-glyco galactose | side formed by the union o | of a molecule of D(+) gluco | se and a molecule of D(+) | |
| | d) (+) Lactose is a reducin | ng sugar and does not exhil | bit mutarotation | | |
| 240. | The α —amino acid which | | | | |
| | a) Proline | b) Glycine | c) Lysine | d) Aspartic acid | |
| 241. | How can you say that gluc | • | -, , , | ·) -[· | |
| | a) Glucose undergoes Tollen's reaction | | | | |
| | b) Glucose reacts with phe | | | | |
| | c) Glucose fails to react wi | | ite | | |
| | d) Glucose reacts with nitr | | | | |
| 242. | An unsaturated acid found | | | | |
| | a) Palmitic acid | b) Myristic acid | c) Linoleic acid | d) Lauric acid | |
| 243. | Which of the following ele | | xidation of water to 0_2 in bi | ological processes? | |
| | a) Fe | b) Mn | c) Cu | d) Mo | |
| 244. | A tripeptide is composed e | = | ine and L-alanine (one mol | ecule of each). How many | |
| | isomeric tripeptide of this | kind may exist? | · | , | |
| | a) 3 | b) 4 | c) 6 | d) 8 | |
| 245. | Which of the following is a | n example of conjugated p | orotein? | | |
| | a) Albumin | b) Globulin | c) Glutelin | d) Glycoprotein | |
| 246. | Which of the following is u | ised in our body as a fuel fo | or muscles and nerves and | to build and repair body | |
| | tissue? | | | | |
| | a) Cane sugar | b) Fructose | c) Proteins | d) Glucose | |
| 247. | Pick out the one which doe | esn't belong to the family? | | | |
| | a) Pepsin | b) Cellulose | c) Ptyalin | d) Lipase | |
| 248. | Cellulose, starch and glyco | gen are the polysaccharide | es havingmonosacchar | ide unit: | |
| | a) Glucose | b) Ribose | c) Fructose | d) Pentose | |
| 249. | Which one is a test for pro | teins? | | | |
| | a) Beilstein test | b) Biuret test | c) Benedict's test | d) Molisch test | |
| 250. | Hydrolysis of oils and fats | gives glycerol and long cha | ain fatty acids containing: | | |
| | a) Even number of carbon | atoms | | | |
| | b) Odd number of carbon a | atoms | | | |
| | c) Both (a) and (b) | | | | |
| | d) None of the above | | | | |
| 251. | Cell membranes are mainl | · · | | | |
| | a) Phospholipids | b) Fats | c) Proteins | d) Carbohydrates | |

| 252 | Which one of the following | g is not present in RNA? | | |
|-----|--|-------------------------------|--------------------------------|------------------|
| | a) Uracil | b) Thymine | c) Ribose | d) Phosphate |
| 253 | In blood, the transport of | oxygen from lungs to tissu | es is carried out by: | |
| | a) White blood cells(leuko | ocytes) | | |
| | b) Red blood cells (erythr | ocytes) | | |
| | c) Fibrinogen | | | |
| | d) Globulins | | | |
| 254 | Glycogen is : | | | |
| | a) A polysaccharide found | l in both animals and plant | S | |
| | b) A polysaccharide found | l in plants | | |
| | c) A polysaccharide found | l in animals | | |
| | d) A polysaccharide found | l in honey | | |
| 255 | Which enzyme hydrolyses | s triglyceride to fatty acids | and glycerol? | |
| | a) Amylase | b) Maltase | c) Lipase | d) Pepsin |
| 256 | Citrus fruits are an import | tant source of vitamin: | | |
| | a) B | b) C | c) D | d) K |
| 257 | Glucose reacts with acetyl | chloride to form penta acc | etyl glucose, it indicates pre | esence of: |
| | a) Five primary alcoholic | groups | | |
| | b) Five secondary alcohol | ic groups | | |
| | c) Aldehyde as well as alc | oholic group | | |
| | d) Five —OH groups | | | |
| 258 | Night-blindness may be ca | aused by the deficiency of v | vitamin | |
| | a) A | b) B | c) D | d) C |
| 259 | Zwitter ion is formed by | | | |
| | a) Aniline | b) Acetanilide | c) Benzoic acid | d) Glycine |
| 260 | In human body enzymes h | | | |
| | a) A ketonic acid like CH ₃ 0 | | | |
| | b) A hydroxyl acid like CH | _ | | |
| | c) Dicarboxylic acid like I | | | |
| | d) Amino acid like CH ₂ NH | | | |
| 261 | Starch on hydrolysis by a | · · | • | |
| | a) Sucrose | b) Glucose | c) Fructose | d) maltose |
| 262 | Oleic, stearic and palmitic | | | |
| | a) Nucleic acids | b) Amino acids | c) Fatty acids | d) None of these |
| 263 | Oils contain a higher perce | • | 2 01 1 | D.D. L. IVI |
| 264 | a) Stearin | b) Butyrin | c) Olein | d) Palmitin |
| 264 | Which of the following par | irs give positive Tollen's te | | |
| | a) Glucose, sucrose | | b) Glucose, fructose | |
| 0.4 | c) Hexanal, acetophenone | | d) Fructose, sucrose | |
| 265 | The total number of basic | groups in the following for | rm of lysine is | |
| | The total number of basic H ₃ N——CH ₂ ——CH ₂ ——CH ₂ — | -CH ₂ | | |
| | | CH—C/ | | |
| | | H_2N Θ O | | |
| | a) 1 | b) 2 | c) 3 | d) 4 |
| 266 | Glucose or aldohexose cor | | -, - | • , |
| | a) One —CHO group | | | |
| | b) Five —OH groups | | | |
| | | group and four secondary a | alcoholic groups | |
| | d) All are correct | , | J I | |
| 267 | The monosaccharides hav | ring anomeric carbon atom | are | |

| | a) Geometrical isomersc) Having symmetrical ca | rbon atoms | b) α -and β -optical ison d) None of the above | ners |
|------|---|--|---|--|
| 268. | | | ed with conc. H_2SO_4 is due t | :0: |
| _00. | a) Oxidation | b) Reduction | c) Dehydration | d) Dehydrogenation |
| 269 | The unused fat present in | | -,, | ,,8 |
| | a) Converted into carbohy | | | |
| | b) Removed as waste from | | | |
| | = | al fat and stored in differen | t parts of the body | |
| | = | tain enzymes present in th | = = | |
| 270. | | ore than one stereogenic co | | |
| | a) Aspartic acid | b) Lysine | c) Arginine | d) Histidine |
| 271. | Ligase is an enzyme requi | • • | -, 6 | ., |
| | a) Renaturation of DNA | | c) Joining DNA bits | d) Breaking of DNA |
| 272. | | s have the same common p | - · · | , 0 |
| | a) Detergency | b) Surface activity | c) Viscosity | d) None of these |
| 273. | Vitamin B ₆ is known as | , , | , , | , |
| | a) Pyridoxin | b) Thiamine | c) Tocopherol | d) Riboflavin |
| 274. | Sucrose on hydrolysis give | • | , 1 | , |
| | | b) Glucose and lactose | c) Glucose and fructose | d) Only glucose |
| 275. | • | insing agent than soaps bed | • | , |
| | a) They wash clothes bett | | | |
| | b) Absorb the hardness of | | | |
| | c) They are less affected b | | | |
| | d) They are less soapy | | | |
| 276. | , , | a monobasic saturated fatt | v acid is: | |
| | a) $C_nH_{2n}O_2$ | b) $C_n H_{2n-1} O_2$ | c) $C_n H_{2n+2} O_2$ | d) $C_n H_{2n+1} O_3$ |
| 277. | | ical structure of DNA is ope | | -7 -11 211+1-3 |
| | a) Van der Waals' forces | | b) Dipole-dipole interaction | on |
| | c) Hydrogen bonding | | d) Electrostatic attraction | |
| 278. | Beri-Beri is caused due to | : | , | |
| | a) Vitamin A | b) Vitamin B ₁ | c) Vitamin C | d) Vitamin D |
| 279. | • | not present in a nucleotide | | , |
| | a) Cytosine | b) Guanine | c) Adenine | d) Tyrosine |
| 280. | At pH=4, glycine exists as | • | , | , , |
| | | b) + H ₃ N——CH ₂ ——COOH | c) H ₂ N — CH ₂ — COOH | d) H ₂ N — CH ₂ — COO ⁻ |
| 201 | | | | , , |
| 281. | Sodium dodecyl benzene | • |) E vil | D.D. |
| 000 | a) Pesticide | b) Soap | c) Fertilizer | d) Detergent |
| 282. | The reaction of glucose w | ith red P + HI is called: | | |
| | a) Sandmeyer's reaction | | | |
| | b) Reformatsky reaction | | | |
| | c) Gattermann's reaction | | | |
| | d) Reduction | | | |
| 283. | Which base is present in I | |) a | 1) m1 |
| | a) Uracil | b) Cytosine | c) Guanine | d) Thymine |
| 284. | What is not a hexose? | | | |
| 00- | a) Glucose | b) Ribose | c) Fructose | d) Galactose |
| 285. | | articipates in disulphide bo | | 1) m1 : |
| 001 | a) Thiolacetone | b) Thiol | c) Thioether | d) Thioester |
| 286 | | pared by saponification wit | | 15.44 |
| | a) Rose oil | b) Paraffin oil | c) Groundnut oil | d) Kerosene oil |

287. Deoxyribonucleic acid (DNA) consists of the following units:

- a) Peptides
- b) Glucosides
- c) Nucleotides
- d) Deoxyribose

288. Fatty acid is to fat as glucose is to

- a) Cellulose
- b) Glycogen
- c) Starch
- d) All of these

289. Which one of the following statements is true?

- a) Saponification of oil yields a diol
- b) Drying of oil involves hydrolysis
- c) Addition of antioxidant to oil minimizes rancidity
- d) Refining of oil involves hydrogenation

290. In aqueous solution, amino acids mostly exist as

a) NH₂ — CHR — COOH

b) NH₂ — CHR — COO⁻

c) + N H₂—CHR—COOH

d) $^+_{
m N\,H_3}$ —CHR—COO-

291. In both DNA and RNA, heterocylic base and phosphate ester linkages are at

- a) C_5' and C_1' respectively of the sugar molecule
- b) C'_1 and C'_5 respectively of the sugar molecule
- c) C_2' and C_5' respectively of the sugar molecule
- d) C_5' and C_2' respectively of the sugar molecule

292. The chemical name of vitamin C is

- a) Nicotinic acid
- b) Folic acid
- c) Tartaric acid
- d) Ascorbic acid

293. Mutarotation doesn't occur in

- a) Sucrose
- b) D-glucose
- c) L-glucose
- d) None of these

294. Deficiency of vitamin B₁ causes the disease:

- a) Cheilosis
- b) Sterility
- c) Convulsions
- d) Beri-Beri

295. What is not true for carbohydrates?

- a) General formula is $C_n H_{2n} O_n$
- c) Fructose is the sweetest of all sugars
- carbohydrates

b) Glucose is the most common monomer of

d) Do not conjugate with lipids

a) Cellulose

296. Main constituent of plants is

- b) Starch
- c) Fructose
- d) Lipids

297. Paraffin wax is not used:

- a) In making candles
- b) As a coating on paper
- c) In greases
- d) As a stiffening agent in cosmetic creams

298. Pancreatic juice contains the enzyme:

- a) Zymase
- b) Invertase
- c) Diastase
- d) lipase

299. Reverse transcription was discovered by

- a) Watson and Crick
- b) Khorana
- c) Temin and Baltimore
- d) Beadle and Tatum

300. A tripeptide is written as glycine-alanine-glycine. The correct structure of the tripeptide is

a)
$$H_2N$$

$$O$$

$$CH_3$$

c)
$$H_2N$$
 $COOH$
 CH_3

d)
$$H_2N$$
 H
 CH_3
 H
 $COOH$

- 301. Glucose and fructose differ in:
 - a) Taste
 - b) Action of heat
 - c) Action of Tollens' reagent
 - d) Direction of optical rotation
- 302. Digestion of fat in intestine is aided by:
 - a) Diffusion
- b) Protection
- c) Peptization
- d) Emulsification
- 303. Tributyrin is a fat present in butter. It is formed by combination of butyric acid with:
 - a) Glycerol
- b) Oleic acid
- c) Stearic acid
- d) Chloroform

- 304. The nucleic acid base having two possible binding sites is
 - a) Thymine
- b) Cytocine
- c) Guanine
- d) Adenine

- 305. An achiral amino acid
 - a) Alanine
- b) Valine
- c) Leucine
- d) Glycine

- 306. Insulin regulates the metabolism of
 - a) Minerals
- b) Amino acids
- c) Glucose
- d) Vitamins

- 307. In glycine, the basic group is
 - a) COO $^{-}$
- b) COOH
- c) $-NH_2$
- d) NH_3^+

- 308. Rice has deficiency of the essential amino acid:
 - a) Alanine
- b) Glycine
- c) Lysine
- d) Leucine

- 309. Mammal's fats are hydrolysed to relase fatty acids by
 - a) Amylase
- b) Lactase
- c) Lipase
- d) Insulin
- 310. Which of the following has an imino (>NH) group instead of amino group $(-NH_2)$?
 - a) Proline
- b) Isosleucine
- c) Tryptophan
- d) Serine

- 311. Molecular weight of a protein is:
 - a) 10,000
- b) 1,000-10,000
- c) 100-1,000
- d) >10,000
- 312. Fehling's solution and benedict's solution are reduced by glucose to form:
 - a) CuO

- b) Cu₂O
- c) $Cu(OH)_2$
- d) Cu
- 313. The product formed in the reaction of glycine with benzoyl chloride +aq. NaOH is
 - a) PhCOCH₂ NH₂
- b) PhCH₂NH₂
- c) PhCONHCH₃
- d) PhCONHCH₂CO₂H
- 314. Proteins when heated with conc. HNO₃ give a yellow colour. This is
 - a) Hoppe's test
- b) Acid-base test
- c) Biuret's test
- d) Xanthoprotic test
- 315. Detergents are usually made from products obtained by cracking of petroleum like:
 - a) Chloroalkanes
 - b) Sulphur compounds of benzene
 - c) H₂S
 - d) Polyethylene derivatives
- 316. Night-blindness may be caused by the deficiency of vitamin
 - a) A


b) B

c) C

- d) D
- 317. Which of the following sugars is present in genetic factor DNA molecule?
 - a) Glucose
- b) Maltose
- c) Ribose
- d) Deoxyribose

- 318. Point out the wrong statement about proteins.
 - a) They are nitrogenous organic compounds of high molecular mass
 - b) They on hydrolysis by enzymes give amino acids
 - c) Many of them are enzymes

- d) They do not contain polypeptide linkages
- 319. Gums are:
 - a) Polysaccharides of more than one type of monosaccharides
 - b) Used as thickening agent
 - c) Used for improvement of texture in food industry
 - d) All of the above
- 320. Which of the following are all disaccharides?
 - a) Maltose, sucrose, lactose
 - b) Maltose, lactose, glucose
 - c) Glycogen, lactose, sucrose
 - d) Starch, maltose, lactose
- 321. In the following reaction sequence,



The end product would be useful as:

- a) A soap
- b) A fertilizer
- c) An explosive
- d) A detergent

- 322. Carbohydrates are:
 - a) Hydrates of carbon
 - b) Polyhydroxy aldehydes or ketones
 - c) Polyhydroxy acids
 - d) None of the above
- 323. A metal present in vitamin B_{12} is
 - a) Aluminium
- b) Zinc

c) Iron

d) Cobalt

- 324. The general formula of carbohydrate is:
 - a) $C_n H_{2n+1} O$
 - b) $C_n H_{2n} O$
 - c) $C_n(H_2O)_n$ or $C_x(H_2O)_v$
 - d) $C_n(H_2O)_{2n}$
- 325. Soap molecule has two parts, a polar part and a non-polar part. When soap is added to water:
 - a) Both parts dissolve in water
 - b) Non-polar part dissolves in water
 - c) Polar part dissolves in water
 - d) Both parts remain undissolved in water and form a hydrocarbon layer
- 326. Proteins are polymers of amino acids. Which of the following is not a protein?
 - a) Wool
- b) Nails

c) Hair

d) DNA

- 327. Metallic soaps are:
 - a) Salts of fatty acids with other metals except Na, K
 - b) Not used for cleaning purposes
 - c) Used as lubricant, driers, adhesives, etc
 - d) Possess all these
- 328. Glucose and fructose are readily distinguished by using:
 - a) Molisch test
- b) Salivanoff test
- c) Tollens' reagent
- d) None of these
- 329. With one of the pollutant gases in air haemoglobin of blood undergoes irreversible chemical combination thus, causing death. The gas is:

| a) Carbon monoxide | • | c) Sulphur dioxide | d) Ozone |
|--|--|---|---|
| 330. Milk sugar is (a disa | • | a) Emustosa | d) Clusses |
| a) Sucrose | b) Lactose | c) Fructose | d) Glucose |
| - | are important constituent of o | ur diet; they function as: | |
| a) Biofuels to provid | | | |
| b) Shock absorbing j | pau | | |
| c) Heat insulatord) None of the above | 2 | | |
| 332. The number of amin | | | |
| a) 21 | b) 574 | c) 51 | d) 5733 |
| 333. Candles contain a m | , | () 31 | u) 3/33 |
| a) Bees wax and par | | | |
| b) Bees wax and ste | | | |
| c) Paraffin wax and | | | |
| d) Higher fatty acids | | | |
| 334. The prosthetic group | | | |
| a) Porphin | b) Globulin | c) Haem | d) Gelatin |
| | ydrate, a compound must con | | a) delatili |
| a) 6 carbons | b) 3 carbons | c) 4 carbons | d) 2 carbons |
| 336. Amino acids have pe | - | c) i carbons | a) L carbons |
| a) —CO—NH— | | c) SO—NH— | d) —CO—N— |
| 337. Hydrogenation of oi | • | c) 50 1111 | uj do it |
| a) Saturation of uns | | | |
| b) Reaction with oxy | | | |
| c) Conversion into f | | | |
| = | | | |
| d) Driving of the imi | ourities in oil by hydrogen gas | | |
| | ourities in oil by hydrogen gas ng hexoses will form the same | | th excess phenyl hydrazine? |
| 338. Which of the followi | ng hexoses will form the same | e osazone when treated wit | |
| 338. Which of the following a) D-glucose, D-fruc | ng hexoses will form the same ctose and D-galactose | e osazone when treated wit b) D-glucose , D-fructos | se and D-mannose |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-man | ng hexoses will form the same ctose and D-galactose nnose and D-galactose | e osazone when treated wit | se and D-mannose |
| 338. Which of the following a) D-glucose, D-fruccose, D-man 339. Energy is stored in control of the following as the followin | ng hexoses will form the same ctose and D-galactose nnose and D-galactose our body in the form of | e osazone when treated wit b) D-glucose , D-fructos d) D-fructose, D-manno | se and D-mannose ose and D-galactose |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-man 339. Energy is stored in ca) ATP | ng hexoses will form the same ctose and D-galactose nnose and D-galactose our body in the form of b) ADP | e osazone when treated wit b) D-glucose , D-fructos d) D-fructose, D-manno c) Fats | se and D-mannose |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-man 339. Energy is stored in Canal ATP 340. Which of the following and t | ng hexoses will form the same ctose and D-galactose nnose and D-galactose our body in the form of b) ADP ng contains the highest perce | e osazone when treated wit b) D-glucose, D-fructos d) D-fructose, D-manno c) Fats ntage of protein? | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-man 339. Energy is stored in Canal ATP 340. Which of the following a) Groundnut | ng hexoses will form the same ctose and D-galactose nnose and D-galactose our body in the form of b) ADP | e osazone when treated wit b) D-glucose , D-fructos d) D-fructose, D-manno c) Fats | se and D-mannose ose and D-galactose |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-man 339. Energy is stored in Canal ATP 340. Which of the following and t | ng hexoses will form the same ctose and D-galactose nnose and D-galactose our body in the form of b) ADP ng contains the highest perce b) Cow's milk | e osazone when treated wit b) D-glucose, D-fructos d) D-fructose, D-manno c) Fats ntage of protein? | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-marks 339. Energy is stored in Canal ATP 340. Which of the following a) Groundnut 341. Lipids are: | ng hexoses will form the same ctose and D-galactose and D-galactose our body in the form of b) ADP ng contains the highest perce b) Cow's milk | e osazone when treated wit b) D-glucose, D-fructos d) D-fructose, D-manno c) Fats ntage of protein? | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-marks 339. Energy is stored in call a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty a | ng hexoses will form the same ctose and D-galactose nnose and D-galactose our body in the form of b) ADP ng contains the highest perce b) Cow's milk | e osazone when treated wit b) D-glucose, D-fructos d) D-fructose, D-manno c) Fats ntage of protein? | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-mark 339. Energy is stored in Canal ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty as b) Long chain sulphore. | ng hexoses will form the same ctose and D-galactose and D-galactose and begalactose our body in the form of b) ADP and contains the highest perce b) Cow's milk acid esters onic acid esters carbons | e osazone when treated wit b) D-glucose, D-fructos d) D-fructose, D-manno c) Fats ntage of protein? | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-marks 339. Energy is stored in Canal ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty as b) Long chain sulphore c) Polymeric hydrood d) Polymeric aldehy | ng hexoses will form the same ctose and D-galactose and D-galactose and begalactose our body in the form of b) ADP and contains the highest perce b) Cow's milk acid esters onic acid esters carbons | e osazone when treated with b) D-glucose, D-fructose, D-mannoted C) Fats et al. (c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-marks 339. Energy is stored in Canal ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty as b) Long chain sulphore c) Polymeric hydrood d) Polymeric aldehy | ng hexoses will form the same ctose and D-galactose and D-galactose our body in the form of b) ADP and contains the highest perce b) Cow's milk acid esters onic acid esters carbons des | e osazone when treated with b) D-glucose, D-fructose, D-mannoted C) Fats et al. (c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction D-glucose, D-marks 339. Energy is stored in Call a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty ab) Long chain sulphore by Colymeric hydrody Polymeric aldehy 342. The colorific values | ng hexoses will form the same ctose and D-galactose mose and D-galactose our body in the form of b) ADP ng contains the highest perce b) Cow's milk acid esters onic acid esters carbons des of fats, carbohydrates and protestes > proteins | e osazone when treated with b) D-glucose, D-fructose, D-mannoted C) Fats et al. (c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction (b) D-glucose, D-marks (c) D-glucose, D-marks (c) D-glucose, D-marks (c) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty at (c) Polymeric hydrocy (c) Polymeric hydrocy (c) Polymeric aldehy (c) Polymeric aldehy (c) The colorific values (c) Fats > carbohydrocy (c) Polymeric hydrocy (c) Polymeric aldehy (c) Polymeric values (c) Fats > carbohydrocy (c) D-frucose, D-f | ng hexoses will form the same ctose and D-galactose and D-galactose and begalactose our body in the form of b) ADP and contains the highest perce b) Cow's milk acid esters onic acid esters carbons des of fats, carbohydrates and protests > proteins carbohydrates | e osazone when treated with b) D-glucose, D-fructose, D-mannoted C) Fats et al. (c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-marks 339. Energy is stored in the following a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty at b) Long chain sulphore c) Polymeric hydroud d) Polymeric aldehy 342. The colorific values a) Fats > carbohydry b) Fats > proteins > | ng hexoses will form the same ctose and D-galactose and D-galactose anose and D-galactose our body in the form of b) ADP ng contains the highest perce b) Cow's milk acid esters onic acid esters carbons acid esters of fats, carbohydrates and protest > proteins > carbohydrates proteins > fats | e osazone when treated with b) D-glucose, D-fructose, D-mannoted C) Fats et al. (c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-marks 339. Energy is stored in the following a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty a b) Long chain sulphore c) Polymeric hydrood d) Polymeric aldehy 342. The colorific values a) Fats > carbohydrates > c) Carbohydrates > d) Proteins > carbohydrates > | ng hexoses will form the same ctose and D-galactose and D-galactose anose and D-galactose our body in the form of b) ADP ng contains the highest perce b) Cow's milk acid esters onic acid esters carbons acid esters of fats, carbohydrates and protest > proteins > carbohydrates proteins > fats | e osazone when treated with b) D-glucose, D-fructose, D-mannod c) Fats entage of protein? c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-marks 339. Energy is stored in the following a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty a b) Long chain sulphore c) Polymeric hydrood d) Polymeric aldehy 342. The colorific values a) Fats > carbohydrates > c) Carbohydrates > d) Proteins > carbohydrates > | ng hexoses will form the same ctose and D-galactose nnose and D-galactose our body in the form of | e osazone when treated with b) D-glucose, D-fructose, D-mannod c) Fats entage of protein? c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-marks 339. Energy is stored in control a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty ab) Long chain sulphore c) Polymeric hydround d) Polymeric aldehy 342. The colorific values a) Fats > carbohydre b) Fats > proteins > c) Carbohydrates > d) Proteins > carbol 343. Nucleotides and nucleosides and nucleosid | ng hexoses will form the same ctose and D-galactose and D-galactose and begalactose our body in the form of b) ADP and contains the highest perce b) Cow's milk acid esters onic acid esters carbons des of fats, carbohydrates and protestes > proteins > carbohydrates proteins > fats bydrates > fats cleosides mainly differ from eaphate units | e osazone when treated with b) D-glucose, D-fructose, D-mannod c) Fats entage of protein? c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-marks 339. Energy is stored in the following a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty a b) Long chain sulphore c) Polymeric hydround d) Polymeric aldehy 342. The colorific values a) Fats > carbohydrates > c) Carbohydrates > d) Proteins > carbohydrates > d) Proteins > carbohydrates > d) Proteins > carbohydrates > d) Presence of phosp | ng hexoses will form the same ctose and D-galactose mose and D-galactose our body in the form of b) ADP ng contains the highest perce b) Cow's milk acid esters onic acid esters carbons des of fats, carbohydrates and protects > proteins > carbohydrates proteins > fats hydrates > fats cleosides mainly differ from eaphate units units | e osazone when treated with b) D-glucose, D-fructose, D-mannod c) Fats entage of protein? c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fructy C) D-glucose, D-marks 339. Energy is stored in Cay a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty aby Long chain sulphory C) Polymeric hydroody Polymeric aldehy 342. The colorific values a) Fats > carbohydrates > c) Carbohydrates > d) Proteins > carbohydrates > d) Proteins > carbohydrates > d) Presence of phosp b) Presence of base | ng hexoses will form the same ctose and D-galactose mose and D-galactose mose and D-galactose our body in the form of b) ADP mg contains the highest perce b) Cow's milk made esters onic acid esters carbons des of fats, carbohydrates and protestes > proteins > carbohydrates proteins > fats hydrates > fats eleosides mainly differ from eaphate units units eic acids | e osazone when treated with b) D-glucose, D-fructose, D-mannod c) Fats entage of protein? c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction c) D-glucose, D-marks 339. Energy is stored in the following a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty a b) Long chain sulphore c) Polymeric hydrood d) Polymeric aldehy 342. The colorific values a) Fats > carbohydrates > c) Carbohydrates > d) Proteins > carbohydrates > d) Proteins > carbohydrates > d) Presence of phospoly Presence of base c) Presence of nucleons. | ng hexoses will form the same ctose and D-galactose and D-galactose and begalactose our body in the form of b) ADP and contains the highest perce b) Cow's milk acid esters onic acid esters carbons des of fats, carbohydrates and protestes > proteins > carbohydrates proteins > fats hydrates > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units encountered the fats of the fats o | e osazone when treated with b) D-glucose, D-fructose, D-mannod c) Fats entage of protein? c) Egg | se and D-mannose ose and D-galactose d) Carbohydrates |
| 338. Which of the following a) D-glucose, D-fruction C) D-glucose, D-marks 339. Energy is stored in Ca a) ATP 340. Which of the following a) Groundnut 341. Lipids are: a) Long chain fatty ab) Long chain sulphore c) Polymeric hydrood d) Polymeric aldehy 342. The colorific values a) Fats > carbohydre b) Fats > proteins > c) Carbohydrates > d) Proteins > carbohydrates > d) Proteins > carbohydrates > d) Presence of phospohy Presence of base c) Presence of nucleid d) None of the above 344. Which of the following a) Coconut oil | ng hexoses will form the same ctose and D-galactose and D-galactose and begalactose our body in the form of b) ADP and contains the highest perce b) Cow's milk acid esters onic acid esters carbons des of fats, carbohydrates and protestes > proteins > carbohydrates proteins > fats hydrates > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units units eic acids esters and proteins > fats cleosides mainly differ from each phate units encountered the fats of the fats o | e osazone when treated with b) D-glucose, D-fructose, D-mannod c) Fats ntage of protein? c) Egg oteins vary in the order: ach other in: | se and D-mannose ose and D-galactose d) Carbohydrates |

| a) T | he catalytic action of a | an enzyme is not specific | | |
|-----------|---------------------------|----------------------------------|-------------------------------|-------------------------------------|
| b) A | n enzymatic reaction | is highly sensitive to temp | erature | |
| = | he catalytic action of e | enzymes is due to their cap | oacity to lower the energy o | f activation of a particular |
| d) N | one of the above | | | |
| = | ch of the following is | not an α -amino acid? | | |
| | ysteine | b) Proline | c) Trypsin | d) Serine |
| = | ch of the following is | , | o, 11, posts | -, |
| | - | ester bond = nucleotide | b) DNA's are nucleotide a | nd RNA's are nucleoside |
| - | | ester bond = nucleoside | d) None of the above | na mars are macreosiae |
| - | | eproductory vitamin is: | d) None of the above | |
| a) B | = | b) C | c) D | d) E |
| - | ch statement about fa | • | C) D | u) E |
| | | | | |
| = | hey may be edible as | | | |
| = | = | rent than essential oils | | |
| = | = | olive oil, etc., are edible oils | 5 | |
| • | ll of the above | | | |
| | hormone used as an o | - | | |
| - | ldosterone | b) Cortisone | c) Progesterone | d) Testosterone |
| | | | de at 373 K, the major prod | ucts is the β - isomer of the |
| - | taacetate. It is attribut | | | |
| - | | to β-D-glucose at 373 K | b) Opening of glucopyran | = |
| c) B | oth the statements ar | e correct | d) None of the statement | is correct |
| 352. A de | ecapeptide (mol. wt. 7 | 96) on complete hydrolysi | s gives glycine (mol. wt. 75) |), alanine and |
| phe | nylalanine. Glycine co | ontributes 47% to the total | weight of the hydrolysed p | roducts. The number of |
| glyc | ine units present in th | ie decapeptide is | | |
| a) 3 | | b) 4 | c) 5 | d) 6 |
| 353. Veg | etable oils are: | | | |
| a) E | ssential oils obtained | from plants | | |
| b) U | nsaturated acids | | | |
| c) G | lycerides of saturated | fatty acids | | |
| | lycerides of unsaturat | _ | | |
| - | - | mpounds is found abundar | ntly in nature? | |
| | ructose | b) Starch | c) Glucose | d) Cellulose |
| - | | epresentation of peptide b | | , |
| | 0 | 0 | ОН | d) None of these |
| | Ĭ | b) ——C——N—— | | ., |
| a) i | | h) ——C—N—— | c) H——C——N—— | |
| , , | i j j | | | |
| | | l H | | |
| 356. The | proteins are hydrolys | sed with acids, alkalies or e | nzvmes finally to: | |
| | mino acids | b) Ethers | c) Esters | d) Cycloparaffins |
| - | ch of the following is | | 3, 2000 | ., e, e.e p |
| | erry cotton | | c) Nylon | d) Rayon |
| - | = | dicates open chain structur | | uj Rayon |
| | entaacetyl derivative | | b) Cyanohydrins formatic | on with HCN |
| = | = | = | | |
| | eaction with Fehlings | | , | reagent |
| | | eristics functional group of | | d) A katania graup |
| - | peptide group | | c) An alcoholic group | |
| | | | = 2.34 and ammonium ion | at $pn_{a_2} = 9.5$. The |
| 1S06 | lectric point of the am | iino acia is at pH | | |

| | a) 5.97 | b) 2.34 | c) 9.60 | d) 6.97 |
|----------------------|--|---|---|--|
| 361. | The primary structure of p | | | , |
| | a) Hydrogen bonding | | b) Van der Waals' attracti | on |
| | c) Ionic bonding | | d) Covalent bonding | |
| 362. | A good example of an unsa | aturated acid got by the hy | drolysis of an oil is: | |
| | a) Palmitic acid | b) Stearic acid | c) Oleic acid | d) Lauric acid |
| 363. | The epimer of glucose is: | | | |
| | a) Galactose | b) Fructose | c) Mannose | d) Arabinose |
| 364. | Enzymes, in the living syst | tems | | |
| | a) Provide energy | | b) Provide immunity | |
| | c) Transport oxygen | | d) Catalyse biochemical p | rocesses |
| 365. | Antibodies are: | | | |
| | a) Carbohydrates | b) proteins | c) phospholipids | d) lipids |
| 366. | Point out the correct state | ment about proteins? | | |
| | a) They are nitrogenous of | rganic compounds of high | molecular weights | |
| | b) They on hydrolysis by 6 | enzyme give amino acids | | |
| | c) Many of them are enzyr | nes | | |
| | d) All of the above | | | |
| 367. | The correct statement abo | out the following disccharic | le is | |
| | CH₂OH I——O HOCH | 2 0 | | |
| | н/ | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| | | H HO CH2OH | | |
| | HO HOOCH ₂ OH ₂ C | \ / | | |
| | | OH H | | |
| | (a) | (b) | | |
| | a) Ring (a) is pyranose wi | th α –glycosidic link | b) Ring (a) is furanose with | th α –glycosidic link |
| | c) Ring (b) is furanose wit | th α –glycosidic link | d) Ring (b) is pyranose wi | ith α –glycosidic link |
| 368. | There are 20 naturally occ | curring amino acids. The m | aximum number of tripept | ides that can be obtained is |
| | | b) 6470 | c) 7465 | d) 5360 |
| | a) 8000 | , | | |
| 369. | a) 8000 Number of chiral carbon a | _ | is | |
| 369. | - | _ | c) Three | d) Four |
| | Number of chiral carbon a | toms in β –D-(+)- glucose b) Six | c) Three | d) Four |
| | Number of chiral carbon a a) Five | toms in β –D-(+)- glucose b) Six | c) Three | d) Fourd) 5 |
| 370. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 | c) Three chiral atoms equal to c) 4 | |
| 370. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 | c) Three chiral atoms equal to c) 4 | |
| 370. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 | c) Three chiral atoms equal to c) 4 | |
| 370. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 lrates in plants is mainly du | c) Three chiral atoms equal to c) 4 | |
| 370. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 lrates in plants is mainly du | c) Three chiral atoms equal to c) 4 | |
| 370. 371. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 trates in plants is mainly du ts taken from soil | c) Three chiral atoms equal to c) 4 ue to: | |
| 370. 371. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 trates in plants is mainly du ts taken from soil | c) Three chiral atoms equal to c) 4 ue to: | |
| 370. 371. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst r b) Maintains blood sugar l | toms in β –D-(+)- glucose b) Six s the acid containing the C- b) 3 trates in plants is mainly du ts taken from soil respect of protein haemogle for biological reactions evel | c) Three chiral atoms equal to c) 4 ue to: | |
| 370. 371. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst b) Maintains blood sugar l c) Act as an oxygen carrier | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 trates in plants is mainly dutes taken from soil respect of protein haemogle for biological reactions level r in the blood | c) Three chiral atoms equal to c) 4 lie to: | |
| 370. 371. 372. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst t b) Maintains blood sugar l c) Act as an oxygen carried d) Forms antibodies and o | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 trates in plants is mainly dutes taken from soil respect of protein haemogle for biological reactions evel r in the blood offers resistance to diseases | c) Three chiral atoms equal to c) 4 lie to: | |
| 370. 371. 372. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst b) Maintains blood sugar l c) Act as an oxygen carrie d) Forms antibodies and o From the following statem | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 rates in plants is mainly dutes taken from soil respect of protein haemogle for biological reactions level r in the blood offers resistance to disease thems | c) Three chiral atoms equal to c) 4 lie to: | |
| 370. 371. 372. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst r b) Maintains blood sugar l c) Act as an oxygen carrier d) Forms antibodies and of From the following statem (A) Albumin is a simple pr | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 drates in plants is mainly duts taken from soil respect of protein haemogle for biological reactions evel r in the blood offers resistance to disease tents rotein | c) Three chiral atoms equal to c) 4 lie to: | |
| 370. 371. 372. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst b) Maintains blood sugar l c) Act as an oxygen carrie d) Forms antibodies and o From the following statem (A) Albumin is a simple pr (B) Amino acid alanine co | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 drates in plants is mainly duts taken from soil respect of protein haemogle for biological reactions evel r in the blood offers resistance to disease tents rotein | c) Three chiral atoms equal to c) 4 lie to: | |
| 370. 371. 372. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst r b) Maintains blood sugar l c) Act as an oxygen carrier d) Forms antibodies and o From the following statem (A) Albumin is a simple pr (B) Amino acid alanine co (C) Insulin is a hormone | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 drates in plants is mainly dutes taken from soil respect of protein haemogle for biological reactions evel r in the blood offers resistance to disease thems. | c) Three chiral atoms equal to c) 4 lie to: | |
| 370. 371. 372. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst r b) Maintains blood sugar l c) Act as an oxygen carrier d) Forms antibodies and of From the following statem (A) Albumin is a simple pr (B) Amino acid alanine co (C) Insulin is a hormone (D) Muscles contain the pr | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 rates in plants is mainly duts taken from soil respect of protein haemogle for biological reactions evel r in the blood offers resistance to diseases ents rotein intains an acidic side chain rotein keratin | c) Three chiral atoms equal to c) 4 lie to: | |
| 370. 371. 372. | Number of chiral carbon a a) Five Glucose on oxidation gives a) 2 The synthesis of carbohyd a) Double decomposition b) Photosynthesis c) Hydrolysis of ingradien d) Nitrifying bacteria The correct statement in r a) Functions as a catalyst r b) Maintains blood sugar l c) Act as an oxygen carrier d) Forms antibodies and o From the following statem (A) Albumin is a simple pr (B) Amino acid alanine co (C) Insulin is a hormone | toms in β –D-(+)- glucose b) Six s the acid containing the C-b) 3 rates in plants is mainly duts taken from soil respect of protein haemogle for biological reactions evel r in the blood offers resistance to diseases ents rotein intains an acidic side chain rotein keratin | c) Three chiral atoms equal to c) 4 lie to: | |

| 374 | . The reagent used in Ruff o | degradation is: | | |
|------|--|--|-----------------------------------|--------------------------------|
| | a) Baeyer's reagent | b) Tollens' reagent | c) Fenton's reagent | d) Benedict's reagent |
| 375 | Glucose when treated wit | h CH_3OH in presence of d | ry HCl gas, gives $α$ -and $β$ -n | nethylglucosides because it |
| | contains | | | |
| | a) An aldehydic group | b) a – CH ₂ OH group | c) A ring structure | d) Five –OH group |
| 376 | . Iodine value related to | | | |
| | a) Fats and oils | b) Alcohols | c) Esters | d) Hydrocarbons |
| 377 | . Complete hydrolysis of ce | llulose gives | | |
| | a) D-fructose | b) D-ribose | c) D-glucose | d) L-glucose |
| 378 | Dihydroxy acetone (CH ₂ C | $ m OH \cdot CO \cdot CH_2OH)$ has the g | general formula of carbohy | drate but not included in this |
| | class because: | | | |
| | a) It does not contain poly | yhydroxy gp. | | |
| | b) It does not contain alde | ehyde gp. | | |
| | c) It is not optically active | | | |
| | d) All of the above | | | |
| 379. | Fats contain higher perce | - | | |
| | a) Unsaturated fatty acids | 5 | | |
| | b) Saturated fatty acids | | | |
| | c) Free fatty acids | | | |
| | d) Glycerol | | | |
| 380. | All monosaccharides | Tollen's reagent. | | |
| | a) Oxidises | | | |
| | b) Condense with | | | |
| | c) Reduces | | | |
| | d) Add to | | | |
| 381. | Which one of the followin | g is a conjugated protein? | ? | |
| | a) Phosphoprotein | | | |
| | b) Glycoprotein | | | |
| | c) Chromoprotein | | | |
| 202 | d) All of these | 1.1.1.1.1 | | |
| 382. | Glucose reacts with methy | | a) Dath (a) and (b) | J) Name of the con |
| 202 | a) α-methyl glucoside | b) β-methyl glucoside | c) Both (a) and (b) | d) None of these |
| 303 | Proteins give a white pred a) Mercurous and mercur | - | gent, which is: | |
| | b) Mercurous and mercur | · · | | |
| | c) Mercurous and mercur | | | |
| | d) None of the above | ic chiorac in mvo ₃ | | |
| 384 | . In fermentation by zymas | e alcohol and CO, are ob | stained from: | |
| 301 | a) Glucose | b) Invert sugar | c) Fructose | d) All of these |
| 385 | | = | drin and positive test with | |
| 505 | compound is | inegative test with minity | arm and positive test with | Deficalet 5 301ation. The |
| | a) A protein | b) A monosaccharide | c) A lipid | d) An amino acid |
| 386 | The function of fat in the l | = | c) II lipia | a) ini animo acia |
| 500. | a) As reserve food | body is to det. | | |
| | b) As thermal insulator ar | nd to protect the body from | m loss of heat | |
| | c) To absorb and carrying | = | | |
| | d) All of the above | , | | |
| 387 | . The hormone which main | tains blood sugar level is: | : | |
| | a) Oxytocin | b) Haemoglobin | c) Insulin | d) ptylin |
| 388. | . Which one of the followin | , , | , | , i v |
| | a) Wool | b) Nail | c) Hair | d) DNA |

| 389. | Osazone formation involv | es only 2 carbon atoms of g | lucose because of: | |
|------|--|--------------------------------|-------------------------------|-----------------------------|
| | a) Chelation | b) Oxidation | c) Reduction | d) Hydrolysis |
| 390. | Protein which acts as hor | mone is: | | |
| | a) Casein | b) Oxytocin | c) Trypsin | d) Keratin |
| 391. | The only vitamin with me | tal atom in it | | |
| | a) Vitamin A | b) Vitamin K | c) Vitamin B ₁₂ | d) Vitamin E |
| 392. | If two moles of glucose ar | e oxidized in the body thro | ugh respiration, the numbe | er of moles of ATP produced |
| | are | | | |
| | a) 19 | b) 38 | c) 57 | d) 76 |
| 393. | Which is not a poison for | enzymes? | | |
| | a) CN ⁻ | b) Fe ³⁺ | c) Pb ²⁺ | d) AsO_4^{3-} |
| 394. | Which of the following is | the sweetest sugar? | | • |
| | a) Glucose | b) Fructose | c) Lactose | d) Sucrose |
| 395. | Kwashiorkor is caused by | , | | , |
| | a) Vitamins | b) hormones | c) Amino acids | d) Essential amino acids |
| 396. | | fats as constituents in our fo | • | , |
| | a) Act as stored source of | | | |
| | b) To meet immediate en | == | | |
| | c) To catalyse biochemica | • | | |
| | d) Form the structural ma | - | | |
| 397. | Acrolein test is positive fo | | | |
| | a) Polysaccharides | b) Proteins | c) Oils and fats | d) Reducing sugars |
| 398. | · · | sed through an aqueous solu | • | , , |
| | | ginine (10.7) buffered at pl | | |
| | - , , | of anode at pH6. Arginine | | |
| | = | n remains uniformly distrib | = | |
| | —————————————————————————————————————— | to cathode and others rem | | n solution. |
| | c) All three remain unifor | mly distributed in solution. | <u>-</u> | |
| | d) All three move to catho | = | | |
| 399. | • | tances which certain enzym | es require for their activity | are called: |
| | a) Catalysts | b) Inhibitors | c) Co-enzymes | d) Epimers |
| 400. | • | easily from hard water beca | | , . |
| | a) Of formation of insolub | = | | |
| | b) Of formation of comple | | | |
| | c) Of lower solubility of so | | | |
| | d) None of the above | • | | |
| 401. | Human digestive system of | does not hydrolyse: | | |
| | a) Starch | b) Maltose | c) Glycogen | d) Cellulose |
| 402. | Soft soaps are: | | , , , | , |
| | a) Sodium salts of fatty ac | cids | | |
| | b) Potassium salts of fatty | acids containing excess of | free alkali | |
| | c) Potassium salts of fatty | acids containing no free all | kali | |
| | d) Calcium salts of fatty a | - | | |
| 403. | | e metabolism of glucose is: | | |
| | a) Oxytocin | b) Insulin | c) Haemoglobin | d) keratin |
| 404. | Biological catalyst (enzyn | • | - | |
| | a) Polysaccharides | | | |
| | b) Synthetic polymers | | | |
| | c) Polypeptides | | | |
| | d) Poly nitrogen heterocy | cles | | |

| 405. Fibrous proteins are pres | | | |
|--|------------------------------|---------------------------|------------------|
| a) Wool | b) Silk | c) Nails | d) All of these |
| 406. Which one of the following | ng is an amine hormone? | | |
| a) Oxypurin | | | |
| b) Insulin | | | |
| c) Progesterone | | | |
| d) Thyroxine | | | |
| 407. Gene is a segment of a) DNA | b) Protein | a) m DNA | d) t-RNA |
| 408. When glucose is heated w | • | c) m-RNA | uj t-KNA |
| a) Gluconic acid | b) Glucaric acid | c) Glycolic acid | d) Oxalic acid |
| 409. Pick out the unsaturated | | • | a) Oxalic acia |
| a) Stearic acid | b) Lauric acid | c) Oleic acid | d) Palmitic acid |
| 410. An organic compound an | | | • |
| test. Most probably, it is | | | |
| a) Sucrose | b) Protein | c) Fructose | d) Maltose |
| 411. Rice is deficient in | , | ., | ., |
| a) Lysine | b) Alanine | c) Glycine | d) Leucine |
| 412. Escherichia coli with con | | • | • |
| two generations. Percent | age of bacteria with radioac | ctive DNA is | |
| a) 100% | b) 12.55% | c) 50% | d) 25% |
| 413. Which one of the following | ng does not exhibit the phen | omenon of mutarotation? | |
| a) (+) Sucrose | b) (+) Lactose | c) (+) Maltose | d) (-) Fructose |
| 414. Redness of blood is becau | ise of the presence of: | | |
| a) Iron in haeme pigment | t | | |
| b) Haemoglobin | | | |
| c) Copper in haeme pigm | ent | | |
| d) All of the above | | | |
| 415. Which of the following is | | | |
| a) Thymine | b) Guanine | c) Cytosine | d) Uracil |
| 416. Histidine, a heterocyclic a | amino acid has following str | ructure at pH < 1.82 | |
| $HN \stackrel{+}{\longrightarrow} \sqrt{\qquad \qquad \stackrel{+}{N}H_3}$ | | | |
| | | | |
| `N´ H | | | |
| At pH $>$ 1.82, it should ha | ave which structure? | | |
| + HN— NH2 | | $HN \xrightarrow{+} NH_3$ | |
| a) CH2CHCOC |) - | р) Сн-снсоон | 4 |
| N SI 1201 1000 | , | N N | • |
| н | | H ₂ | |
| $HN \xrightarrow{+} NH_2$ | | N^+ N^+ | |
| c) 《 》—ch₂ċhcoo | H | d) CH2CHCOOH | |
| N ₂ | | N N | |
| 417. Fats are ester of | | П2 | |
| a) Sugar | b) Glycerol | c) Tributyrine | d) Polypeptide |
| 418. Amylose is a polymer of : | | c) IIIbutyIIIIc | a) i diypepuae |
| a) α-D glucopyranose | b) Fructose | c) β-fructose | d) β -D fructose |
| 419. Which one of the following | | | a, p D II uctobe |
| a) Vitamin A | b) Vitamin B | c) Vitamin C | d) Vitamin D |
| - | | | |


| 420. Hydrolysis of sucrose with dilute aqueous sulphuric | acid yields | |
|---|---------------------------------------|-------------------------------|
| a) 1:1D-(+)-glucose; D-(-)-fructose | b) 1 : 2D-(+)-glucose; D-(| (-)-fructose |
| c) 1:1D-(-)-glucose; D-(+)-fructose | d) 1: 2D-(-)-glucose; D-(| +)-fructose |
| 421. Which is fat soluble vitamin? | | |
| a) Vitamin A b) Pyridoxin | c) Riboflavin | d) Thiamine |
| 422. Denaturation of proteins leads to loss of its biologica | l activity by | |
| a) Formation of amino acids | b) Loss of primary structu | ıre |
| c) Loss of both primary and secondary structures | | |
| 423. The simple prokaryotic cells evolved when life began | | |
| evolving more complex eukaryotes cells? | | J |
| a) CO_2 b) N_2 | c) CO ₂ and N ₂ | d) 0 ₂ |
| 424. An aldose is converted into its next higher homologu | = = | , 2 |
| a) Ruff 's method | , | |
| b) Amadori rearrangement | | |
| c) Kiliani's synthesis | | |
| d) None of the above | | |
| 425. When fat is heated with NaOH the substances formed | d are: | |
| a) Oil and Na ₂ CO ₃ | | |
| b) Soap and glycerol | | |
| c) Soap and oil | | |
| d) Soapless detergent and water | | |
| 426. Paraffin waxes are: | | |
| a) Higher alkanes b) Higher alkenes | c) Higher alkynes | d) None of these |
| 427. The enzymes which have control site in addition to a | , , | , |
| a) Holozymes b) Coenzymes | c) Apoenzymes | d) Allosteric enzymes |
| 428. The intermediate compound in the conversion of sta | · · · | , , |
| a) Lactose b) Maltose | c) Fructose | d) Sucrose |
| 429. Lactose gives on hydrolysis | | |
| a) Glucose b) Glucose and galactose | c) Fructose | d) Glucose and fructose |
| 430. When glucose reacts with bromine water the main p | | |
| a) Acetic acid b) Saccharic acid | | d) Gluconic acid |
| 431. The vitamin that is most readily manufactured in our | r bodies is: | |
| a) Vitamin A b) Vitamin B | c) Vitamin C | d) Vitamin D |
| 432. Maximum amount of RNA is found in | | |
| a) Nucleolus b) Chloroplast | c) Ribosomes | d) Cytoplasm |
| 433. The function(s) of DNA is/are: | , | , , , |
| a) Protein synthesis | | |
| b) Self replication | | |
| c) Store of hereditary information | | |
| d) All of the above | | |
| 434. Drying oils are used: | | |
| a) In the manufacture of paints | | |
| b) In the manufacture of varnishes | | |
| c) In the manufacture of linoleum products | | |
| d) All of the above | | |
| 435. An example of disaccharide made up of two units of | the same monosaccharides | is: |
| a) maltose b) Maltose | c) Sucrose | d) Lactose |
| 436. Glucose molecules reacts with <i>X</i> number of molecules | es of phenylhydrazine to yi | eld osazone. The value of X |
| is | - - | |
| a) Three b) Two | c) One | d) Four |
| 437. A solution of D-glucose in water rotates the plane po | larised light: | |

| | , . | b) To the left | | c) T | o either side | | d) No | one of these | ! |
|------|-------------------------------|--------------------------------|-------------|-------|----------------|------------|--------|---------------|-----------|
| 438. | Which is not an unsaturat | ed acid? | | | | | | | |
| | a) Oleic acid | b) Linoleic acid | | c) L | inolenic acid | | d) M | yristic acid | |
| 439. | | | | | | | | | |
| | H_2N H | | | | | | | | |
| | When R is ac | ylated using Ac ₂ O | | | | | | | |
| | a) Its configuration is reta | | | b) It | ts configurati | on is inve | rted | | |
| | c) It becomes unstable | | | - | lo reaction ta | | | | |
| 440. | Increased blood pressure | may be caused by | excess se | cret | ion of: | _ | | | |
| | a) Thyroxin | b) Testosterone | | | stradiol | | d) Ad | lrenaline | |
| 441. | Essential oils are: | | | | | | | | |
| | a) Mixture of various hydr | rocarbons | | | | | | | |
| | b) Pleasant smelling liquid | | nts | | | | | | |
| | c) Mixture of higher fatty | | | | | | | | |
| | d) None of the above | | | | | | | | |
| 442. | Insulin, a protein acts as: | | | | | | | | |
| | a) An antibody | b) A hormone | | c) A | in enzyme | | d) A | transport ag | gent |
| 443. | The change in optical rota | tion with time of f | reshly pr | epar | ed solution o | f reducing | - | = : | _ |
| | a) Inversion | b) Specific rotation | | _ | lotatory moti | | | utarotation | |
| 444. | The number of atoms in the | - - | | - | - | | | | |
| | Carbon Oxygen | S | 1.0 | | | | | | |
| | a) 5 1 | b) 4 | 2 | c) | 4 | 1 | d) | 3 | 2 |
| 445. | Which of the following con | = | eated at 4 | 83 K | turns to cara | ımel? | | | |
| | a) Glucose | b) Sucrose | | | ructose | | d) La | ctose | |
| 446. | If one strand of DNA has t | • | | - | | complem | entar | y strand wo | ould be |
| | a) TAGCTTAC | b) TCACATAC | | | 'AGCATAC | • | | ACGATAC | |
| 447. | The detergency of a subst | • | | - | | | | | |
| | a) Another detergent | | J | | | | | | |
| | b) Builders like sodium tr | ipoly phosphate | | | | | | | |
| | c) Presence of other addit | | | | | | | | |
| | d) All of the above | | | | | | | | |
| 448. | Purity of butter is determine | ined in terms of: | | | | | | | |
| | a) Saponification value | b) Iodine value | | c) A | cetyl value | | d) Re | eichert-Meis | ssl value |
| 449. | Which of the following is p | orotein hormones? | ? | | - | | | | |
| | a) Insulin | b) Oxytocin | | c) B | oth (a) and (| b) | d) No | one of these | ! |
| 450. | Which amino acid has pyh | enyl —OH group? | | | | | | | |
| | a) Lysine | b) Arginine | | c) P | roline | | d) Ty | rosine | |
| 451. | Hydrolytic reaction of fats | with caustic soda | is known | ı as: | | | | | |
| | a) Esterification | b) Saponification | | c) A | cetylation | | d) Ca | rboxylatior | 1 |
| 452. | The enzyme that is used to | o dissolve blood cl | ot is | | | | | | |
| | a) Trypsin | b) Renin | | c) S | treptokinase | | d) Ty | rosinase | |
| 453. | Secondary structure of pr | oteins refers to: | | | | | | | |
| | a) Mainly denaturated pro | oteins and structur | re of pros | theti | ic group | | | | |
| | b) Three dimensional stru | cture specially the | e bond be | twee | en amino acid | residues | that a | are distant f | from each |
| | other in polypeptide ch | ain | | | | | | | |
| | c) Linear sequence of ami | no acid residue in | the polyp | epti | de chain | | | | |
| | d) Regular folding pattern | s of continuous po | ortion of t | he p | olypeptide ch | ain | | | |
| 454. | Hard soaps are: | _ | | | | | | | |
| | a) Sodium salts of higher | fatty acids | | | | | | | |
| | b) Potassium salts of high | er fatty acids | | | | | | | |

| | c) Calcium salts of higher fatty acids | | |
|------|---|-------------------------------------|---------------------------------------|
| | d) Magnesium salts of higher fatty acid | ls | |
| 455. | Which of the following body parts is no | ot composed of structural proteins? | |
| | a) Muscle b) Nails | c) Bones | d) Skin and bone matrix |
| 456. | In an alkaline medium, Glycine predon | ninantly exists as/in a/an | |
| | a) Cation b) Anion | c) Zwitter ion | d) Covalent form |
| 457. | An antigen develops antibodies which | | |
| | a) Immunoglobulins b) Phospho | | d) Lymphocytes |
| 458. | The process of respiration in absence | | , , , , , , , , , , , , , , , , , , , |
| | a) Metabolic b) Aerobic | c) Anaerobic | d) Glycolysis |
| 459. | Globular proteins are present in: | ., | |
| | a) Blood b) Eggs | c) Milk | d) All of these |
| 460. | Polypeptides having, molecular weight | , | ., |
| 100. | a) Amino acids b) Hormone | | d) Terminal amino acids |
| 461 | At intermediate pH values of about 6.0 | <u> </u> | |
| 101. | decreasing and increasing the pH valu | | on or zwitter ion. on |
| | a) Basic and acidic respectively | es, the animo dela becomes | |
| | b) Acidic and basic respectively | | |
| | c) Remains in the state of a neutral mo | alecule | |
| | d) Loses its optical activity with the ex | | |
| 462 | Fructose reduces Tollens' reagent due | | |
| 102. | a) Asymmetric carbons | | |
| | b) Primary alcoholic group | | |
| | c) Secondary alcoholic group | | |
| | d) Enolisation of fructose followed by | conversion to aldehyde by base | |
| 463 | Glucose on reduction with Na/Hg and | | |
| 105. | a) Sorbitol b) Fructose | _ | d) Gluconic acid |
| 1.61 | The hormone insulin is a secretion of t | , | u) diuconic aciu |
| 101. | a) Ovary b) Testes | c) Adrenal cortex | d) Pancreas |
| 465 | Vitamin C is: | c) harenareortex | u) i ancicas |
| 405. | a) Alcohol b) Amide | c) Amine | d) Lactose |
| 466 | In an electric field, if an amino acid mi | , | |
| 100. | a) Less than pl | b) More than pI | solution is said to be |
| | c) Equal to pI | d) 7 | |
| 167 | | - | |
| 407. | When sucrose is heated with concentral a) Saccharic acid b) Oxalic ac | - | d) Invert sugar |
| 160 | Which enzyme convert glucose into ale | | uj ilivert sugar |
| 400. | | | d) Diagtage |
| 160 | a) Invertase b) Zymase Waxes are along chain compounds bel | c) Maltase | d) Diastase |
| 409. | | | d) Ethoro |
| 470 | a) Acids b) Alcohols Proteins give: | c) Esters | d) Ethers |
| 4/0. | | aplution | |
| | a) A violet colour with alkaline CuSO ₄ | | |
| | b) Form a purple colour on boiling with HNO | | |
| | c) Yellow colour on boiling with HNO ₃ | | |
| 171 | d) All of the above | alugada raagta with ayaag C II NII | NII 2 |
| 4/1. | Which compounds is orbtained, when | _ | . 11/11/2 (|
| | a) Glucosazone | b) Gluconic acid | |
| 172 | c) Glucose phenyl hydrazone | d) Saccharic acid | |
| 4/4. | Carbohydrates are used by body main | | |
| | a) For obtaining vitamins | b) As source of energy | |
| | c) For all its developmental needs | d) For building muscle | es · |

| 473. The enzyme carbonic anh | - | re: | | | | |
|--|--|--|--------------------------|--|--|--|
| - | a) Carbonic acid to ${ m H_2O}$ and ${ m CO_2}$ b) Lactose to glucose and galactose | | | | | |
| | gaiactose | | | | | |
| c) Maltose to glucose | | | | | | |
| d) None of the above | ' ' 't' T . ll | -17 | | | | |
| 474. Which of the following pa | irs give positive Tollen's te | | | | | |
| a) Glucose, sucrose | | b) Glucose, fructose | | | | |
| c) Hexanal, acetophenone | | d) Fructose, sucrose | | | | |
| 475. The end product of protein | _ | .) Cll | 1) 0 -1'1' 1 | | | |
| a) Amino acid | b) Glucose | c) Glycerol | d) Oxalic acid | | | |
| 476. Glucose is a/an | | 1-7 41 - 1 - 1 | | | | |
| a) Polyhydroxy ketone | | b) Alcohol | | | | |
| c) Hydrate of carbon | thtd CDNAliti- | d) Pentahydroxy aldehyd | e | | | |
| 477. Experimental material in | | | d) Namaanana araaa | | | |
| a) Escherichia coli | b) Drosophila melanoga | sc) Pneumococcus | d) Neurospora crassa | | | |
| 478. Enzymes are made up of | | h) Donatain a suith ann aiti a | Acres alessos | | | |
| a) Edible proteins | ula alau durakan | b) Proteins with specific s | structure | | | |
| c) Nitrogen containing ca | _ | d) Carbohydrates | | | | |
| 479. Which are called biomole | | A I I. | IN All a Calana | | | |
| a) Carbohydrate | b) Protein | c) Lipids | d) All of these | | | |
| 480. The metal present in vitar | | 3 C 4 4 | DM | | | |
| a) Iron | b) Manganese | c) Cobalt | d) Mercury | | | |
| 481. When adenine is attached | to ribose sugar, it is called | l adenosine. To make a nucl | eotide from it, it would | | | |
| require | | 12 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | |
| a) Oxygenation | | b) Addition of a base | | | | |
| c) Addition of phosphate | 11 1 | d) Hydrogenation | | | | |
| 482. Complete hydrolysis of ce | |) D | 1) 1 1 | | | |
| a) D-fructose | b) D-ribose | c) D-glucose | d) L-glucose | | | |
| 483. Drying oils are so called b | | | | | | |
| a) Are volatile and so eva | = | 1. | | | | |
| , , , | absorb moisture from the | · · | | | | |
| | by atmospheric moisture to | = - | . 1 | | | |
| | and so undergo atmosphe | ric oxidation to yield resind | ous residue and becomes | | | |
| hard solid | | | | | | |
| 484. Cellulose is a: | 12.54 | | D. M | | | |
| a) Monosaccharide | b) Disaccharide | c) Polysaccharide | d) None of these | | | |
| 485. An essential constituent of | | | 1) 7, 66 | | | |
| a) Cellulose | b) Glucose | c) Sugar | d) Raffinose | | | |
| 486. Maltose is made up of: | | | | | | |
| a) α-D glucose | b) α and β-D glucose | c) Glucose and fructose | d) Fructose only | | | |
| 487. Which one of the followin a) CH ₂ =CH—CN and CH ₂ =Cl | _ | able polymer? | | | | |
| b) H ₂ N—CH ₂ —COOH and H ₂ N— | − (CH ₂) ₅ −− COOH | | | | | |
| HO—CH ₂ —CH ₂ —C | OH and | | | | | |
| c) HOOC — CC | ЮН | | | | | |
| d) \bigcirc CH=CH ₂ and CH ₂ =C | CH—CH=CH ₂ | | | | | |
| 488. The chemical name of vita | amin B ₁ is | | | | | |

- a) Ascorbic acid
- b) Riboflavin
- c) Pyridoxine
- d) Thiamine
- 489. Which of the following structure represents the peptide chain?



- 490. Pyranose structure of glucose is:
 - a) Hexagonal
- b) Pentagonal
- c) Linear
- d) Tetrahedral
- 491. Oils and fats in our food not only provide us energy but also act as carriers of certain vitamins such as:
 - a) A and B
- b) A and C
- c) B and C
- d) A and D

- 492. The aqueous solution of which vitamin is dark pink in colour:
 - a) B₁

b) B₂

c) B₆

- d) B₁₂
- 493. Glucose gives the silver mirror test with ammoniacal solution of silver nitrate because it contains:
 - a) Aldehydes gp.
- b) Ester gp.
- c) Ketone gp.
- d) Amide gp.

- 494. Which of the following statements is not true?
 - a) Fats and oils are stored source of energy
 - b) They provide more energy than proteins or carbohydrates
 - c) They help in absorbing the vitamins A and D
 - d) Fats are soluble in water
- 495. Direct conversion of starch into glucose may be carried out by:
 - a) Fermentation with diastase
 - b) Fermentation with zymase
 - c) Heating it with dil. HCl
 - d) Fermentation with maltase
- 496. In alkaline medium, alanine exits predominantly as
 - a) Anion
- b) Zwitter ion
- c) Cation
- d) Covalent form
- 497. Double stranded DNA virus with 20,000 base pairs has nucleotides
 - a) 20,000
- b) 10,000
- c) 666

- d) 40,000
- 498. A diabetic person carries a packet of glucose with him always because
 - a) Glucose reduces the blood sugar level slowly
 - b) Glucose increases the blood sugar level slowly
 - c) Glucose reduces the blood sugar level
 - d) Glucose increases the blood sugar level almost-instantaneously.
- 499. Ascorbic acid is:
 - a) Vitamin C
- b) Enzyme
- c) Protein
- d) Lipid
- 500. Which one is the complimentary base in RNA strand to the adenine base in DNA during protein synthesis?
 - a) Adenine
- b) Guanine
- c) Uracil
- d) Cytosine

| a) Guanine | b) Thymine | c) Cytosine | d) Uracil |
|---|-----------------------------|---------------------------------|--------------------------|
| 502. Which of the following is | proteolytic enzyme? | | |
| a) Insulin | b) Diastase | c) Pepsin | d) Adenine |
| 503. The polymer formed with | n more than two monosacch | narides units is known as: | |
| a) Disaccharide | b) Polysaccharide | c) Both (a) and (B) | d) None of these |
| 504. Which lipid is not obtaine | | | |
| a) Cholesterols | b) Neutral fats | c) Carotenoid | d) Terpenes |
| 505. A soap can be obtained by | • | o) darovenora | a) respense |
| - | b) Coconut oil | c) Lemongrass oil | d) Sandal wood |
| 506. Ribose is an example of | b) doconat on | e) demongrade on | aj sanaar wood |
| a) Ketohexose | b) disaccharide | c) Pentose | d) Polysaccharide |
| 507. Which of the following re | | | a) i oiysacciiai iac |
| a) Neutral FeCl ₃ | = | c) Ammoniacal AgNO ₃ | d) Iodine |
| 508. Which of the following se | | | u) louine |
| - | | | shana |
| a) Alanine, tyrosine, cysti | | b) Leucine, lysine, tryptop | |
| c) Alanine, glutamine, lyo | | d) Leucine, proline, glycin | |
| 509. Which of the following is | present in animais like cow | , buffaloes etc. to digest co | mpound like paper, cloth |
| etc.? | 12011 |) (III) | 1). 0 |
| a) Urease | b) Cellulose | c) Silicones | d) Sucrose |
| 510. Enzyme trypsin converts: | | | |
| a) Amino acids into prote | | | |
| b) Glucose into glycogens | | | |
| c) Starch into sugar | | | |
| d) Proteins into amino ac | | | |
| 511. Many of the carbohydrate | | e: | |
| a) They give sugars on hy | drolysis | | |
| b) Of covalent bonding | | | |
| c) Of electrovalent bondi | _ | | |
| d) Of coordinate bonding | | | |
| 512. The highest calorific value | e is found in | | |
| a) Proteins | b) Fats | c) Vitamins | d) Carbohydrates |
| 513. Successive nucleotides ar | e covalently linked through | 1 | |
| a) Hydrogen bonds | | b) Phosphodiester bonds | |
| c) Sulphide bonds | | d) Any type of bonds | |
| 514. Which differs from the re | st? | | |
| a) Glucose | b) Maltose | c) Sucrose | d) Lactose |
| 515. Milk changes after digesti | ion into | | |
| a) Cellulose | b) Fructose | c) Glucose | d) Lactose |
| 516. Which of the following me | onosaccharide is pentose? | | |
| a) Glucose | b) Fructose | c) Arabinose | d) Galactose |
| 517. The hydrogen bonding fo | • | • | , |
| a) Amide carbonyl and – l | = | b) Amide N — H and cyclic | c amine nitrogen only |
| c) Alcohols and carbonyls | | d) Both (a) and (b) | · ······ |
| 518. Which of the following is | - | | |
| a) Lysine | b) Glycine | c) Tyrosin | d) Arginine |
| • • | • | c) Tyrosiii | u) Aigiiiile |
| 519. Cellulose trinitrate is used | | a) Payor | d) None of these |
| a) Food | b) Explosives | c) Rayon | d) None of these |
| 520. Sucrose molecule is made | | 10.4.1. | · C· · · · · · · · · · |
| a) A gluco pyranose and a | = = | b) A gluco pyranose and a | |
| c) A gluco furanose and a | tructo pyranose | d) A gluco furanose and a | tructo furanose |

| 521. | Wax used in gramophone | records is : | | |
|---------------|--|------------------------------|---------------------------------------|--------------------------------------|
| | a) Paraffin wax | b) Bees wax | c) Carnauba wax | d) None of these |
| 522. | If one strand of DNA has the | he sequences TATGACT | G , the sequence in the con | nplimentary strand would |
| | be | | | |
| | a) ATACACTC | b) A C G T T G A C | c) ATACTGAC | d) ATACTGCA |
| 523. | Which of the following cor | npounds is not of the lipid | series? | |
| | a) Fat | b) Soap | c) Oil | d) Lard |
| 524. | Peptides are formed from | | | |
| | a) Aliphatic amines | b) Carbohydrates | c) α –amino acids | d) Aromatic amines |
| 525. | Which of the following bio | _ | catalysts in biological react | _ |
| | a) Carbohydrates | b) Lipids | c) Vitamins | d) Enzymes |
| 526. | Wax is | | | , |
| | a) Alcohol | b) Ester | c) Ketone | d) Acid |
| 527. | Amylopectin is a polymer | | | |
| | a) α-D glucose | b) α -D fructose | c) Lactose | d) Amylose |
| 528. | After digestion, starch is c | | | |
| | a) Glucose | b) Fructose | c) Lactose | d) sucrose |
| 529. | Which one of the following | | , | ., |
| | a) Thyroxine | b) Adrenaline | c) Glucogen | d) Testosterone |
| 530. | Which one of the following | • | , , | ., |
| | a) Adrenalin | b) Testosterone | c) Thyroxine | d) Insulin |
| 531. | α -D(+)– glucose and β –I | • | ·, ·, · · · · · · · · · · · · · · · · | , |
| | a) Conformers | b) Epimers | c) Anomers | d) Enantiomers |
| 532 | The process of formation | , · | • | w) = |
| 002. | a) Translation | b) Transcription | c) Replication | d) Mutation |
| 533 | α-glucose and β-glucose a | • | of Replication | a) Fraction |
| 000. | a) Isomers | b) Anomers | c) Epimers | d) Tautomers |
| 534 | One gram of fat gives: | 5) Imomero | c) Ipinioro | a) rautomoro |
| 001. | _ | as one gram of carbohydra | ate | |
| | b) Same amount of energy | = | | |
| | | ergy as one gram of carboh | vdrate or protein | |
| | d) None of the above | ergy as one grain or ear bon | y drate or protein | |
| 535. | Insulin production and its | action in human hody are | responsible for the level of | diabetes. This compound |
| 000. | belongs to which of the fol | - | | and occosi Timo compound |
| | a) A co-enzyme | b) A hormone | c) An enzyme | d) An antibiotic |
| 536. | Cellulose is a polymer of | b) II normone | c) in chayme | a) In antibiotic |
| 000. | a) Glucose | b) Fructose | c) Ribose | d) Sucrose |
| 537 | Common table sugar is mo | | c) Hibose | a) buciose |
| 557. | a) Glucose | b) Lactose | c) Maltose | d) Sucrose |
| 538 | Glucose is used in: | b) lactose | c) Marcosc | a) suchose |
| 550. | a) Manufacture of vitamin | C | | |
| | b) As preservative | . 0 | | |
| | c) In the manufacture of a | lcohol | | |
| | d) All of the above | iconor | | |
| 539 | Methyl α –D-glucoside an | d mathyl- R —D-glucosida | aro | |
| 557. | a) Epimers | a memyr p b graeosiae i | b) Anomers | |
| | c) Enantiomers | | d) Conformational diaster | anmarc |
| 540 | Ring structure of glucose i | s due to formation of homi | | |
| J TU. | a) C_1 and C_5 | b) C_1 and C_4 | c) C_1 and C_3 | d) C ₃ and C ₄ |
| 5 <i>1</i> .1 | Monomer of nucleic acid is | | c) of and o3 | aj oz ana o ₄ |
| JTI. | a) Nucleotides | b) Nucleoxides | c) Aminoacids | d) Carboxylic acid |
| | a, maciconaco | o, maciconiaco | e, minioacias | a, car boxyric acia |

| 542. | An example of a protein v | which acts as a hormone is | | |
|-------|------------------------------|--------------------------------|-------------------------------|-------------------------------|
| | a) Casein | b) Oxytocin | c) Trypsin | d) Keratin |
| 543. | An example for a saturate | ed fatty acid, presents in na | ture is | |
| | a) Oleic acid | b) Linoleic acid | c) Linolenic acid | d) Palmitic acid |
| 544. | Charagaff's rule states that | at in an organism | | |
| | a) Amount of adenine (A) |) is equal to that of thymine | e (T) and amount of guanin | e (G) is equal to that of |
| | cytocine (C) | | | |
| | b) Amount of adenine (A) |) is equal to that of guanine | (G) and the amount of thy | mine (T) is equal to that of |
| | guanine (G) | | | |
| | c) Amount of adenine (A) |) is equal to that of cytocine | e (C) and the amount of thy | mine (T) is equal to that of |
| | guanine (G) | | | |
| | d) Amount of all bases are | e equal | | |
| 545. | Which of the following given | ves reddish brown precipit | ate with dilute solution of r | resorcinol in dilute HCl? |
| | a) Glucose | b) Fructose | c) Lactose | d) Maltose |
| 546. | Washing soaps are potass | sium and sodium salts of: | • | - |
| | a) Formic, acetic, and ma | ıleic acid | | |
| | b) Oleic, palmitic and ste | | | |
| | c) Sulphur, chlorine and f | | | |
| | d) Acetone, ketone and qu | | | |
| 547. | | | naintaining fluid balance in | the body? |
| | a) Calcium and magnesiu | | Ü | , |
| | b) Potassium and sodium | | | |
| | c) Iron and magnesium | | | |
| | d) None of the above | | | |
| 548 | Vitamin A is present in: | | | |
| 0 10. | a) Liver | b) Milk | c) Green vegetables | d) All of these |
| 549. | Molisch test is made for t | • | ej areen vegetasies | a) in or these |
| | a) Alkyl halide | b) Carbohydrate | c) Alkaloid | d) Fat |
| 550. | , , | llitus' is caused by the defic | • |) |
| | a) Iodine | | | |
| | b) Insulin | | | |
| | c) Phenyl alanine hydrox | vlase | | |
| | d) lysine | <i>J.</i> 2000 | | |
| 551 | Starch is a polymer of | | | |
| 001. | a) Sucrose | b) Maltose | c) Glucose | d) Hexose |
| 552 | Bases common to DNA a | | ej diacose | a) Henobe |
| 00 | a) Adenine, cytosine, ura | | | |
| | b) Guanine, adenine, cyto | | | |
| | c) Guanine, uracil, thymir | | | |
| | d) Adenine, thymine, gua | | | |
| 553 | | respect of protein haemogl | ohin is that it | |
| 000. | a) Acts as an oxygen carr | = = | | offers resistance to diseases |
| | c) Function as a catalyst f | | d) Maintains blood sugar | |
| 554. | _ | _ | glucose on hydrolysis found | |
| 001. | a) Alkoxide | b) Glucoside | c) Glycoside | d) None of these |
| 555 | | | • | d to form 2-phosphoglyceric |
| | acid is | | phoophogly corre dele | phophograce |
| | a) Aldolase | | b) Triose phosphate isom | erase |
| | c) Phosphoglycero mutas | se | d) Pyruvate kinase | |
| 556 | An example of protein is | | . j - j ave 1 | |
| | a) Narvon | b) Lecithin | c) Cellulose | d) Insulin |
| | - | | • | • |


| 557. Pick out t | he one which doe | es not belong to the family | | |
|-----------------|---------------------|-------------------------------|------------------------------|---------------------------|
| a) Pepsin | | b) Cellulose | c) Ptyalin | d) lipase |
| 558. The horm | one that helps in | the conversion of glucose | to glycogen is | |
| a) Cortiso | one | b) Bile acids | c) Adrenaline | d) Insulin |
| 559. The sugar | r present in fruits | s is: | | |
| a) Fructo | se | b) Glucose | c) Sucrose | d) Galactose |
| 560. Which on | e is a fibrous pro | tein? | | |
| a) Globul | in | b) Collagen | c) Hordein | d) Glutin |
| 561. Deficienc | y of which vitami | n can cause night blindnes | ss an eye disease? | |
| a) Vitami | n B ₆ | b) Vitamin C | c) Vitamin B ₁₂ | d) Vitamin A |
| 562. Which of | the following bas | se is linked, as one strand o | of DNA to cytosine of the ot | her strand by hydrogen |
| bonds? | | | | |
| a) Guanir | ie | b) Adenine | c) Thymine | d) Uracil |
| 563. A nucleos | ide on hydrolysis | s gives | | |
| | | orthophosphoric acid | | |
| b) An ald | opentose, a heter | ocyclic base and orthopho | sphoric acid | |
| c) An ald | opentose and a h | eterocyclic base | | |
| - | - | hophosphoric acid | | |
| | = | in β-D-(+) glucose is: | | |
| a) 5 | | b) 6 | c) 3 | d) 4 |
| 565. Colour of | osazone of gluco | se is | | |
| a) Red | G | b) Brown | c) Yellow | d) Orange |
| • | of butter is due | to the formation of: | , | , |
| a) Butyri | | b) Formaldehyde | c) Acetic acid | d) Benzoic acid |
| | | ysis triglycerides to fatty a | - | |
| a) Maltas | | b) Lipase | c) Zymase | d) Pepsin |
| , | | | ne nucleotide sequence of o | , <u>.</u> |
| a) TCGAA | | b) GCTAAGCT | c) TAGCATAT | d) GATCCTAG |
| • | gar is the same as | • | , | |
| a) Fructo | | b) Galactose | c) Glucose | d) Glycogen |
| - | of oils and fats is | - | , | , , , |
| = | hydrolysis by the | | oisture and oxidation of fat | ty acids to foul smelling |
| - | | ling ingredients from the a | nir | |
| | | y microorganisms | | |
| • | ecomposition of | • | | |
| | = | inkage in proteins? | | |
| a) Kekule | <u> </u> | b) Hofmann | c) Fisher | d) Cannizzaro |
| • | | n it is treated with conc. H | | |
| a) Oxidat | | b) Reduction | c) Dehydration | d) Hydrolysis |
| • | nin which is wate | - | | |
| a) Vitami | | b) Vitamin D | c) Vitamin K | d) Vitamin B |
| • | | • | positive test with Benedict' | |
| is | 0 0 | , | • | 1 |
| a) A prote | ein | b) An amino acid | c) A lipid | d) A mono saccharide |
| | are composed of: | = | , 1 | |
| a) Nucleo | = | b) Nucleosides | c) Dipeptides | d) Amino acids |
| • | | tation when solvent is: | , | • |
| a) Acidic | | b) Basic | c) Neutral | d) Amphioprotic |
| • | the following enz | zymes are used to convert | | - • • |
| | e, diastase | | | |

| b) Invertase, zymase | | | |
|--------------------------------------|----------------------------------|-----------------------------|-----------------------------|
| c) Diastase, maltase, zym | | | |
| d) Invertase, diastase, zyr | nase | | |
| 578. Which of the following is | not simple protein? | | |
| a) Albumin | b) Globulin | c) Glutinin | d) All of these |
| 579. The enzyme pepsin hydro | olyses: | | |
| a) Proteins to amino acid | S | | |
| b) Fats to fatty acids | | | |
| c) Glucose to ethyl alcoho | ol | | |
| d) Polysaccharides to mo | nosaccharides | | |
| 580. Which of the following is | an amphoteric acid? | | |
| a) Glycine | b) Salicylic acid | c) Benzoic acid | d) Citric acid |
| 581. <i>Iso</i> -electric is a | | | |
| a) Specific temperature | | | |
| b) Suitable concentration | of amino acid | | |
| | ration that does not allow n | nigration of amino acid und | ler electric field |
| | ino acid under the influence | = | |
| 582. Which enzyme is present | | 0 01 01000110 11010 | |
| a) Urease | b) Maltase | c) Lactase | d) Amylase |
| 583. α –maltose consists of | b) Harase | ej Euctuse | a) miny lase |
| | ose unit and one β –D-gluc | onvranose univ with 1-2 gl | vosidic linkage |
| | se units with 1-2 glycosidie | | y ositile mikage |
| | se units with 1-4 glycosidic | | |
| | ose units with 1-4 glycosidi | - | |
| 584. An alkali salt of palmitic a | | c ilikage | |
| a) An alkoxide | b) An ester | c) A soap | d) An epoxide |
| 585. A compound which cataly | • | = | • |
| | | | |
| a) Carbohydrate | b) Enzyme | c) Lipid | d) Vitamin |
| 586. The carbohydrate that wi | ii yieid giucose and iructos | e on nomogeneous catalyti | c nyurolysis in presence of |
| dilute sulphuric acid is | 1006.1 |) () 1 | D.C. |
| | b) Maltose | c) Starch | d) Sucrose |
| 587. All drying oils contain a la | • |) P. J. () . J. () | D.M. Col |
| a) Linoleic acid | b) Linolenic acid | c) Both (a) and (b) | d) None of these |
| 588. Which is capable to self re | = | > = | 1) 5 |
| a) Enzymes | b) DNA polymerase | c) DNA ligase | d) DNA |
| 589. Which destroy antigens? | | | |
| a) Insulin | b) Antibodies | c) Chromoprotein | d) Phosphoprotein |
| 590. Aqueous solution of soap | | | |
| a) Acidic | b) Basic | c) Neutral | d) Amphoteric |
| 591. A detergent is a: | | | |
| a) Cleansing agent | b) Drug | c) Catalyst | d) Soap |
| 592. Which one is not a glyceri | de? | | |
| a) Fat | b) Oil | c) Phospholipid | d) Soap |
| 593. Which carbohydrate is us | ed in silvering of mirrors? | | |
| a) Sucrose | b) Starch | c) Glucose | d) Fructose |
| 594. Biuret test is not given by | • | | |
| a) Carbohydrates | b) Polypeptides | c) Urea | d) Proteins |
| 595. Structurally a biodegrada | ble detergent should conta | in a: | |
| a) Normal alkyl chain | b) Branched alkyl chain | c) Hexyl side chain | d) Cyclohexyl side chain |
| 596. Starch is polymer of: | | | |
| a) Fructose | b) Glucose | c) Lactose | d) None of these |

| | The one which has least io | dine value is | | |
|---|---|--|--|--|
| | a) Sunflower oil | b) Ginger oil | c) Ghee | d) Groundnut oil |
| 598. | A vitamin which plays a vi | tal role in the coagulating p | property of blood is: | |
| | a) Vitamin A | b) Vitamin D | c) Vitamin E | d) Vitamin K |
| 599. | Oligosaccharides contain. | Simple sugar units: | | |
| | a) 2 to 10 | b) 4 to 8 | c) 6 to 12 | d) 6 to 10 |
| 600. | Dalda is prepared from oil | ls by | | |
| | a) Oxidation | b) Reduction | c) Hydrolysis | d) Distillation |
| 601. | The anomeric carbon in D | (+) glucose is | | |
| | a) C-1 carbon | b) C-2 carbon | c) C-5 carbon | d) C-6 carbon |
| 602. | DNA template sequence of | f CTGATAGC is transcribed | over m-RNA as | |
| | a) GUCTUTCG | b) GACUAUCG | c) GAUTATUG | d) UACTATCU |
| 603. | Ascorbic acid is also know | n as | | |
| | a) Vitamin A | b) Vitamin B | c) Vitamin C | d) Vitamin D |
| 604. | The main point of differen | • | | |
| | a) Presence of thymine in | | | |
| | | e and thymine in DNA, ribo | ose and uracil in RNA | |
| | = | thymine in DNA, deoxyribo | | |
| | = | e in DNA and ribose in RNA | | |
| 605. | The substance constituting | | | |
| | a) Protein | b) Mineral | c) Fat | d) Water |
| 606. | Helical structure of protei | • | -, | ., |
| | a) Peptide bond | b) Hydrogen bond | c) Van der Waal's force | d) Dipole association |
| 607. | Which is sweetest among | , , | of validation to too | a) 2 pore accommon |
| 0071 | a) Sucrose | b) Fructose | c) Glucose | d) Lactose |
| 608 | Saccharin is : | b) I I decese | c) diacosc | a) Lactobe |
| 000. | a) Hexose | b) Reducing sugar | c) Glucoside | d) None of these |
| 609 | Which one is involved in t | , , | | • |
| 00). | | he formation of nicofinami | | |
| | | | | |
| 610 | a) Lysine | b) Tryptophan | c) Tyrosine | d) Glutamic acid |
| 610. | a) Lysine The polysaccharide used i | b) Tryptophan n the manufacture of pape | c) Tyrosine r is: | d) Glutamic acid |
| | a) LysineThe polysaccharide used ia) Cellulose | b) Tryptophan n the manufacture of pape b) Starch | c) Tyrosine r is: c) Glucose | |
| | a) LysineThe polysaccharide used ia) CelluloseAcetyl derivative of which | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in siz | c) Tyrosine r is: c) Glucose zing of paper industry? | d) Glutamic acidd) Sucrose |
| 611. | a) LysineThe polysaccharide used ia) CelluloseAcetyl derivative of whicha) Glucose | b) Tryptophann the manufacture of paperb) Starchcarbohydrate is used in sizeb) Fructose | c) Tyrosine r is: c) Glucose | d) Glutamic acid |
| 611. | a) LysineThe polysaccharide used ia) CelluloseAcetyl derivative of whicha) GlucoseNucleic acid are polymers | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in siz b) Fructose of | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose | d) Glutamic acidd) Sucrosed) Starch |
| 611. 612. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins | c) Tyrosine r is: c) Glucose zing of paper industry? | d) Glutamic acidd) Sucrose |
| 611. 612. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in siz b) Fructose of b) Globulins esn't form an oxime? | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons | d) Glutamic acidd) Sucrosed) Starchd) Nucleotides |
| 611.612.613. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in siz b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose | d) Glutamic acidd) Sucrosed) Starch |
| 611.612.613. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose | d) Glutamic acidd) Sucrosed) Starchd) Nucleotides |
| 611.612.613. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose | d) Glutamic acidd) Sucrosed) Starchd) Nucleotides |
| 611.612.613. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose | d) Glutamic acidd) Sucrosed) Starchd) Nucleotides |
| 611.612.613. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose | d) Glutamic acidd) Sucrosed) Starchd) Nucleotides |
| 611.612.613.614. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doc a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose | d) Glutamic acidd) Sucrosed) Starchd) Nucleotides |
| 611.612.613.614. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in six b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate I Nobel Prize for his work of thesis | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose on: | d) Glutamic acid d) Sucrose d) Starch d) Nucleotides d) Galactose |
| 611.612.613.614.615. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doc a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: a) Animal fat | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose | d) Glutamic acidd) Sucrosed) Starchd) Nucleotides |
| 611.612.613.614.615. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: a) Animal fat A Zwitter ion is | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate I Nobel Prize for his work of thesis | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose on: | d) Glutamic acid d) Sucrose d) Starch d) Nucleotides d) Galactose |
| 611.612.613.614.615. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: a) Animal fat A Zwitter ion is a) Negatively charged ion | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in siz b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate I Nobel Prize for his work of thesis b) Corn oil without metal atom | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose on: | d) Glutamic acid d) Sucrose d) Starch d) Nucleotides d) Galactose |
| 611.612.613.614.615. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following do a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: a) Animal fat A Zwitter ion is a) Negatively charged ion b) A heavy ion with a small | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate I Nobel Prize for his work of thesis b) Corn oil without metal atom Il charge on it. | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose on: | d) Glutamic acid d) Sucrose d) Starch d) Nucleotides d) Galactose |
| 611.612.613.614.615. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: a) Animal fat A Zwitter ion is a) Negatively charged ion b) A heavy ion with a smal c) An ion with positive and | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in siz b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate I Nobel Prize for his work of thesis b) Corn oil without metal atom Il charge on it. d negative charge at differen | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose on: | d) Glutamic acid d) Sucrose d) Starch d) Nucleotides d) Galactose |
| 611.612.613.614.615.616. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following do a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: a) Animal fat A Zwitter ion is a) Negatively charged ion b) A heavy ion with a smal c) An ion with positive and d) A positively charged ion | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate l Nobel Prize for his work of thesis b) Corn oil without metal atom ll charge on it. d negative charge at different in without a metal atom. | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose on: | d) Glutamic acid d) Sucrose d) Starch d) Nucleotides d) Galactose |
| 611.612.613.614.615.616. | a) Lysine The polysaccharide used i a) Cellulose Acetyl derivative of which a) Glucose Nucleic acid are polymers a) Nucleosides Which of the following doe a) Glucose Emil Fischer was awarded a) Sugars and purines syn b) Ammonia discovery c) Optical activity d) Alkaloid synthesis A source of oleic acid is: a) Animal fat A Zwitter ion is a) Negatively charged ion b) A heavy ion with a smal c) An ion with positive and | b) Tryptophan n the manufacture of paper b) Starch carbohydrate is used in size b) Fructose of b) Globulins esn't form an oxime? b) Glucose pentaacetate l Nobel Prize for his work of thesis b) Corn oil without metal atom ll charge on it. d negative charge at different in without a metal atom. | c) Tyrosine r is: c) Glucose zing of paper industry? c) Lactose c) Nucleons c) Arabinose on: | d) Glutamic acid d) Sucrose d) Starch d) Nucleotides d) Galactose |

- 618. Glycogen is a branched polymer of:
 - a) α-glucose
- b) β-glucose
- c) α-fructose
- d) None of these

- 619. The sequence in the structure of nucleic acid is:
 - a) Base +phosphate group + pentose
 - b) Phosphate group + pentose + base
 - c) Pentose + base + phosphate group
 - d) All of the above
- 620. Cellulose upon acetylation with excess acetic anhydride/H₂SO₄ (catalytic) gives cellulose triacetate whose structure is



- 621. Which one of the following statements about amino acids is not true?
 - a) They are constituents of all protein.
 - b) They are all high melting solids.
 - c) Most naturally occurring amino acids have D-configurations
 - d) They are characterized by isoelectric point.
- 622. Which amino acid has no asymmetric carbon?
 - a) Histidine
- b) Glycine
- c) α-alanine
- d) Threonine

- 623. The best source of vitamin A is
 - a) Wheat
- b) Beans
- c) Carrots
- d) Oranges
- 624. Which set is the correct pairing set (or contains complementary pairs) responsible for the structure of
 - (A = adenine, G = guanine, C = cytosine, T = thymine, U = uracil)
 - a) A—T, G—C
- b) A—C, G—T
- c) A—G. C—T
- d) A—U, G—C

- 625. The pyrimidine bases presents in DNA are
 - a) Cytosine and adenine b) Cytosine and guanine c) Cytosine and thymine d) Cytosine and uracil


626. Identify the product C' in the following series of reactions

Glucose
$$\xrightarrow{\text{HCN}} A \xrightarrow{\text{H}_2\text{O}} B \xrightarrow{\text{HI}} C$$

- a) Heptanoic acid
- b) Hexanoic acid
- c) α -methyl caproic acid d) None of these

- 627. Toilet soap is:
 - a) A mixture of calcium and sodium salts of higher fatty acids
 - b) A mixture of potassium stearate and glycerol
 - c) A mixture of sodium salts of higher fatty acids
 - d) A mixture of potassium salts of higher fatty acids
- 628. Degree of unsaturation in oils and fats is measured in terms of:
 - a) Saponification value
- b) Iodine value
- c) R/M value
- d) Acetyl value

629. Which of the nitrogen of histidine is first protonated?



| | N H | | | |
|-----|--|---|--------------------------------|-------------------------------|
| | a) α | b) β | c) Both (a) and (b) | d) None of these |
| 630 | . Carbohydrates containing | more than 10 simple units | s of sugar are called: | |
| | a) Monosaccharides | b) Disaccharides | c) Trisaccharides | d) Polysaccharides |
| 631 | An optically active compo | und <i>A</i> , gave an $[\alpha]_{\rm D}^{25}=30^{\circ}$ | , while a mixture of A and i | ts enantiomer <i>B</i> , gave |
| | $[\alpha]_D^{25} = +15^\circ$. The ratio of | | | |
| | a) 1 to 3 | b) 3 to 1 | c) 1 to 2 | d) 2 to 1 |
| 632 | . Which of the following is a | | , | |
| | a) Sucrose | b) Glucose | c) Fructose | d) Starch |
| 633 | . Insulin has 51amino acids | | | , |
| | a) One sulphide bond | 1 31 1 | · · | |
| | b) One disulphide bond | | | |
| | c) Two disulphide bonds | | | |
| | d) Three disulphide bonds | 5 | | |
| 634 | . DNA and RNA are chiral m | | e of: | |
| | a) Chiral bases | b) Phosphate ester unit | c) D-sugar component | d) L-sugar component |
| 635 | . A glyceride is: | | | |
| | a) A compound of glycero | l with a metal | | |
| | b) A molecular compound | of glycerol with a metal sa | lt | |
| | c) An ether formed by gly | cerol | | |
| | d) An ester of glycerol wit | h fatty acids | | |
| 636 | . Insulin production and its | action in human body are | responsible for the level of | diabetes. This compound |
| | belongs to which of the fol | llowing categories? | | |
| | a) A coenzyme | b) A hormone | c) An enzyme | d) An antibiotic |
| 637 | . Which one of the following | g does not correctly match | with each other? | |
| | a) Silk-polyamide | b) Lipase-enzyme | c) Butter-fat | d) Oxytocin-enzyme |
| 638 | . When vegetable oils react | with hydrogen in presence | e of finely divided nickel ca | talyst we get: |
| | a) Saturated fat | b) CO ₂ and H ₂ O | c) Washing soap | d) None of these |
| 639 | . The main structural featur | re of protein is: | | |
| | a) The ester linkage | b) The ether linkage | c) The peptide linkage | d) All of these |
| 640 | . Which is a protein? | | | |
| | a) Gelatin | b) Casein | c) Plasma protein | d) All of these |
| 641 | . Which of the following ho | rmones is excreted from ac | drenal cortex? | |
| | a) Cortisone | b) Estrogen | c) Progesterone | d) Testosterone |
| 642 | . What is not true for enzyn | | | |
| | a) They are powerful bioc | atalysts | | |
| | b) They are all proteins | | | |
| | c) They are highly specific | | | |
| | d) They do not lose activit | = | | |
| 643 | . One of the essential alpha | | | |
| | a) Lysine | b) Glycine | c) Serine | d) Proline |
| 644 | . The amino acid which is n | = - | | |
| | a) Lactic acid | b) Serine | c) Alanine | d) Glycine |
| 645 | . How glucose is related wit | | | |
| | a) Functional group isome | erism | b) Rotamers | |
| _ | c) Position isomerism | | d) Geometrical isomerism | |
| 646 | . The chemical messenger p | produced in the endocrine | (ductless) glands are group | ed as: |

| (17 | a) Polypeptides | b) Hormones | c) Bile salts | d) Purines | | | | | | | | |
|--------------|--|------------------------------|--|-------------------|--|--|--|--|--|--|--|--|
| 64/. | The ultimate product of that a) Glucose | b) Fructose | c) Sucrose | d) None of these | | | | | | | | |
| 648. | Which of the following is r | not correct? | | | | | | | | | | |
| | a) Chlorophyll is responsible for the synthesis of carbohydrates in plants | | | | | | | | | | | |
| | b) The compound formed | o haemoglobin is called ox | yhaemoglobin | | | | | | | | | |
| | c) Acetyl salicylic acid is known aspirin | | | | | | | | | | | |
| | d) The metal ion present is | - | | | | | | | | | | |
| 649. | Hormones function as: | 0 | | | | | | | | | | |
| | a) Chemical messengers | b) Co-enzymes | c) Provitamins | d) All of these | | | | | | | | |
| 650. | Hardening of fat (lipid) is | | ·, · · · · · · · · · · · · · · · · · · | ., | | | | | | | | |
| | a) Hydrogenation | | b) Dehydrogenation | | | | | | | | | |
| | c) Halogenation | | d) Dehydrohalogenation | | | | | | | | | |
| 651 | Which of the following mo | mosaccharide is nentose? | a) Deny aronarogenation | | | | | | | | | |
| 051. | a) Glucose | b) Fructose | c) Arabinose | d) Galactose | | | | | | | | |
| 652 | The function of DNA in an | | c) mubinose | a) dalactose | | | | | | | | |
| 032. | a) To assist in the synthes | - | | | | | | | | | | |
| | b) To store information of | | | | | | | | | | | |
| | = | is of proteins and polypept | idos | | | | | | | | | |
| | d) All of the above | is of proteins and polypept | iues | | | | | | | | | |
| 6 5 2 | = | malagulas santain non tra | ngition motal ion? | | | | | | | | | |
| 055. | Which of the following bio | | | d) Ingulia | | | | | | | | |
| ([4 | a) Vitamin B ₁₂ | b) Chlorophyll | c) Haemoglobin | d) Insulin | | | | | | | | |
| 054. | The secondary structure of | or a protein refers to | | | | | | | | | | |
| | a) <i>α</i> –helical backbone | | | | | | | | | | | |
| | b) Hydrophobic interactio | | | | | | | | | | | |
| | c) Sequence of α –amino | | | | | | | | | | | |
| | d) Fixed configuration of t | = | | | | | | | | | | |
| 655. | Raw linseed oil is present | - | | | | | | | | | | |
| | a) Drier | b) Vehicle | c) Lacquer | d) Thinner | | | | | | | | |
| 656. | Which of the following cor | | | | | | | | | | | |
| | a) Calciferol | b) Keratin | c) Tocopherol | d) None of these | | | | | | | | |
| 657. | Which protein is main con | | | | | | | | | | | |
| | a) Keratin | b) Casein | c) Myosin | d) Insulin | | | | | | | | |
| 658. | Which set of terms correct | tly identifies the carbohydi | rate shown? | | | | | | | | | |
| | H | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | /\он н/Н | | | | | | | | | | | |
| | HOH ₂ C \ /11 | | | | | | | | | | | |
| | н он | | | | | | | | | | | |
| | 1. Pentose 2. Hexo | se | | | | | | | | | | |
| | 3. Aldose 4. Keto | | | | | | | | | | | |
| | 5. Pyranose | | | | | | | | | | | |
| | a) 1, 3 and 6 | b) 1, 3 and 5 | c) 2, 3 and 5 | d) 2, 3 and 6 | | | | | | | | |
| 659. | Which of the following is r | | -, -, | , -, | | | | | | | | |
| • | a) Nail formation | F-333-301 | b) Skin formation | | | | | | | | | |
| | c) Muscle formation | | d) Providing energy for m | etabolism | | | | | | | | |
| 660 | α –and β – glucose differ | in the orientation of -OH o | | | | | | | | | | |
| 500. | a) C_1 | b) C ₂ | c) C ₃ | d) C ₄ | | | | | | | | |
| 661 | Which one of the following | | 5 | w.j. 04 | | | | | | | | |
| 001. | a) Coconut oil | b) Kerosene oil | c) Soap | d) Glycerine | | | | | | | | |
| | a) coconacon | b) Refuselle oil | c) 30ap | a) divectifie | | | | | | | | |

| 662. The carbohydrate which serves as reserve glucose in body is: | | | | | | | |
|---|-----------|-------------|----------------|--|--|--|--|
| a) Sucrose | b) Starch | c) Glycogen | d) fructose | | | | |
| 663. Which of the following compounds is responsible for the transmission of heredity characters? | | | | | | | |
| a) RNA | b) DNA | c) Glucose | d) Haemoglobin | | | | |

| | | | | | | : ANSW | VI | ER K | ΕY | : | | | | | |
|--------------|--------|--------------|----------|--------------|--------|--------|----|---------------|----------|-------------------|--------|-------------------|--------|-------------------|--------|
| 1) | d | 2) | С | 3) | b | | | 189) | С | 190) | С | 191) | b | 192) | d |
| 5) | d | -) 6) | b | 7) | a | - | | 193) | d | 194) | С | 195) | a | 196) | b |
| 9) | С | 10) | b | 11) | b | 400 | | 197) | d | 198) | a | 199) | d | 200) | a |
| 13) | a | 14) | b | 15) | С | 4.63 | | 201) | d | 202) | d | 203) | c | 204) | a |
| 17) | d | 18) | d | 19) | b | - | | 205) | d | 206) | С | 207) | a | 208) | a |
| 21) | С | 22) | b | 23) | c | | b | 209) | d | 210) | С | 211) | a | 212) | d |
| 25) | d | 26) | a | 27) | b | 28) a | a | 213) | d | 214) | С | 215) | b | 216) | d |
| 29) | d | 30) | b | 31) | b | 32) I | b | 217) | b | 218) | c | 219) | c | 220) | b |
| 33) | b | 34) | d | 35) | c | 36) a | a | 221) | c | 222) | d | 223) | a | 224) | b |
| 37) | d | 38) | c | 39) | d | 40) l | b | 225) | c | 226) | d | 227) | a | 228) | b |
| 41) | C | 42) | c | 43) | a | 44) | d | 229) | c | 230) | d | 231) | c | 232) | c |
| 45) | d | 46) | a | 47) | c | 48) | c | 233) | d | 234) | b | 235) | b | 236) | d |
| 49) | b | 50) | d | 51) | a | 52) l | b | 237) | b | 238) | d | 239) | d | 240) | a |
| 53) | d | 54) | d | 55) | b | 56) | c | 241) | c | 242) | C | 243) | a | 244) | c |
| 57) | a | 58) | d | 59) | b | 60) | d | 245) | d | 246) | c | 247) | b | 248) | a |
| 61) | d | 62) | c | 63) | c | 64) | d | 249) | b | 250) | C | 251) | a | 252) | b |
| 65) | b | 66) | b | 67) | c | 68) a | a | 253) | b | 254) | C | 255) | C | 256) | b |
| 69) | d | 70) | d | 71) | c | 72) | c | 257) | d | 258) | a | 259) | d | 260) | d |
| 73) | d | 74) | a | 75) | a | 76) l | b | 261) | d | 262) | C | 263) | C | 264) | b |
| 77) | b | 78) | a | 79) | b | 80) a | | 265) | b | 266) | d | 267) | b | 268) | c |
| 81) | a | 82) | b | 83) | c | , | | 269) | C | 270) | C | 271) | C | 272) | b |
| 85) | b | 86) | d | 87) | d | , | | 273) | a | 274) | C | 275) | C | 276) | a |
| 89) | d | 90) | a | 91) | d | • | | 277) | C | 278) | b | 279) | d | 280) | d |
| 93) | С | 94) | c | 95) | d | , | | 281) | c | 282) | d | 283) | a | 284) | b |
| 97) | C | 98) | a | 99) | d | • | | 285) | b | 286) | C | 287) | C | 288) | d |
| 101) | C | 102) | a | 103) | d | , | | 289) | c | 290) | d | 291) | a | 292) | d |
| 105) | b | 106) | a | 107) | C | , | | 293) | a | 294) | d | 295) | b | 296) | a |
| 109) | b | 110) | C | 111) | b | • | | 297) | c | 298) | d | 299) | C | 300) | C |
| 113) | b | 114) | a | 115) | a | - | | 301) | d | 302) | d | 303) | a | 304) | С |
| 117) | b | 118) | d | 119) | c | - | | 305) | d | 306) | C | 307) | C | 308) | c |
| 121) | b | 122) | a | 123) | b | - | | 309) | C | 310) | a | 311) | d h | 312) | b |
| 125) | a b | 126) | d | 127) | C | - | | 313) | d | 314) | d | 315) | b | 316) | a |
| 129) 133) | b | 130) 134) | a h | 131) 135) | d | - | | 317) 321) | d d | 318) 322) | d b | 319) 323) | d | 320) | a |
| 133) 137) | a d | 134) | b b | 139) | c | - | | 321) 325) | d | 322) 326) | b d | 323) 327) | d d | 324) 328) | C h |
| 141) | u C | 142) | b | 143) | a d | - | | 329) | c a | 330) | u b | 331) | a | 332) | b c |
| 145) | b | 146) | a | 143) | a | • | | 333) | a C | 334) | c | 335) | a b | 336) | |
| 149) | a | 150) | a | 151) | a | - | | 337) | a | 338) | b | 339) | a | 340) | a a |
| 153) | a C | 154) | a b | 151) 155) | a d | - | | 341) | a | 342) | a | 343) | a | 344) | a |
| 157) | b | 158) | b | 159) | c | = | | 345) | a | 346) | C | 347) | a | 348) | d |
| 161) | a | 162) | c | 163) | c | - | | 349) | a d | 3 4 0) | c | 3 4 7) | a | 3 4 0) | d |
| 165) | b | 166) | c | 167) | c | - | | 353) | d | 354) | d | 35 1) | a b | 356) | a |
| 169) | c | 170) | b | 107) 171) | a | - | | 357) | b | 35 4) | a | 359) | b | 360) | a |
| 173) | c | 174) | c | 171) 175) | b | - | | 361) | d | 362) | c | 363) | b | 364) | d |
| 173) 177) | c | 178) | c | 179) | d | - | | 36 5) | b | 366) | d | 367) | a | 368) | a |
| 181) | d | 182) | c | 183) | a | - | | 369) | a | 370) | c | 371) | b | 372) | c |
| 185) | d | | a | | c | - | | 373) | d | - | c | - | c | | a |
| 100) | | 100) | u | 107, | | 100) | - | J. J, | u | 37 1 3 | | 3,3, | | 370) | |

| 377) | c | 378) | c | 379) | b | 380) | c | 581) | c | 582) | d | 583) | d | 584) | c |
|------|---|------|---|------|---|------|---|------|---|------|---|------|---|-----------|----|
| 381) | d | 382) | c | 383) | a | 384) | a | 585) | b | 586) | d | 587) | C | 588) | d |
| 385) | b | 386) | d | 387) | c | 388) | d | 589) | b | 590) | b | 591) | a | 592) | d |
| 389) | b | 390) | b | 391) | c | 392) | d | 593) | c | 594) | a | 595) | a | 596) | b |
| 393) | b | 394) | b | 395) | c | 396) | b | 597) | c | 598) | d | 599) | a | 600) | b |
| 397) | c | 398) | a | 399) | c | 400) | a | 601) | a | 602) | b | 603) | c | 604) | b |
| 401) | d | 402) | b | 403) | b | 404) | c | 605) | d | 606) | b | 607) | b | 608) | d |
| 405) | d | 406) | d | 407) | a | 408) | b | 609) | b | 610) | a | 611) | d | 612) | d |
| 409) | c | 410) | d | 411) | a | 412) | c | 613) | b | 614) | a | 615) | b | 616) | c |
| 413) | a | 414) | a | 415) | b | 416) | a | 617) | a | 618) | a | 619) | C | 620) | a |
| 417) | b | 418) | a | 419) | d | 420) | a | 621) | c | 622) | b | 623) | c | 624) | a |
| 421) | a | 422) | d | 423) | c | 424) | С | 625) | c | 626) | a | 627) | d | 628) | b |
| 425) | b | 426) | a | 427) | d | 428) | b | 629) | b | 630) | d | 631) | b | 632) | a |
| 429) | b | 430) | d | 431) | d | 432) | a | 633) | c | 634) | c | 635) | d | 636) | b |
| 433) | d | 434) | d | 435) | a | 436) | a | 637) | d | 638) | a | 639) | C | 640) | d |
| 437) | a | 438) | d | 439) | a | 440) | d | 641) | a | 642) | d | 643) | a | 644) | d |
| 441) | b | 442) | b | 443) | d | 444) | a | 645) | a | 646) | b | 647) | a | 648) | d |
| 445) | b | 446) | c | 447) | d | 448) | d | 649) | a | 650) | a | 651) | c | 652) | d |
| 449) | c | 450) | d | 451) | b | 452) | С | 653) | b | 654) | a | 655) | b | 656) | a |
| 453) | d | 454) | a | 455) | b | 456) | b | 657) | b | 658) | a | 659) | d | 660) | a |
| 457) | a | 458) | c | 459) | d | 460) | С | 661) | a | 662) | c | 663) | b | | |
| 461) | b | 462) | d | 463) | a | 464) | d | - | | | | - | | | |
| 465) | a | 466) | a | 467) | b | 468) | b | | | | | | | | |
| 469) | c | 470) | d | 471) | a | 472) | b | | | | | | | | |
| 473) | a | 474) | b | 475) | a | 476) | d | | | | | | | | |
| 477) | a | 478) | b | 479) | d | 480) | С | | | | | | | | |
| 481) | c | 482) | c | 483) | d | 484) | С | | | | | | | | |
| 485) | a | 486) | a | 487) | b | 488) | d | | | | | | | | |
| 489) | c | 490) | a | 491) | d | 492) | d | | | | | | | | |
| 493) | a | 494) | d | 495) | c | 496) | a | | | | | | | | |
| 497) | d | 498) | d | 499) | a | | d | | | | | | | | |
| 501) | a | 502) | c | 503) | b | 504) | b | | | | | | | | |
| 505) | b | 506) | c | 507) | c | 508) | b | | | | | | | | |
| 509) | b | 510) | d | 511) | a | 512) | b | | | | | | | | |
| 513) | b | 514) | a | 515) | С | 516) | С | | | | | | | | |
| 517) | d | 518) | b | 519) | b | 520) | b | | | | | | | | |
| 521) | c | 522) | c | 523) | b | 524) | С | | | | | | | | |
| 525) | d | 526) | b | 527) | a | | a | | | | | | | | |
| 529) | a | 530) | c | 531) | c | | a | | | | | | | | |
| 533) | b | 534) | c | 535) | b | 536) | a | | | | | | | | |
| 537) | d | 538) | d | 539) | b | 540) | a | | | | | | | | |
| 541) | a | 542) | b | 543) | d | 544) | a | | | | | | | | |
| 545) | b | 546) | b | 547) | b | - | d | | | | | | | | |
| 549) | b | 550) | b | 551) | c | - | b | | | | | | | | |
| 553) | a | 554) | b | 555) | c | _ | d | | | | | | | | |
| 557) | b | 558) | d | 559) | a | - | b | | | | | | | | |
| 561) | d | 562) | c | 563) | c | - | d | | | | | | | | |
| 565) | c | 566) | a | 567) | b | | a | | | | | | | | |
| 569) | c | 570) | a | 571) | c | 572) | С | | | | | | | | |
| 573) | c | 574) | d | 575) | d | - | d | | | | | | | | |
| 577) | c | 578) | d | 579) | a | | a | | | | | | | | |
| | | | | | | | I | | | | | | | D 2 G 2 I | 42 |

: HINTS AND SOLUTIONS :

1 **(d)**

Enzymes have well defined active sites and their action are specific in nature. They are called biological catalysts and work at optimum temperature between 25°C to 40°C

2 **(c)**

Enzyme catalysed reactions are highly specific in nature.

4 (a)

Vitamin A is also called xerophythol or retinol.

5 **(d)**

Inulin is a polysaccharide made up of fructose units.

6 **(b)**

The reaction with phenyl hydrazone gives same osazone because glucose and fructose differ only on carbon atoms 1 and 2 which are involved in osazone formation.

7 **(a)**

The sugar which cannot reduce Fehling solution and Tollen's reagent are called non-reducing sugars *e.g.*, sucrose and all polysaccharides.


8 **(b**)

Glucose and mannose are epimers of each other.

9 **(c)**


Testosterone is an hormone.

10 **(b)**



B-D-ribose used in RNA;

At 2nd carbon-OH group is present



B-D-deoxyribose used in DNA

At 2nd carbon-OH group is missing.

11 **(b)**

Commercially it is obtained from pine trees.

12 **(c**)

When protein is boiled with a dilute solution of ninhydrin (triketo hydrindin), a blue colour is produced.


Protein + Ninhydrin solution $\stackrel{\Delta}{\longrightarrow}$ Blue colour

13 **(a)**

Haemoglobin containing iron is a transport protein found in RBC of most of the animals. It is responsible for the transport of oxygen from the lungs to the cells and for removal of waste ${\rm CO_2}$ from the cells which it returns to lungs.

15 **(c)**

The compounds having – NH_2 and – COOH or – NH_2 and – SO_3H groups exist as Zwitter ion *e.g.*,



16 **(a)**

ATP provides energy during metabolic changes.

17 **(d)**

It is 160 times sweeter than sucrose.

18 **(d)**

The formation of DNA from older one is called replication. It requires a DNA template, a primer deoxyribonucleoside triphosphates (dATP, dGTP, dTTP, dCTP). Mg²⁺, DNA unwinding protein supper halix releasing protein. It is also called as DNA multiplication.

19 **(b)**

Glyceraldehyde ($CH_2OH - CHOH - CHO$) is the first member of monosaccharide.

20 (d)

The sugars which doesn't reduce Tollen's reagent, Fehling solution and Benedict solution are known non-reducing sugars. Sucrose is a non-reducing sugar.

21 **(c)**

Follow text.

22 **(b)**

Natural glucose is dextrorotatory and thus glucose is also known as dextrose

23 **(c)**

Soaps are salts of higher fatty acids.

24 **(b)**

Cellulose is a linear polymer of β -glucose.

25 (d)

All are conjugated proteins.

Conjugated proteins are composed of simple proteins and non-protein material. The non-protein material is called prosthetic group or cofactor. These proteins on hydrolysis yield amino acids and non-protein material. Examples are: mucin in saliva (Prosthetic group, carbohydrate), casein in milk (Prosthetic group, phosphoric acid), haemoglobin in blood (Prosthetic group, iron pigment).

27 **(b)**

Starch on bacterial action produces acetone as one product.

28 **(a)**

Fat + NaOH or KOH \rightarrow CHOH sodium or potassium

Salt of fatty acid.

∴ Glycerol is alcohol, formed by hydrolysis of fats.

29 **(d)**

Sucrose formation involves $\alpha\text{-D}$ Glucopyranose and $\beta\text{-D}$ fructo- furanose.

30 **(b)**

All are conjugated proteins.

Conjugated proteins are composed of simple proteins and non-protein material. The non-protein material is called prosthetic group or cofactor. These proteins on hydrolysis yield amino acids and non-protein material. Examples are: mucin in saliva (Prosthetic group, carbohydrate), casein in milk (Prosthetic group, phosphoric acid), haemoglobin in blood (Prosthetic group, iron pigment).

31 **(b)**

$$\begin{array}{ccc} C_6H_{12}O_6 & \xrightarrow{\quad \ Zymase \quad \ } & 2C_2H_5OH \ + 2CO_2 \\ Glucose & & alcohol \end{array}$$

32 **(b)**

This is Molisch's test of carbohydrates. In this experiment, violet ring is formed at the junction of

two liquids.

33 **(b)**

Molisch's test is used in testing of carbohydrate and is not used in testing of protein.

36 **(a)**

A sequence of three nucleotides in messenger RNA makes a codon for an amino acid because four bases in messenger RNA adenine, cytosine, guanine and uracil have been shown to act in the form of triplet.

37 **(d)**

Genes are responsible for synthesis of protein.

38 **(c**)

N is present in all vitamins B, (i.e., B₁, B₂, B₃, B₅, B₆, B₁₂).

40 **(b)**

Starch + iodine → blue colour

 $\begin{array}{c} \xrightarrow{\Delta} \text{ blue colour disappears} \\ \xrightarrow{\text{Cool}} \text{ blue colour reappears} \end{array}$

So, iodine test is given by starch.

41 **(c)**

Glucose has five —OH gp. and thus, acylation occurs at all —OH units.

42 **(c)**

It is a fact.

43 **(a)**

All are functions of DNA.

44 **(d)**

Ptyalin enzyme is found in saliva.

46 **(a)**

DNA has nucleotide unit, i.e., sugar + base + H₃PO₄.

49 **(b)**

Wax is ester.

50 **(d)**

Waxes are the esters of higher fatty acids with higher monohydric alcohols such as mericyl and cetyl alcohols.

51 **(a)**

Nucleic acids (RNA and DNA) are polymers of nucleotides.

52 **(b)**

Both have molecular formula $C_{12}H_{22}O_{11}$.

53 **(d**)

All these are amino acids.

54 **(d)**

Glycogen is polysaccharide with monomeric units of glucose.

56 **(c)**

One molecule of glucose reacts with 3 molecules

of phenyl hydrazine to form glucosazone.

(a)

Animal starch is glycogen, a polysaccharide having glucose units and is synthesized in liver.


- **(d)** Fructose is $CH_2OH \cdot CO \cdot (CHOH)_3 CH_2OH$.
- **(b)**Aa mixture of amylase and amylopectin is called starch. Amylase is a water soluble fraction while amylopectin is water insoluble fraction.
- **(d)**Proteins are soluble in benzene.
- **(d)** All are uses of dextrins.
- **(c)**This is Molisch test for carbohydrate.
- **(b)**The calorific value is the energy released by combustion of 1 g of a substance. The order is:
 Fat > Carbohydrate > Protein.
- **(b)**Antibiotics are synthesized drugs, not proteins; rest all are proteins.
- **(c)** Sodium alkyl sulphate. These contain —SO₄ gp.
- **(a)**Simplest carbohydrate is glyceraldehyde with 3 C atom.
- **(d)** β D –glucose D-glucose a D –glucose (\approx 64%) (open chain \approx 0.02%) (\approx 34%)
- **(d)**Glucose reacts with acetone to form 1,2,5,6-diisopropylidene glucose.

Glucose +
$$2CH_3COCH_3$$
 $\xrightarrow{HC1}$ CHO $C(CH_3)_2$ $CHOH$ $CHOH$

This proves furanose structure.

(c)

Structure of cysteine is



(c)

These are oils which on exposure to air changes into hard solids, e.g, linseed oil. All drying oils contain a large proportion of the unsaturated acids i.e., linoleic $C_{17}H_{31}COOH$ and linolenic acid $C_{17}H_{29}COOH$. This property is used in paint industry as vehicle for paints.

(a)Insulin, an hormonal protein secreted by pancreas

Insulin, an hormonal protein secreted by pancreas controls the metabolism of glucose.

- **(b)**Oils are unsaturated esters (liquid); fats are saturated esters.
- 79 (b)A deficiency of vitamin C causes bleeding gums.80 (a)
- Glucose is a monosaccharide. The chemical composition of glucose is $C_6H_{12}O_6$.
- **(a)**Vitamin B₆ is called pyridoxin. It is found in fruits, green-vegetables, milk etc. Due to its deficiency, anaemia disease is caused.
- **(b)**Cellulose is a polysaccharide and is insoluble in water.
- **(c)**Mother's milk is capable of producing antibodies.
- **(c)**Traces of Zn are present in insulin.


(d)

- **(b)**A nucleoside made up of sugar ribose + base adenine is called adenosine.
- **(d)**The two chains are complimentary to each other.
 - Hormones are either proteins or steroids or simple organic compounds produced by the endocrine glands and are secreted to blood which are carried to all parts of body where they regulate many metabolic functions of the organisms.
 - (a)
 The tripeptide hormone present in most living cell is glutathione. It is made up of 3 amino-acids *viz.* glycine, glutamic acid and cysteine. It also acts as coenzyme in various cells.

Calciferol is the chemical name of vitamin D.

92 **(d)**

The D, L notations signify for the configuration of groups on last but one carbon atom.




93 **(c)**

Hydrogen bonding is involved molecular force in the DNA molecule.

Watson and Crick observed the purine-pyrimidine type of hydrogen bonding (instead of purine-purine and pyrimidine-pyrimidine).

94 **(c)**

Carbohydrates are optically active polyhydroxy aldehyde or polyhydroxy ketones.



OH Functional groups of typical

ketose


OH Functional groups of typing aldose


95 **(d)**

Only proteins give positive ninhydrin test. They give blue colour with ninhydrin.

96 **(d)**

A spontaneous change in the specific rotation of a solution of an optically active compound is called mutarotation. Hemiacetal forms of α and β –D-glucose are stable in solid state but in aqueous solution, there is opening of the cyclic structure which gives solution of constant specific rotation.





97 **(c)**

The peptide linkage (-NH - CO -) is formed by the condensation of amino acids molecules.

Hence, following structure represents the peptide chain.

98 **(a)**

Amylopectin consists of D-glucose units from 300 to 600. So it is insoluble in H_2O .

99 **(d)**

Haemoglobin containing iron is a transport protein found in RBC most of the animals. It is responsible for the transport of oxygen from the lungs to the cells and for removal of waste ${\rm CO_2}$ from the cells which it returns to lungs.

100 **(b)**

Photosynthesis is:

$$CO_2 + H_2O \xrightarrow{hv} (C_6H_{10}O_5)_n + O_2$$

101 (c)

The term hexose refers to the presence of six carbon atoms and term keto shows the presence of ketonic group. Thus, the compound which

contains 6 C atoms and one > C = O group is called ketoheoxse. Among the given only glucose and fructose are six C compounds. Out of them, glucose contains an aldehyde group while fructose contains a ketonic group. Hence, the example of ketohexose is fructose.

Amylase enzyme act on starch and hydrolyse it to glucose.

102 (a)

103 (d)

Another very important class of lipids are the phospholipids. These are polar lipids and, like the fats, are esters of glycerol. In this case, however, only two fatty acid molecules are esterified to glycerol; at the first and second carbon atom. The remaining end position of the glycerol is esterified to a molecule of phosphoric acid, which in turn is also esterified to another alcohol. This gives a general structure, e.g., Lecithin, cephalin, kephalin, etc.

105 **(b)**

RNA contains ribose sugar and uracil.

107 **(c)**

$$\mathbf{C_{12}H_{22}O_{11}} \xrightarrow[H^+]{\text{HOH}} \mathbf{C_6H_{12}O_6} + \mathbf{C_6H_{12}O_6} \\ \text{Glucose} \qquad \mathbf{Frucots}$$

The process is known as inversion of cane sugar.

108 **(b)**

Reducing sugar + $CuO \rightarrow Cu_2O$ (red).

111 **(b)**

Vitamin B_{12} or cyanocobalamine is $C_{63}H_{88}O_{14}N_{14}PCo$.

112 **(d)**

Carbohydrates are defined as polyhydroxy aldehydes (aldoses) or ketones (ketoses) along with all substances which produce these on hydrolysis.

113 **(b)**

An use of cellulose.

114 (a)

Cellulose is cementing material of cells. Also it is most abundant carbohydrate of nature.

115 (a)

Glucose gives silver mirror with ammoniacal silver silver nitrate because of presence of – CHO group (aldehyde group) in the structure of glucose.

CH₂OH (CHOH)₄CHO + Ag₂O \rightarrow CH₂OH (CHOH)₄COOH + 2Ag \downarrow

Gluconic

acid silver mirror

117 **(b)**

Insulin is composed of two peptide chains referred to as the chain *A* and chain *B*. *A* chain of 21 residues and *B* chain of 30 residues are crosslinked by two disulphide bridges.

118 **(d)**

Rest all are essential constituents of diet.

119 **(c)** Starch + $I_2 \rightarrow$ Blue colour.

120 (a)

It is definition of saponification value, used in analysis of fats and oils.

121 **(b)**

After denaturation, soluble proteins become insoluble. The process which brings in the changes in physical and biological activity of proteins.

122 (a)

Glucose and mannose are epimers, because they differ in configuration at C_2 .

123 **(b)**

It is an amine hormone secreted from thyroid which stimulates rate of oxidative metabolism

and regulates general growth and development.

125 (a)

Vitamin A is present in milk, butter, kidney, egg yolk, liver, fish oil, etc.

126 **(d)**

CHO
$$CHO$$
 $C_6H_5NHNH_2$ $CHOH$ CH_2OH CH_2OH

$$\begin{array}{c|c} & & & & & \\ & & & & \\ \hline & C & & \\ \hline & C_6H_5NHNH_2 \\ & -C_6H_5NH_2 \\ & -NH_3 \\ & & & \\ \hline & & \\ & & CH_2OH \\ \end{array}$$

HC
$$\longrightarrow$$
 N. NHC₆H₅

C \longrightarrow N. NHC₆H₅

Thus, only three phenyl hydrazine molecules and one molecule of glucose is required to form osazone.

127 **(c)**

Benedict's solution contains $CuSO_4$, Na_2CO_3 and sodium citrate. This permits formation of a complex, which lowers the concentration of Cu (II) ions to such an extent that it doesn't permit the precipitation of insoluble $Cu(OH)_2$. Benedict's solution is more stable than Fehling's solution is not affected by substance like uric acid present in urine. Hence, it is preferred to detect the presence of glucose in urine.

128 **(b)**

A nanopeptide contains 8 peptide linkages.

129 **(b)**

Isoelectric point is the pH at which structure of amino acid has no charge.

130 (a)

Cellophane is a semipermeable membrane made from cellulose fibre.

131 (d)

Letter 'D' before the name of monosaccharide

reveals that the – OH group at the second carbon atom is towards the right *i.e.*, it only shows the configuration a particular chiral carbon.

132 **(b)**

CH₂OH· CO(CHOH)₃· CH₂OH; *represents asymmetric carbon.

133 **(a)**

Molisch's test is for sugars.

134 **(b)**

It cures cold effect.

135 (c)

DNA is called the master molecule since, it plays key role in life process.

136 **(a)**

 α —tocopherol is vitamin-E. It acts as antisterlity factor. Its deficiency can cause sterility.

137 (d)

Histidine is the unique amino acid which contains imidazole ring.

138 **(b)**

DNA has nucleotide unit, i.e., sugar + base $+H_3PO_4$.

141 **(c)**

Iodised salt prevents goitre.

143 (d)

Amino acid contains both amino group and carboxylic group. Benzidine is not a amino acid while glycine, alanine and histidine are amino acid.

$$H_2N$$
 NH_2 benzidine


144 **(a)**

Proteins are made up of amino acids which contains —COOH gp. and NH₂ gp.

145 **(b)**

Two forms of D-glucopyranose are $\alpha-D-$

- (+) -glucopyranose and $\beta D -$
- (+) —glucopyranose. These are anomers (a pair of stereoisomers which differ in configuration only around first-carbon atom are called anomers).



Raffinose is a triaccharide. It gives three moles of monosaccharides on hydrolysis.

$$C_{18}H_{32}O_{16} + 2H_2O \xrightarrow{H^+} glucose + fructose + galactose$$

147 (a)

Only palmitic acid ($C_{15}H_{31}COOH$) is saturated acid.

148 **(b)**

Rennin hydrolyses casein of milk into par casein.

149 **(a)**

The vitamin which are soluble in fats are called fat soluble vitamins, *e.g.*. vitamins A, D, E and K are fat soluble vitamins.

150 (a)

Pepsin hydrolysis proteins into amino acids as proteins $\xrightarrow{\text{Pepsin}}$ amino acids.

151 (a)

Fat or oil $\xrightarrow{\text{Hydrolysis}}$ Fatty acid + Glycerol

152 **(d)**

DNA is a polymer of nucleotides.

153 **(c)**

Vitamin C deficiency causes scurvy disease.

154 **(b)**

Follow structures of glycogen and amylopectin.

155 **(d)**

Lactose is disaccharide having galactose and glucose units.

156 (d)

Glycogen is polysaccharide with monomeric units of glucose.

157 **(b)**

Ribose sugar contains ribonucleic acid.

158 **(b)**

Prostaglandin is not a steroidal hormome. It is a derivative of fatty acid.

159 **(c)**

The rearrangement is called Lobry de Bruyn Ekestein rearrangement.it is therefore, fructose being a keto hexose reduces Tollens' reagent and Fehling's solution.

160 **(c)**

They are also soluble in organic solvents.

161 **(a**`

Vitamin A contains isoprene unit.

162 (c)

The pH at which a particular amino acid does not migrate under the influence of an electric field is called isoelectric point of that amino acid. The pH range for the isoelectric point is from 5.5 to 6.3 or the pOH range for the isoelectric point is form 7.7 to 8.5

163 **(c)**

Wool-wax is cholesterol esters.

164 (d)

Follow replication in nucleic acid.

165 **(b)**

The helical structure of protein is stabilized by hydrogen bonds between amide group of the same peptide chain. These bonds are formed by – NH — group of one unit and oxygen of carbonyl group of the third unit.

167 **(c)**

In sucrose, glucose is in pyranose form while fructose is in furanose form.

168 (c)

Albumin and haemoglobin are found in blood.

170 **(b)**

Although D-alanine is a constituent of a bacterial cell walls, it is not found in proteins

171 (a)

Retinol is vitamin A.

173 **(c)**

The term is used in chemical industries for detergents.

174 **(c)**

Glucose is hexose and not an oligosaccharide. It is a monosaccharide which on further hydrolysis does not give sugar. Oligosaccharides contain more than one saccharide units and on hydrolysis yields sugars.

175 **(b)**

These are vitamins.

176 **(b)**

Proteins mainly act as constructing material in body.

177 (c)

It is a pentose having 5 carbon atoms.

178 (c)

Lipids are of two types: oils and fats; oils are

glycerides or esters of unsaturated fatty acids while fats are glycerides of saturated fatty acids.

179 **(d)**

Phospholipids are esters of glycerol centigrams of with two carboxylic acid residue and one phosphate group.

Hence, phospholipids may be regarded as derivative of glycerol in which two hydyroxyl groups are esterified with fatty acid, while third is esterified with phosphoric acid.

180 **(b)**

RNA has single helix strand.

181 **(d)**

It is a fact.

182 **(c)**

 $a=2^n$; n is asymmetric carbon atom (4 in glucose).

184 **(b)**

A polymer of amylose and amylopectin is starch.

188 **(b)**

It is also known as laevulose.

189 **(c)**

$*$
CH₂OH \cdot (CHOH)₄ \cdot CHO;

*represents asymmetric carbon.

190 **(c)**

Sulphalilic acid exists as Zwitter ion.

It exists as a dipolar ion, which has acidic and basic groups in the same molecule.

191 **(b)**

$$C_6H_{12}O_6 \xrightarrow{Zymase} C_2H_5OH$$

192 (d)

Proteins are not synthesized in lab.

193 (d)

The aromatic properties can only be represented by tyrosine. Tyrosine is α – amino $\beta(p$ – hydroxyphenyl propionic acid. It has aromatic nucleus. It is aromatic amino acid.

194 (c)

Bees wax us myricyl palmitate, *i. e.*, $C_{15}H_{31}COOC_{30}H_{61}$

196 **(b)**

Vitamin C is involved in this process.

199 (d)

These are oils which on exposure to air changes into hard solids, e.g, linseed oil. All drying oils contain a large proportion of the unsaturated acids i.e., linoleic $C_{17}H_{31}COOH$ and linolenic acid $C_{17}H_{29}COOH$. This property is used in paint industry as vehicle for paints.

200 **(a)**

Glucose is reducing sugar.

201 **(d)**

Spermaceti is white waxy solid consisting mainly cetyl palmitate, i.e., $C_{15}H_{31}COOC_{16}H_{33}$

202 (d)

 ${
m C}_{12}{
m H}_{25}{
m SO}_4{
m Na}$; Synthetic detergents are the chemical compounds synthesized in laboratory and possess properties like soaps. These are also surface active agents and possess cleansing capacity like soaps. These are generally sodium or potassium salts of long chain alkyl benzene sulphonic acids, or long chain alkyl sulphate.

203 (c)

Triolein is an unsaturated glyceride while tristearin is a saturated glyceride. Hence, the conversion of triolein to tristearin can be affected by hydrogenation.

 $Triolein + H_2 \xrightarrow{\quad Ni \quad} Tristearin$

204 (a)

$$CH_2OH(CHOH)_4CHO \xrightarrow{Br_2H_2O}$$
 oxidation

Glucose

CH₂OH (CHOH)₄COOH

gluconic acid

205 (d)

All plant cells contain cellulose.

206 **(c)**

The main structural feature of protein is peptide linkage.

207 (a)

Thyroxine is:

$$\begin{array}{c|c} I & H \\ \hline \\ HO & CH_2 & C \\ \hline \\ NH_2 & NH_2 \\ \end{array}$$

208 (a)

Follow text.

209 (d)

Here, the – OH of hemiacetal group is equatorial therefore, it is a β –pyranose of an aldohexose.

210 (c

General formula of acetic acid $C_2(H_2O)_2$ but it is not a carbohydrate.

211 (a)

Vitamin E develops impotency.

212 (d)

Glucose is CHO(CHOH)₄ CH₂OH.

214 **(c)**

On reduction with HI/P fructose gives *n*- hexane.

215 **(b)**

Progesterone is secreted by Ovaries.

216 (d)

Tryptophan is a heterocyclic amino acid.

$$NH_2$$
—CH—COOH CH_2 — N

217 **(b)**

Guanine is the constituent of nucleic acid and guanidine.

218 **(c)**

It is Tollens' reagent and with this Ag mirror is formed.

219 (c)

Sucrose is the only naturally occurring disaccharide which is non-reducing

220 **(b)**

Those sugar which contain 2, 3, 5, 6 carbon atom

are known as monosaccharides. Hence, hexoses and pentoses are monosaccharides.

221 **(c)**


Honey is collected from flowers by honey bee which contains fructose.

222 (d)

Which one of the following is not a protein?

224 **(b)**

$$\begin{array}{c} H & OH \\ HO & HO \\ HO & HO \\ \end{array} \longrightarrow \begin{array}{c} H & OH \\ HO & H \\ HO & H \\ \end{array} \longrightarrow \begin{array}{c} CH_2OH \\ HO & H \\ HO & H \\ \end{array}$$



In β – D glucopyranose all the OH groups and CH₂OH group occupy equatorial position in the most stable conformer.

225 **(c)**

Because food-stuffs mainly contains compounds of C, H and O.

226 (d)

All these are sources of fats and oils.

227 (a)

A 10% solution of NaOH is called lye, used in hot process for manufacturing soaps.

228 **(b)**

 α -D(+)-Glucopyranose and β -D(+)-glucopyranose are anomers (a pair of stereoisomers which differ in configuration only around first carbon atom)

229 (c)

Glucose and fructose have molecular formula $C_6H_{12}O_6$ and

possess —CHO and CO gp. respectively.

230 (d)

The first codon of *m*-RNA will be always AUG. This codon specifies the amino-acid methionine. So, the first amino-acid in a polypeptide chain will be always methionine

231 **(c)**


It is a fact.

232 **(c)**

The antibiotic puromycin inhibits protein synthesis by causing nascent polypeptide chain to 241 (c) be released before their synthesis is completed

233 (d)

Anomers of glucose are cyclic diastereomers (epimers) differing in configuration at C-1 existing in two forms α and β respectively.



235 **(b)**

Fats are esters of higher fatty acids with glycerol, hence on alkaline hydrolysis, they give back glycerol and sodium or potassium salt of acid (this is called soap).

$$\begin{array}{ccc} \mathrm{CH_2OCO}R & \mathrm{CH_2OH} \\ | & | \\ \mathrm{CHOCO}R + 3\mathrm{NaOH} \rightarrow \mathrm{CHOH} + 3R\mathrm{COONa} \\ | & | \\ \mathrm{CH_2OCO}R & \mathrm{CH_2OH} \\ & \mathrm{fat} \end{array}$$

236 (d)

Naturally occurring fats are called lipids.

237 **(b)**

Glycine is optically inactive: NH₂. CH₂. COOH is glycine Lysine is optically active:

$$\begin{array}{c} \text{NH}_2 \\ | \\ \text{NH}_2\text{CH}_2 \cdot \text{CH}_2 \cdot \text{CH}_2\text{CH}_2 \cdot \text{CHCOOH is lysine} \end{array}$$

Glutanic acid is optically active;

238 **(d)**

It is also called sunshine vitamin.

239 **(d)**

(+) lactose on hydrolysis yields equal amount of D (+) glucose and D (+) galactose. These two monosachharides are joined by β – 1, 4-glucosidic linkage. (+) lactose contains hemiacetal gp and thus reducing sugar. Also it exhibits mutarotation.

240 (a)

Ninhydrin test is highly specific for primary amines. Proline being a secondary amine gives a yellow orange colour with ninhydrin whereas all other α –amino acids give a blue-purple colour

with ninhydrin.

Despite having, the aldehyde group, glucose does not give, 2, 4-DNP test, Schiff's test and it does not form the hydrogen sulphite addition product with NaHSO₃. It shows that glucose is a cyclic compound.

242 (c)

Lauric acid: $C_{11}H_{23}COOH$, palmitic acid: $C_{15}H_{31}COOH$,

myristic acid: C₁₃H₂₇COOH and linoleic acid: C₁₇H₃₁COOH (an unsaturated acid).

243 (a)

Fe of haemoglobin acts as catalyst for the reaction.

244 **(c)**

Val. Uyr. Ala Tyr. ala. Val Val. Ala. Tyr Ala. Tyr. Val Tyr. Val. Ala Ala. Val. Tyr

245 (d)

It is an example of conjugated protein (conjugated proteins hydrolysis give α –amino acids and a non-protein portion. This non-protein portion is called the prosthetic group).

247 **(b)**

Cellulose is a polysaccharide (carbohydrate) while rest three are enzymes. Enzymes are chemically complex proteins which act as catalyst in biological activities.

248 **(a)**

Each one is a polymer of glucose.

249 **(b)**

The first is biuret test, protein gives violet colour with alkali and CuSO₄ (aq.); the second is ninhydrin test and the third is xanthoproteic test; all are tests of proteins.

250 (c)

Fats and oils contain even or odd carbon fatty acid derivative of glycerol.

251 (a)

It is a fact.

252 **(b)**

Thymine base is not present in RNA. Uracil is found in place of thymine.

253 **(b)**

Haemoglobin containing iron is a transport protein found in RBC of most of the animals. It is responsible for the transport of oxygen from the lungs to the cells and for removal of waste CO₂ from the cells which it returns to lungs.

254 **(c)**

In liver glucose is converted into glycogen.

255 **(c)**

Lipase hydrolyses triglycerides to fatty acids and glycerol.

256 **(b)**

Lemon, orange, etc., are sources of vitamin C.

257 (d)

One molecule of CH₃COCl reacts at one -OH.

$$-OH + CH_3COCl \longrightarrow -OOCCH_3$$

258 (a)

Night blindness is caused by the deficiency of vitamin A or retinol

259 **(d)**

Zwitter ion is formed by amino acid. Glycine is amino acid. Zwitter ion of glycine is

$$+$$
 NH₂—CH₂—COO

263 **(c)**

Oils are unsaturated esters or glycerides olein is ester of unsaturated acid.

264 **(b)**

Aldehydes and α -hydroxyl ketones give positive Tollen's test. Glucose is a polyhydroxy aldehyde and fructose is an α -hydroxyl ketone

265 **(b)**


Lysine contains two basic groups. *e.g.*, NH₂

266 **(d)**

Glucose is CHO(CHOH)₄CH₂OH.

267 **(b)**

 C_1 carbon of monosaccharides is called anomeric carbon. When the – OH group attached with C_1 carbon is towards right, it is called α —from and when the – OH group is towards left, it is called β —from. Such pair of optical isomers which differ in the configuration only around anomertic carbon are called anomers.



268 **(c)**

Glucose $\xrightarrow{\text{Conc.H}_2\text{SO}_4}$ 6C + 6H₂O; this is dehydration.

269 (c)

Reserved fat act as thermoinsulator.

272 **(b)**

Both surfactants and detergents possess the surface activity, i.e., the tendency lower surface tension of water. A surfactant also having cleansing action, i. e., detergency in addition to

surface activity is called detergent.

274 **(c)**

Sucrose gives glucose and fructose on hydrolysis with invertase enzyme.

$$C_{12}H_{22}O_{11} + H_2O \xrightarrow{Invertase} C_6H_{12}O_6 + C_6H_{12}O_6$$

Sucrose

glucose

fructose

275 **(c)**

A characteristic of detergent.

276 (a)

The general formula of saturated acids is $C_nH_{2n}O_2$ or $C_nH_{2n+1}COOH$.

277 **(c)**


The two polynucleotide chains or strands of DNA are joined by hydrogen bonding between the nitrogenous base molecules of their nucleotide monomers

279 (d)

A nucleotide contains a pentose sugar [deoxyribose (in DNA) or ribose (in RNA)], nitrogenous base [such as adenine or guanine or thymine (in DNA) or cytosine or uracil (in RNA)] and a phosphate molecule.

280 **(d)**

At pH = 4, an amphoteric Zwitter ion structure changes into cation when an acid is added to it.



281 **(c)**

$$C_nH_{2n+1}COONa$$

282 (d)

Red P +HI is reducing agent.

283 **(a)**

Uracil is present in RNA but not in DNA.

285 **(b)**

Disulphide bond may be reduced to thiol by means of reagents, *i.e.*, NaBH₄, which shows the presence of thiol group in disulphide bond formation.

286 **(c)**

Only groundnut oil is glyceride of higher fatty acid.

287 (c)

DNA has nucleotide unit, i.e., sugar + base $+H_3PO_4$.

289 (c)

Saponification of oils yields a triol (glycerol). Drying (hardening) of oils involves

hydrogenation. Refining of oil is done by distillation or other such processes but not by hydrogenation.

Antioxidant are added to prevent the oxidation of oil, thus they minimizes rancidity.

291 (a)

Synthesis of RNA/DNA from phosphoric acid, ribose and cytosine is given below Thus ester linkages are at $C_5^{\prime\prime\prime\prime}$ and $C_1^{\prime\prime\prime\prime}$ of sugar molecule.

292 **(d)**

The chemical name of vitamin C is ascorbic acid. Its structure is

293 (a)

Sucrose doesn't show mutarotation. It is a non-reducing sugar.

294 **(d)**

Deficiency of vitamin B₁ causes Beri-Beri.

297 (c)

Rest all are uses of paraffins wax. In greases esters of higher fatty acids are used.

298 (d)

Lipase hydrolyses fats and alcohols.

301 **(d)**

Glucose is dextrorotatory; fructose is laevorotatory.

302 **(d)**

Bile salts excreted from gall bladder does so.

303 (a)

Fats are glycerides.

305 (d)

Glycine is an achiral amino acid while all other amino acids are chiral.

$$\begin{array}{c} H \\ | \\ H_2N-C-COOH \\ | \\ H \\ Glycine \end{array}$$

306 **(c)**

Insulin regulates metabolism of carbohydrates (glucose).

307 (c)

Glycine is NH_2 . CH_2 . COOH In this – NH_2 is basic group and – COOH is acidic group.

308 (c)

Rice has deficiency of lysine amino acid.

309 **(c)**

Fats and lipids are hydrolysed by lipase.

311 (d)

Proteins are macromolecules having mol. wt. > 10000.

312 **(b)**

It is red in colour.

313 **(d)**

Glycine reacts with benzoyl chloride in the presence of *aq.* NaOH to give benzoylglycine (Hippuric acid).

HOOC.CH2NH2

$$+ \ \, \text{PhCOCl} \xrightarrow{\quad \text{Aq.NaOH} \quad } \text{PhCONHCH}_2\text{COOH} + \text{HCl}$$

Glycine benzoyl chloride benzoyl glycine (Hippuric acid)

314 (d)

Protein + conc. HNO₃ $\stackrel{\Delta}{\longrightarrow}$ yellow colour This test is called Xanthoprotic test. It is given by those proteins which consists of α - amino acid containing benzene ring eg., tyrosine

315 **(b)**

These usually contain $-SO_3H$ gp. or SO_4 gp.

316 **(a)**

Deficiency of vitamin A causes night-blindness.

317 (d)

DNA stands for deoxyribonucleic acid and it contains deoxyribose sugar.

318 (d)

All are characteristics of proteins.

319 (d)

These are facts about gums.

320 (a)

Maltose (2 glucose units), Sucrose (glucose and fructose units), Lactose (glucose and galactose units).

321 **(d)**

These usually contain $-SO_3H$ gp. or SO_4 gp.

322 **(b)**

Carbohydrates are defined as polyhydroxy aldehydes (aldoses) or ketones (ketoses) along with all substances which produce these on hydrolysis.

323 **(d)**

Vitamin B_{12} contains cobalt metal. The chemical name of vitamin B_{12} is cyanocobalamin.

324 **(c)**

The general formula of carbohydrates is $C_x(H_2O)_y$ where x and y are integers; may be x=v.

325 **(c)**

Water is polar solvent and thus, dissolves polar part.

326 **(d)**

DNA is deoxyribonucleic acid.

327 **(d)**

These are characteristics of metallic soaps.

328 **(b)**

Fructose respond salvinoff test;

 $Fructose + Resorcinol + Dil.\,HCl \xrightarrow{Heat} Red\ colour.$

329 (a)

Co reacts with haemoglobin to form carboxy haemoglobin which is not capable of absorbing $\rm O_2$ and thus, suffocation takes place. This phenomenon is called Asphyxia.

330 **(b)**

Lactose is disaccharide. The two monosaccharide units are glucose and galactose.

331 (a)

Carbohydrate $\xrightarrow{\text{Digestion}}$ Glucose $\xrightarrow{\text{Respiration}}$ CO₂ + H₂O + Energy

332 **(c)**

Insulin is an important peptide hormone. Its structure was determined by Sangar. It has two polypeptide chains with 21 and 30 amino acids. Hence, total amino acids are 51

333 **(c)**

Candle wax is paraffins wax and stearic acid. The acid give strength to candles.

334 **(c)**

The prosthetic group of haemoglobin is heam

 (Fe^{2+})

335 **(b)**


Monosaccharides of 3 to 9 carbon atom are known.

336 **(a)**

Two or more amino acids unite through a bond (-CO-NH-) which is known as peptide bond or peptide linkage.

338 **(b)**

D-glucose, D-fructose and D-mannose from the same osazone when treated with excess of phenyl hydrazine because they differ only in Ist and 2^{nd} carbon atoms which are transformed to the same form.



They from the following osazone

339 (a)

Energy is stored in our body in the form of a adenosine triposphate (ATP) which release energy, by breaking phosphate bonds, when we require it.

340 **(a)**

It is a fact.

341 **(a)**

It is a fact.

342 **(a)**

It is the order of calorific value.

343 **(a)**

Nucleotides have phosphate units.

344 (a)

Coconut oil is glyceride of fatty acids.

345 (a)

Enzymes catalytic action is highly specific; one enzyme catalyses one reaction only.

Nucleoside + phosphoester bond = Nucleotide

348 (d)

Vitamin E develops impotency.

349 (d)


All are true for oils.

350 (c)

It is $C_{21}H_{10}O_2$, a white crystalline steroid hormone responsible for preparing the reproductive organs of mammals for pregnancy and for protecting embryo.

352 (d)

A decapeptide has nine peptide (amide) linkage



Therefore, on hydrolysis, it will absorb nine water molecules.

Hence, total mass of hydrolysis product

$$= 796 + 18 \times 9 = 958$$

⇒ mass of glycine in hydrolysis product

$$=\frac{958\times47}{100}=450$$

⇒ number of glycine molecule in one molecule of decapeptide

$$=\frac{450}{75}=6$$


353 **(d)**

Vegetable oils are glycerides of unsaturated fatty acids. They are different than kerosene, lubricating oil (petroleum product) and essential oils.

355 **(b)**

Peptides are compounds formed by the condensation of two or more same or different α —amino acids. The condensation occurs between amino acids with the elimination of water

$$NH_2$$
— $CH_2COOH + H_2N$ — CH — $COOH$ — $-H_2O$
 CH_3
alanine



356 (a)

Amino acids are basic units (monomers) of proteins, the natural polymers.

357 **(b)**

Natural silk is protein fibre.

358 **(a)**

Glucose reacts with acetic anhydride in the presence of anhydrous ${\rm ZnCl_2}$ to form penta-acetyl glucose which indicates the presence of 5-OH groups in glucose molecule and the open chain structure of glucose.

CHO
$$| (CHOH)_4 + 5(CH_3CO)_2O \xrightarrow{ZnCl_2} \xrightarrow{\Delta}$$

$$| (CH_2OH)_4 + 5(CH_3CO)_2O \xrightarrow{\Delta}$$

$$| (CH_2OH)_4 + 5(CH_3CO)_2O \xrightarrow{\Delta}$$

$$| (CHOCOCH_3)_4 + 5(CH_3CO)_2O \xrightarrow{\Delta}$$

$$| (CHOCOCH_3)_4 + 5(CH_3CO)_2O \xrightarrow{\Delta}$$

$$| (CHOCOCH_3)_4 + 5(CH_3CO)_2O \xrightarrow{\Delta}$$

Pentaacetyl glucose

359 **(b)**

Fats are also known as triglycerides. These triglycerides are the trimesters of fatty acid with glycerol. So, the characteristics feature of fat is **ester group**.

360 **(a)**

pH (at isoelectric point)=
$$\frac{2.34+9.6}{2}$$
 = 5.97

362 (c)

Oleic acid $C_{17}H_{33}COOH$, is obtained by hydrolysis of oil.

363 **(b)**

Glucose and fructose are epimers (which differ in configuration at C-2).

365 **(b)**

Antibodies are the proteins produced in response to the presence of foreign substances in the blood or tissues.

367 **(a)**

Ring *A* is pyranose (6 membered ring containing one 0-atom) with α —glycosidic linkage and ring

B is furanose with β –glycosidic linkage.


368 (a)

Naturally occurring amino acids are 20. Hence, number of possible tripeptides

$$=20^3=8000$$

369 (a)

The number of chiral carbon atoms in β – D (+) glucose are five.



371 **(b)**

It is the phenomenon in which light energy is converted into chemical energy.

372 (c)

Haemoglobin acts as oxygen carrier in the blood because four ${\rm Fe^{2+}}$ ions of each haemoglobin can bind with four molecules of ${\rm O_2}$ and form oxyhaemoglobin.

$$4Hb + 4O_2 \rightarrow Hb_4O_8$$

Oxyhaemoglobin

373 **(d)**

Amino acid alanine contains side chain of methyl group. *ie*,

$$CH_3$$
- CH $< COOH$

Muscles contains; myoglobin protein

374 **(c)**

A process used to convert higher aldose to lower one; Fenton's reagent $Fe^{2+} + H_2O_2$.

376 (a)

Iodine value is related to oils and fats. Iodine value measures the drying quality of an oil. More the unsaturation better is the drying quality of an oil. When an oil treated with I_2 it adds to double bond. Iodine value is defined as the number of centigrams of I_2 that can be taken by 1 g of the oil.

377 **(c)**

Cellulose is a polysaccharide, composed of D-

glucose units which are joined by β - glucosidic linkages. On complete hydrolysis cellulose produces D-glucose

$$(C_6H_{10}O_5)_n + nH_2O \xrightarrow{H^+} nC_6H_{12}O_6$$

Cellulose D-glucose

378 (c)

It does not contain asymmetric carbon.

379 **(b)**

Fats are glycerides of saturated fatty acids.

381 **(d)**

Conjugated proteins on hydrolysis give a non-protein portion is called prosthetic group.

| Protein | Prosthetic group |
|-----------|--------------------------------|
| Phosphop | Lipid (<i>e.g.,</i> lecithin) |
| rotein | |
| Glycoprot | Sugar |
| ein | |
| Chromopr | Colouring matter |
| otein | such as red |
| | coloured |
| | protophyrin |

Since, all of them have non-protein part hence, all of them are conjugated protein.

383 (a)

It is a solution of mercuric nitrate in nitric acid with some nitrous acid.

384 (a)

$$C_6H_{12}O_6 \xrightarrow{Zymase} C_2H_5OH + CO_2 + H_2O$$

385 **(b)**

Ninhydrin test is given by proteins (or amino acids). Benedict test is positive for aldehydes and monosaccharides. (Benedict's solution is Cu (II) sulphate complexed with citrate anion. Aldehydes and monosaccharides reduced it to red coloured (Cu_2O) .

The compound is not protein because it gives negative ninhydrin test.

The compound is monosaccharide because it gives positive Benedict test.

386 (d)

These are functions of fat in body.

387 (c)

Insulin controls glucose metabolism.

389 **(b)**

Osazone formation involves oxidation of two carbon atoms.

391 (c)

Metal containing vitamin is vitamin B_{12} . It contains cobalt ($C_{63}H_{88}O_4N_{14}PCo$)

392 (d)

1 mole of glucose is oxidized to give 38 moles of

ATP, So, 2 moles will give $2 \times 38 = 76$ moles of ATP.

393 **(b)**

Rest all are poisons for enzymes.

394 **(b)**

Sugar: Lactose glucose sucrose Relative sweetness: 16 74 100 fructose 173

395 **(c)**

The deficiency of essential amino acids causes disease like kwashiorkar in which water balance of body is disturbed.

396 **(b)**

They provide immediate energy needs of the body.

397 **(c)**

When fat is heated in presence of KHSO $_4$ (dehydrating agent) the glycerol portion of the molecule is dehydrated and form unsaturated aldehyde CH $_2$ = CH- CHO (acrolein), a bed smelling compound. It is the test for fat.

398 (a)

At pH = 6, glutamic acid exists as a dianionic species and migrates to anode while arginine exists as cationic species and moves to cathode. Alanine does not migrate to any electrode at its isoelectric point.

399 (c)

A non-protein that plays an essential part in some reaction catalysed by enzymes are called coenzymes or activators, e.g., non-proteinous vitamins.

400 **(a)**

Hard water contains Ca^{2+} and Mg^{2+} ion. $Ca^{2+} + 2RCOONa \rightarrow (RCOO)_2Ca + 2Na^+$ Insoluble Salt

401 (d)

Human digestive system lacks cellulose which is not hydrolysed.

402 **(b)**

These are called soft soaps.

403 **(b)**

Insulin, an hormonal protein secreted by pancreas controls the metabolism of glucose.

404 **(c)**

Enzymes (proteins) are biocatalyst.

405 **(d)**

Fibrous proteins are made up of polypeptide chains that run parallel to the axis and are held

together by strong hydrogen and disulphide bonds. They can be stretched and contracted like a thread. These are usually insoluble in water., e.g., α -keratin (hair, wool, silk and nails); myosin (muscles); collagen (tendons, bones), etc.

406 (d)

Thyroxine is

$$\begin{array}{c|c} I & NH_2 \\ \hline \\ HO & CH_2 - CH - COOH \end{array}$$

It is derived from tyrosine amino acid.

407 (a)

Gene is a part of DNA molecule. It codes for a specific protein or polypeptide

409 (c)

Oleic acid is 9-octadecenoic acid. $CH_3(CH_2)_7CH = CH(CH_2)_7COOH$

410 **(d)**

Maltose gives Molisch's test as well as Benedict's test but it doesn't give wine red colour, on heating with a few crystals of resorcinol and conc. HCl (Scliwanoff's test). Sucrose and fructose give this test.

411 (a)

Rice is deficient in lysine (α – amino acid).

413 (a)

Sucrose does not show mutarotation.

414 (a)

It is the presence of iron in haeme pigment which makes it red.

415 **(b)**

Guanine is a purine base.

416 **(a)**

On increasing the pH by adding an alkali; H^+ will be lost from -COOH

417 **(b)**

Oils and fats are triglycerides. (esters of higher carboxylic acids with glycerol). *e.g.*, palmitin.

CH₂OCOC₁₅H₃₁ CHOCOC₁₅H₃₁ CH₂OCOC₁₅H₃₁ Palmitin (fat)

418 **(a)**

Amylose has α -D glucopyranose units.

419 **(d)**

It is a fact.

420 (a)

On hydrolysis with dilute aqueous sulphuric acid, sucrose gives a equimolar mixture of D-(+) glucose and D-(-)-fructose.

1. 1

Sucrose is dextrorotatory but after hydrolysis gives dextrorotatory glucose and laevorotatory fructose, laevorotatory fructose is more, so the mixture is laevorotatory.

421 (a)

Fat soluble vitamins are A, D, E and K.

422 **(d)**

Upon heating, the proteins get coagulated. This process is called denaturation of proteins. During this process, the secondary and tertiary structures get destroyed but primary structure remains intact.

423 **(c)**

It is a fact.

425 **(b)**

This is saponification;

Fat or oil
$$\xrightarrow{\text{NaOH}}$$
 Soap + Glycerol

Also the process is alkaline hydrolysis of fats and oils.

426 **(a)**

Higher alkanes are solid (wax).

428 **(b)**

Cellulose is homopolysaccharide of glucose while maltose is disaccharide with 2 glucose units.

429 **(b)**

Lactose gives glucose and galactose on hydrolysis Lactose $\xrightarrow{H_2O}$ glucose + galactose

430 (d)

When glucose reacts with Br₂ water, gluconic acid is obtained as main product

431 **(d)**

In presence of sunlight body manufactures vitamin D.

433 **(d)**

All are functions of DNA.

434 **(d)**

These are oils which on exposure to air changes into hard solids, e.g, linseed oil. All drying oils contain a large proportion of the unsaturated

acids i.e., linoleic $C_{17}H_{31}COOH$ and linolenic acid $C_{17}H_{29}COOH$. This property is used in paint industry as vehicle for paints.

435 **(a)**

Maltose give two units of glucose on hydrolysis.

437 **(a)**

Natural glucose is dextrorotatory and thus, glucose is also known as dextrose.

438 **(d)**

Myristic acid is C₁₃H₂₇COOH.

440 (d)

It is $C_9H_{13}NO_3$ [3, 4-dihydroxy- α -(methyl amino methyl) benzyl alcohol] also known as epinephrine, a hormone produced by the medulla of the adrenal glands and synthetically. It functions as a heart stimulant and constricts blood vessels.

441 **(b)**

They are made up of mixtures of terpenes, aldehydes, acids, etc. In fact essential oils are acyclic or aromatic volatile liquids formed in the leaves and flowers of various plants.

442 **(b)**

Insulin, a hormonal protein secreted by pancreas controls the metabolism of glucose.

444 (a)

 $CHOH(CHOH)_3$ $CHCH_2OH$, i. e., 5 carbon and one oxygen atom.

445 **(b)**

On heating slowly sucrose melts and if allowed to cool, solidifies to pale-yellow glassy mass called **barley sugar**. At 483 K it loses water and forms a brown amorphous mass called **caramel**.

446 (c)

Because of size and geometries of the bases, the only possible pairings in DNA are between G (guanine) and C (cytosine) through three H-bonds and between A (adenine) and T (thymine) through two H-bonds. Hence,

447 (d)

The detergency of a substance is influenced by these factors.

448 (d)

It is defined as the number of millilitrr of N/10 KOH solution required to neutralise the distillate acid of 5 g of hydrolysed fat.

449 (c)

Both are protein hormones.

450 **(d)**

Tyrosine has phenyl – OH group. Its structure is

$$\begin{array}{c|c} \mathrm{NH_2} & \mathrm{CH} & \mathrm{COOH} \\ \\ \\ \mathrm{H_2C} & \end{array} \\ \begin{array}{c} \mathrm{OH} \end{array}$$

451 **(b)**

These is saponification;

Fat or oil $\xrightarrow{\text{NaOH}}$ Soap + Glycerol

Also the process is alkaline hydrolysis of fats and oils.

452 **(c)**

Streptokinase converts plasminogen into plasmin and used for dissolving blood clots.

453 **(d)**

Follow structure of proteins.

454 (a)

These are called hard soaps.

455 **(b)**

Nails are made up of simple proteins.

457 (a)

Immunoglobulins are gamma globulins responsible for immune response.

458 **(c)**

The name of a process in absence of free oxygen.

459 (d)

All are globular proteins. Globular proteins: These have more or less spherical shape (compact structure). α -helics are tightly held up by weak attractive forces of various types: hydrogen bonding, disulphide bridges, ionic or salt bridges. These are usually soluble in water, e.g., insulin, pepsin, haemoglobin, cytochromes, albumins, etc.

462 **(d)**

In presence of alkali, fructose is converted into mixture of mannose and glucose showing enolisation. Glucose than reduces Tollens' reagent.

463 **(a)**

 $\mathsf{CHO}(\mathsf{CHOH})_4\mathsf{CH}_2\mathsf{OH} \xrightarrow{\mathsf{Red}^{\mathsf{n}}} \mathsf{CH}_2\mathsf{OH}(\mathsf{CHOH})_4\mathsf{CH}_2\mathsf{OH}$

464 (d)

Insulin is secreted from pancreas.

465 **(a)**

It contains —OH gp.

466 (a)

Cations move towards cathode and when pH<pl, thus catonic form dominates

Thus, percentage of radioactive DNA after second replication is 50%

468 **(b)**

Zymase enzyme convert glucose into alcohol. It is found in yeast.

$$\begin{array}{ccc} C_6H_{12}O_6 & \xrightarrow{Zymase} 2C_2H_5OH + 2CO_2 \\ Glucose & ethyl \ alcohol \end{array}$$

469 (c)

Waxes are esters of monohydric alcohols with higher fatty acids.

470 (d)

The first is biuret test; the second is ninhydrin test and the third is xanthoproteic test; all are test of proteins.

473 **(a)**

Carbonic acid $\xrightarrow{\text{Anhydrase}} \text{CO}_2 + \text{H}_2\text{O}$

474 **(b)**

Aldehydes and α —hydroxy ketones give positive Tollen's test. Glucose has an aldehyde group and fructose is an α —hydroxy ketone.

475 (a)

Follow text.

476 (d)

Glucose is a pentahydroxy aldehyde.

CHO | (CHOH)₄

CH₂OH

Glucose

479 (d)

All these are biomolecules (carbohydrates, lipids, proteins, nucleic acids, vitamins, hormones) since, they deal with chemistry of life process.

482 (c)

Partial hydrolysis of cellulose gives the disaccharide cellubiose ($C_{12}H_{22}O_{11}$). Cellobiose resembles maltose (which on acid catalysed hydrolysis yields two molar equivalents of D-glucose) in every respect except one the configuration of its glycosidic linkage.

483 (d)

These are oils which on exposure to air changes into hard solids, e.g, linseed oil. All drying oils contain a large proportion of the unsaturated acids *i.e.*, linoleic $C_{17}H_{31}COOH$ and linolenic acid $C_{17}H_{29}COOH$. This property is used in paint industry as vehicle for paints.

484 (c)

A polysaccharide containing glucose units.

Cell wall of plant cells is made up of cellulose.

486 (a)

Maltose on hydrolysis give two units of glucose.

487 **(b)**

 $H_2n - CH_2 - COOH$ (glycine) and $H_2N - (CH_2)_5 - (caproic acid)$ from biodegradable polymer Nylon-2-nylon-6.

488 **(d)**

The chemical name of vitamin B_1 is thiamine. Except vitamin A, D, E and K all vitamins are water soluble.

489 **(c)**

In peptide linkage —CONH—gp. exists.

491 **(d)**

Vit. A and D are fat soluble vitamins.

492 **(d**)

Vitamin B_{12} gives dark pink colour in aqueous solution.

493 (a)

$$-CHO \xrightarrow{Ag_2O} -COOH + 2Ag$$

494 (d)

They are insoluble in H₂O.

495 (c)

Starch
$$\xrightarrow{\text{Dil.HCl}}$$
 $C_6H_{12}O_6$

496 (a)

In alkaline medium, alanine exists as anion.

$$CH_3 - CH - NH_2 \xrightarrow{\text{Basic medium}} CH_3 - CH$$

$$- NH_2$$

I соон соо-

Alanine

499 **(a)**

Vitamin C is ascorbic acid $(C_6H_8O_6)$.

500 **(d)**

Follow synthesis of proteins in nucleic acid.

501 **(a)**

Uracil, thymine and cytosine are pyrimidine bases while adenine and guanine are purine bases. RNA contains uracil in place of thymine.

502 **(c)**

A proteolytic enzyme hydrolyses or decomposes proteins. Pepsin converts proteins to peptones in acidic medium.

503 **(b)**

Upto 10 monosaccharide units, they are called oligosaccharides.

504 **(b)**

Derived fats like sterols (cholesterols), ketone bodies, hydrocarbons, terpenes, carotenoids etc. are obtained by the hydrolysis of simple lipids and compound lipids. Neutral fats (fats and oils) are not synthesized by this method.

505 **(b)**

Only coconut oil is glyceride.

506 **(c)**

- (i) **Ketohexose** It is carbohydrate having 6C atoms and a ketonic group.
- (ii) **Disaccharide** It is carbohydrate which on hydrolysis gives 2 molecules of monosaccharides.
- (iii) **Polysaccharides** These carbohydrates give more than two molecules of monosaccharides on hydrolysis.
- (iv) **Pentos**e It is a 5 carbon atoms monosaccharide *e.g.*, Ribose $(C_5H_{10}O_5)$.

507 **(c)**

Fructose is oxidized by ammoniacal AgNO₃

508 **(b**)

Essential amino acids (10) are as follows

- (i) Arginine
- (ii) Histidine
- (iii) Isoleucine
- (iv) Leucine
- (v) Lysine
- (vi) Methionine
- (vii) Phenylalanine
- (viii) Threonine
- (ix) Tryptophane
- (x) Valine

509 **(b)**

Cellulase enzyme is present in the stomach of grazing mammals. It digest cellulose.

510 (d)

Proteins $\xrightarrow{\text{Trysin}}$ Amino acids.

511 (a)

Oligosaccharides on hydrolysis give sugars.

512 **(b)**

1 g fat provide 37 kJ of energy on oxidation while 1 g carbohydrate on oxidation gives 17 kJ of energy. Hence, fat has highest calorific value

514 (a)

Glucose is monosaccharide; rest all are disaccharides.

515 **(c)**

Lactose present in milk change after digestion into glucose and galactose.

516 **(c)**

Arabinose is $CHO(CHOH)_3 \cdot CH_2OH$.

518 **(b)**

The heme ring system is synthesized from glycine and succinyl -CoA

519 **(b)**

It is an explosive material.

520 **(b)**

Sucrose molecule is made up of a glucose pyranose and a fructo furanose.

521 (c)

Carnauba wax is myricyl ceroate, $i. e., C_{25}H_{51}COOC_{30}H_{61}$.

522 **(c)**

TATGACTG

::::::::

ATACTGAC

In the structure of DNA, thymine always joins with adenine by 2 H-bonds and guanine always joins with cytosine by 3 H-bonds.

523 **(b)**

Sodium or potassium salts of fatty acid are known as soap.

524 (c)

By the condensation of α —amino acids peptides are formed.

$${
m H_2N-CH_2COOH+H_2N-CH_2-COOH} \ {
m NH_2--CH_2COOH+H_2N---CH_2--COOH}$$

$$-H_2O$$
 H_2N
 CH_2
 $CONH$
 CH_2COOH

peptide bond

526 **(b)**

Wax contains ester group. These are the ester of high molecular weight of monohydric alcohol and high molecular mass of monocarboxylic acid.

527 **(a)**

Amylopectin is a polymer of α -D-glucose. It consists of branched chains of α -D-glucose

involving about 1000 or more units per molecule

528 (a)

Digestion is a chemical change involving hydrolysis of complex food matter.

529 (a)

Thyroxine has —COOH and —NH₂ groups.


$$HO \longrightarrow O \longrightarrow CH_2 \longrightarrow CH \longrightarrow COOH$$

530 **(c)**

It $isC_{15}H_{11}I_4NO_4$, an iodine containing amino acid hormone produced in thyroid glands, used in thyroid deficiency.

531 **(c)**

 α – D(+) glucose and β – D(+) glucose are anomers



532 **(a)**

The process of formation of RNA from DNA is called translation.

533 **(b)**

 α -and β -glucose are anomers (which differ in configuration at C-1).

534 (c)

The calorific value order:

Fat > Carbohydrate > Protein.

535 **(b)**

Insulin is proteinaceous hormone. It is secreted by pancreas and controls the metabolism of glucose and maintains glucose level in the blood

536 **(a)**

Cellulose is a polymer of glucose. $\beta - D(+) - glucose$ units are attached to each other by C_1 to C_4 bonds through β –glycosidic linkage in structure of cellulose.

537 (d)


It is obtained from sugar cane and is a disaccharide.

538 (d)

All are uses of glucose.

539 **(b)**

Methyl α — D —glucoside and methyl β — D —glucoside are anomers.



Glucose has six membered pyranose ring.

541 (a)

Monomer of nucleic acid (DNA or RNA) is nucleotides.

542 **(b)**

Oxytocin hormone plays an important role in child birth and milk ejection. It is secreted by posterior pituitary gland

543 **(d)**

Palmitic acid = $C_{15}H_{31}COOH$ Saturated monocarboxylic acids form a homologous series which has a general formula $C_n H_{2n+1} COOH$. Out of all the options only palmitic acid follows this .

545 **(b)**

Salvinoff test for fructose.

546 **(b)**

Soaps are salts of higher fatty acids.

547 **(b)**

K and Na regulates the body fluid.

548 **(d)**

All are source of vitamin A.

549 **(b)**

Sugar + alc. Solution of α -naphthol + $H_2SO_4 \rightarrow$ Violet ring.

550 **(b)**

The deficiency of insulin disturbs conversion of glucose to glycogen.

552 **(b)**

DNA has deoxyribose sugar; RNA has ribose sugar with three bases common as adenine, guanine and cytosine. DNA has fourth base thymine; RNA has uracil.

553 (a)

Haemoglobin act as an oxygen carrier in the blood because four Fe²⁺ ions of haemoglobin can bind with 4 molecules of O_2 and form oxyhaemoglobin Hb + $O_2 \rightarrow$ Oxyhaemoglobin

554 **(b)**

It is called glucoside. A glucoside linkage holds monosaccharides units in oligo- and polysaccharides.

555 **(c)**

The internal rearrangement of 3-phosphoglyceric acid into 2-phosphoglyceric acid takes place in the presence of enzyme phosphoglycero mutase

557 **(b)**

Pepsin, ptyalin and lipose are enzyme while cellulose is not the enzyme. It is a polysaccharide

558 (d)

Insulin hormone helps in the conversion of glucose into glycogen by the liver and skeletal muscle. Insulin is secreted by pancreas that lower blood glucose level.

559 (a)

Sweet taste of fruits is due to fructose.

561 **(d)**

It causes night blindness.

562 **(c)**

Follow DNA strand.

563 **(c)**

Nucleic acid (RNA and DNA) are the natural polymer of nucleotides. A nucleotide contains a nitrogenous (hetrocyclic) base, an aldopentose (generally ribose and deoxy-ribose) and a phosphate group. The combination of former two units is also called a nucleoside.

Phosphate + Pentose sugar + Base = Nucleotide Sugar Base = Nucleoside

565 **(c)**

Glucosazone is yellow in colour.

566 **(a**)

Butter is butyric acid ester which on hydrolysis, oxidation converts to butyric acid and thus, acquires bad smell. The process is called rancidification.

569 **(c)**

Blood sugar is glucose.

570 **(a)**

It is a reason for the given fact. Butter is butyric acid ester which on hydrolysis, oxidation converts to butyric acid and thus, acquires bad smell. The process is called rancidification.

571 (c)

Fisher pointed out peptide linkage in proteins.

572 **(c)**

Charring of sugar when it is treated with

conc.H₂SO₄ is due to dehydration. All water molecule is removed from the sugar $C_{12}H_{22}O_{11} + Conc. H_2SO_4 \rightarrow 12C + 11H_2O$

573 **(c)**

Vitamin B and C are water soluble and C is antioxidant.

574 **(d)**

Protein given blue-violet colour with ninhydrin while carbohydrate give negative test with ninhydrin. Carbohydrates give brown red ppt. with Benedict's solution. Hence, compound is a monosaccharide

575 **(d)**

Amino acids \rightarrow Dipeptides \rightarrow Polypeptides

577 **(c)**

$$\begin{array}{c} (C_6H_{10}O_5)_n \xrightarrow{Diastase} C_{12}H_{22}O_{11} \xrightarrow{Maltase} C_6H_{12}O_6 \\ \xrightarrow{Zymase} C_2H_5OH \end{array}$$

578 **(d)**

All are conjugated proteins.

Conjugated proteins are composed of simple proteins and non-protein material. The nonprotein material is called **prosthetic group** or cofactor. These proteins on hydrolysis yield amino acids and non-protein material. Examples are: mucin in saliva (Prosthetic group, carbohydrate), casein in milk (Prosthetic group, phosphoric acid), haemoglobin in blood (Prosthetic group, iron pigment).

579 (a)

Pepsin hydrolyses proteins to amino acids.

580 (a)

Glycine (NH₂CH₂COOH) is an amphoteric acid as it contains both acidic and basic groups.

581 **(c)**

Iso-electric point is a pH at which Zwitter ions do not migrate towards any of the electrode. Amino acids are also Zwitter ions hence, they do not migrate under electric field at iso-electric point

583 **(d)**

 α -maltose is composed of two α - D -glucose units in which C-1 of one glucose is linked to C-4 of another glucose unit.

584 **(c)**

C₁₅H₃₁COONa is soap (sodium palmitate).

585 **(b)**

Enzymes are biocatalysts.

586 **(d)**

Sucrose is a disaccharide and it yield one molecule each of glucose and fructose on hydrolysis.

$$\begin{array}{ccc} C_{12}H_{22}O_{11}+H_2O & \xrightarrow{H^+} & C_6H_{12}O_6+C_6H_{12}O_6 \\ & \text{Sucrose} & & \text{glucose} & \text{fructose} \end{array}$$

587 (c)

These are oils which on exposure to air changes into hard solids, e.g, linseed oil. All drying oils contain a large proportion of the unsaturated acids i.e., linoleic C₁₇H₃₁COOH and linolenic acid C₁₇H₂₉COOH . This property is used in paint industry as vehicle for paints.

591 (a)

Detergency means cleansing action.

592 **(d)**

Soaps are salts of higher fatty acids.

593 **(c)**

Glucose is reducing sugar.

594 (a)

Biuret test is characteristically given by the compound having

-C - NH - functional group.

595 **(a)**

Synthetic detergents are the chemical compounds synthesized in laboratory and possess properties like soaps. These are also surface active agents and possess cleansing capacity like soaps. These are generally sodium or potassium salts of long chain alkyl benzene sulphonic acids, or long chain alkyl sulphate.

596 **(b)**

Starch is homopolysaccharide of glucose having 24-30 glucose units.

597 **(c)**

Ghee has least iodine value among the given options because it is the least unsaturated.

598 (d)

Vitamin K deficiency causes excessive bleeding in injury.

599 (a)

Carbohydrates with 2-10 monosaccharide units are called oligosaccharides while higher carbohydrates are called polysaccharides.

600 **(b)**

Oils (liquid glycerides) react with hydrogen in the presence of metal catalyst (like nickel) to give saturated glycerides (semi-solid glycerides) i.e., fats. Thus, vegetable ghee (dalda) is obtained by the hydrogenation (reduction) of oils.

 $Oils + H_2 \rightarrow dalda$

601 **(a)**

The C-1 carbon of D (+) glucose is called anomeric carbon or glycosidic carbon and the pairs of stereoisomers differ in configuration around C-1 are called anomers.

603 **(c)**

Vitamin C is also called ascorbic acid. The deficiency of vitamin C causes scurvy. It is present in amla, tomatoes, orange, cabbage, lemon etc.

604 **(b)**

DNA has deoxyribose sugar; RNA has ribose sugar with three bases common as adenine, guanine and cytosine. DNA has fourth base thymine; RNA has uracil.

605 **(d)**

It is a fact.

607 **(b)**

Fructose is the sweetest sugar.

608 **(d)**

Saccharin is C₆H₄SO₂CONH, a white crystalline solid, 550 times more sweeter than sugar.

610 **(a**)

Cellulose is commonly used in manufacture of paper.

611 **(d)**

A use of starch.

612 **(d)**

Nucleic acids are polymers of nucleotides. They play an important role in all living cells. There are two types of nucleic acids

(I) DNA

(II) RNA

613 **(b)**

Glucose penta-acetate doesn't form an oxime because the glycosidic – OH group is not free since it is involved in ring formation. As a result, it cannot get converted into the open chain form required for the formation of oxime.

614 **(a)**

It is a fact.

615 **(b)**

Corn oil contains glycerides of oleic acid.

616 **(c)**

Zwitter ion an inner salt has acidic and basic groups in the same molecule.

A Zwitter ion is a dipolar ion with positive and negative charge at different points on it.

Example Sulphanilic acid exists as a Zwitter ion.

617 **(a)**

Milk contains lactose which on hydrolysis gives glucose and galactose

618 **(a)**

A fact about glycogen.

619 (c)

This is the correct sequence in structure of nucleic acid.

620 **(a)**

Cellulose is a straight chain polysaccharide composed of D-glucose units which are joined by β —glycosidic linkages between C-1 of one glucose and C-4 of the next glucose. In one unit only three hydroxyl groups are free to form acetate, that's why called cellulose triacetate.

622 **(b)**

Glycine is CH₂COOH, having no asymmetric carbonation.

 NH_2

624 (a)

The correct pairing sets which are responsible for the structure of DNA are

Adenine – Thymine

Guanine - Cytosine

625 (c)

In DNA, cytosine and thymine are pyrimidine bases.

627 **(d)**

Toilet soaps are mixture of potassium salts (Soft soap) of higher fatty acids having carbolic acid.

628 **(b)**

A scale to measure unsaturation (content of double bonds) of a product. It is expressed in gram of iodine absorbed by 100 g of substance.

629 **(b)**

Protonation of $\beta\text{-N}$ leads to imidazolium ion, which is stabilized by two equivalent resonating structures

equivalent resonating structure

630 (d)

Follow text

631 **(b)**

$$\frac{15}{30} \times 100 = 50$$

Thus, the mixture is 50% optically pure. Hence, the amount of

$$A = 50 + 25 = 75$$

$$B = 0 + 25 = 25$$

$$A : B = 3 : 1$$

633 **(c)**

A fact about structure of insulin. The two S—S bridges in between two chains are called interchain bridges.

634 (c)

DNA has D(-)-2-deoxyribose and RNA has (D)-ribose, both are chiral.

635 **(d)**

Lipids are of two types: oils and fats; oils are glycerides or esters of unsaturated fatty acids while fats are glycerides of saturated fatty acids.

636 **(b)**

Insulin is a hormone built up of two polypeptide chains.

637 **(d)**

Oxytocin-hormone

639 **(c)**

In proteins, amino acids are linked through peptide bonds

640 (d)

All these are proteins.

641 (a)

Adrenal glands are important endocrine glands in human-body. Its cortex part secretes the hormone 'cortisone'.

642 **(d)**

Enzymes are destroyed at high temperature. The optimum temperature range is 25-35°C.

643 (a)

Lysine is one of the 10 essential amino acids. It is:

644 **(d)**

Glycine is optically inactive amino acid due to absence of chiral carbon atoms.

$$CH_2 - COOH$$

 NH_2

Glycine

645 **(a)**

Glucose is aldohexose and fructose is ketohexose.

646 **(b)**

Hormones are either proteins or steroids or simple organic compounds produced by the endocrine glands and are secreted to blood which are carried to all parts of body where they regulate many metabolic functions of the organisms.

647 **(a)**

Starch is homopolysaccharide of glucose.

Starch $\xrightarrow{\text{HOH}}$ Sugar $\xrightarrow{\text{HOH}}$ Glucose

648 **(d)**

Vitamin B_{12} or cyanocobalamine contains cobalt and not magnesium.

649 (a)

Hormones are either proteins or steroids or simple organic compounds produced by the endocrine glands and are secreted to blood which are carried to all parts of body where they regulate many metabolic functions of the organisms.

650 **(a)**

Hardening of fat (lipid) is due to hydrogenation. Oil (liquid) + $H_2 \xrightarrow{Ni} Vanaspati$ ghee solid

651 (c)

Arabinose is $C_5H_{10}O_5$.

653 **(b)**

| (5) | |
|----------|----------|
| Biomole | Metal |
| cules | ion |
| Vitamin | Со |
| B_{12} | (transit |
| | ion |
| | metal) |
| Chlorop | Mg(non |
| hyll | - |
| | transiti |
| | on |
| | metal |

| | ion) |
|---------|----------|
| Haemog | Fe |
| lobin | (transit |
| | ion |
| | metal) |
| insulin | S(non- |
| | metal) |

Primary structure involves sequence of α —amino acids polypeptide chain.

Secondary structure involves α —helical and β —pleated sheet like structure.

655 **(b)**

Liquid part of paint is called vehicle or carrier.

656 **(a)**

Vitamin D is also known as cholecalciferol.

657 **(b)**

Milk contains casein.

658 (a)

$$\begin{array}{c|c} & O \\ & \downarrow \\ & \downarrow$$

This compound contains five carbons atoms, so it is a pentose. Its first carbon contains

- H and — OH group. This suggests that it is an aldose (*i.e.*, contains aldehyde group). Since, its structure is similar to furan (a heterocyclic conpound), so it has furanose structure. Hence, this compound is a pentose, aldose and have furanose structure.

660 **(a)**

These both the forms of glucose differ in the orientation of – OH group around C_1 .

661 **(a)**

Fats and oils are esters of glycerol with higher fatty acids. Hence, coconut oil is an ester.

662 (c)

Glycogen serves as reserve glucose in body. Glycogen $\stackrel{\text{HOH}}{\longrightarrow} n(\text{glucose})$

663 **(b)**

DNA is called the master molecule since, it plays key role in life process.

